



Operation 3 PH Install the recovery tank Install the battery packs 2 4 Install the solution tank Fill the solution tank. PH between 4 and 9. Temperature max 45°C / 113 °F. 5 6 Lower the scrub-deck Select your by hand operating mode

Maintenance and Care	daily	weekly	monthly
Drain and rinse the solution and recovery tanks with fresh water.			
Remove and open the vacuum filter, make sure that it is clean inside by blowing			
it out or hold it under running water.			
Remove the deflector gently from the machine and clean it.			
Clean the squeegee blade's rubbers and suction opening with fresh water and a clean cloth.			
Detach and clean the brushes and also the bottom of the			
brush-deck, now that it is fully exposed.			
Recharge the batteries. If the i-mop isn't used regularly, store the charged			
batteries in a dry clean place.			
Check the rubbers on the squeegee blade for damage or wear and tear.			
Turn them over or replace them entirely when needed.			
Clean the wheels on the squeegee blade, make sure the bearings aren't clogged.			
Unscrew the filter from the solution tank and clean it under running water.			
Clean the exterior of the i-mop with a clean cloth and fresh water.			
Remove the brushes from the machine and clean the water nozzles			
at the bottom of the scrub deck.			
If the i-mop isn't used regularly, store the charged			
batteries in a dry clean place. Make sure the batteries are charged monthly.			





Empty the tank before storing it and empty the tank before refilling it.

Leave the cap open when storing overnight so the





Troubleshooting

The i-mop won't start

Remove the battery packs from the machine. Inspect the connectors Detach the vacuum hose from the machine and, check both the hose on the battery and on the machine for any damage or obstruction. and the opening on the machine. Reinsert the batteries and switch on the machine. Make sure that the batteries are charged, check them on the charger, recharge when Insufficient water flow or no water flow needed or grab a freshly charged set. If the problem still exists we Check if the solution tank is filled and seated correctly on the machine. recommend to reset the i-mop according to our reset procedure.

Poor water recovery

Please ensure that you have chosen the right cleaning mode and that it is clean. If the filter is dirty, please check that it is cleaned the vacuum motor is running. Check the recovery tank, when full monthly or more often, if required by your circumstances. empty it. Always empty the recovery tank after cleaning or when you've used up all the solution in the solution tank. Inspect both the deflector and the air filter, clean when needed. Make sure that the recovery tank is seated correctly on the machine, and the cap is scruwed back on the top of the tank. Inspect the rubbers on the squeegee for any damage or wear and tear and that there is nothing stuck inside the squeegee blade blocking the airflow.

Make sure the wheels are clean and that they can turn freely.

Make sure that the right operating mode is selected. Remove the brushes and check the water nozzles on the scrub deck for any obstructions. Empty the solution tank and check the filter, make sure

