

Vehicle Type	E.T. 1/4 mile (seconds)	Technical Safety Requirements	Personal Safety Equipment
Street Motorcycle	10.00 and slower on a modified motorcycle. 9.50 and slower on an un-modified motorcycle.	None – As manufactured. Technical Inspection: Not Required.	Clothing: Long trousers, a securely fastened leather or material of similar or greater durability jacket, motorcycle road riding gloves and closed footwear as a minimum. Helmet: FIA 8860-2018, SNELL SA2010, SNELL SA2015, SNELL M2010, SNELL M2015, SNELL SAH2010, SFI 31.1, SFI 41.1, AS/NZS 1698:2006, AS/NZS 1698, ECE 22.05. The use of open face helmets on any motorcycle is prohibited.
Street Motorcycle	9.99 and quicker on a modified motorcycle. 9.49 and quicker on an un-modified motorcycle.	A functional “lanyard” type kill switch must be fitted in addition to the kill switch requirement and be attached to the rider while operating. Technical Inspection: Mandatory for modified motorcycles quicker than 10.00 or any motorcycle with a modified swing arm, frame or brakes. Unmodified Production Motorcycles may achieve a performance of no quicker than 9.50 without requiring a Technical Inspection. Also see General Regulations in the current ANDRA Rulebook.	Clothing: Full leather rider’s suit, 1-piece or 2-piece zipped together. Full leathers or material of similar or greater durability that must be of one piece or zip together construction. Full leather boots 275mm height. May use short boots that cover ankles if pants cover top of boots. Elastic sided boots prohibited, lace up or zip up boots minimum. Short boots that extend to above ankle are accepted in bike classes providing the rider’s pants extend to cover part of the boot and prevent exposure of skin. Clothing should include full length pants, no shortened pant types allowed. Leather motorcycle riding gloves as a minimum. Gloves and jacket sleeves must overlap. Gloves with carbon fibre or Kevlar knuckling and/ or palms are strongly recommended. The wearing of club “colours” in conjunction with leathers or otherwise is expressly forbidden. Helmet: FIA 8860-2018, SNELL SA2010, SNELL SA2015, SNELL M2010, SNELL M2015, SNELL SAH2010, SFI 31.1, SFI 41.1, AS/NZS 1698:2006, AS/NZS 1698, ECE 22.05. The use of open face helmets on any motorcycle is prohibited. Also see General Regulations, Protective Clothing in the current ANDRA Rulebook.

Vehicle Type	E.T. 1/4 mile (seconds)	Vehicle Technical Safety Requirements	Personal Safety Equipment
Street Cars (manufactured prior to 01-01-2008)	Slower than 11.00	<p>Seatbelt/Harness: Slower than 12.00: Quick Release lap sash 3-point to E35 or AS/NZS 2596.</p> <p>Quicker than 11.99 and/or faster than 110mph: 4-point to E35 or AS/NZS 2596.</p> <p>Parachute: Compulsory all vehicles exceeding 130 mph (208 kph), or 140 mph (224kph) where four-wheel brakes are fitted.</p> <p>Also see General Regulations in the current ANDRA Rulebook.</p>	<p>Clothing: Long sleeve top & full-length trousers as a minimum. Jacket meeting SFI3.2A/5 or FIA8856 recommended. Enclosed shoes and socks as a minimum. No minimum requirement for gloves.</p> <p>Helmet: FIA 8860-2018, FIA 8860-2010, FIA 8856-2010, FIA 8859-2015, FIA 8860-2004, SNELL SA2010, SNELL SA2015, SNELL SAH2010, SNELL M2010, SNELL M2015, SFI 31.1, SFI 41.1 AS/NZS 1698:2006 AS/NZS 1698, ECE 22.05.</p> <p>Also see General Regulations, Protective Clothing in the current ANDRA Rulebook.</p>
Street Cars (manufactured prior to 01-01-2008)	Faster than 11.00	<p>Seatbelt/Harness: Cars quicker than 11.99 1/4 mile and/or faster than 110mph: 4-point to E35 or AS/NZS 2596 Cars faster than 130mph: 5-point to SFI 16.1 or FIA 8853</p> <p>Parachute: Compulsory all vehicles exceeding 130 mph (208 kph), or 140 mph (224kph) where four-wheel brakes are fitted.</p> <p>Rollcage: Required see www.andra.com.au/technical/technicaldocumentation/ or contact as per below.</p> <p>Technical Inspection: Required. Please contact ANDRA Technical for further info; P (08) 8271 5355 E technical@andra.com.au</p> <p>Also see General Regulations in the current ANDRA Rulebook.</p>	<p>Clothing: Driver's suit meeting SFI 3.2A/5 or FIA 8856-2000 as a minimum. Shoes/socks/boots meeting SFI 3.3/5 or FIA 8856-2000 as minimum. Gloves meeting SFI 3.3/5 or FIA 8856-2000 as a minimum. Balaclava meeting SFI 3.3 or FIA 8856-2000 as a minimum, (only recommended for Naturally Aspirated vehicles). Socks meeting SFI 3.3 or FIA 8856-2000 recommended, flame resistant mandatory. Underwear meeting SFI 3.3 or FIA 8856 as a minimum, (only recommended for Naturally Aspirated vehicles).</p> <p>Helmet: FIA 8860-2018, FIA 8860-2010, FIA 8856-2010, FIA 8859-2015, FIA 8860-2004, SNELL SA2010, SNELL SA2015, SNELL SAH2010, SNELL M2010, SNELL M2015, SFI 31.1, SFI 41.1.</p> <p>Also see General Regulations, Protective Clothing in the current ANDRA Rulebook.</p>

Vehicle Type	E.T. 1/4 mile (seconds)	Vehicle Technical Safety Requirements	Personal Safety Equipment
Modern Street Cars (manufactured after 01-01-2008)	Slower than 10.00	<p>Seatbelt/Harness: Quick Release lap sash 3-point to E35 or AS/NZS 2596.</p> <p>Parachute: Compulsory all vehicles exceeding 130 mph (208 kph), or 140 mph (224kph) where four-wheel brakes are fitted.</p> <p>Also see ANDRA General Regulations in the current ANDRA Rulebook.</p>	<p>Clothing: Long sleeve top & full-length trousers as a minimum. Jacket meeting SFI3.2A/5 or FIA8856 recommended. Enclosed shoes and socks as a minimum. No minimum requirement for gloves.</p> <p>Helmet: FIA 8860-2018, FIA 8860-2010, FIA 8856-2010, FIA 8859-2015, FIA 8860-2004, SNELL SA2010, SNELL SA2015, SNELL SAH2010, SNELL M2010, SNELL M2015, SFI 31.1, SFI 41.1.</p> <p>Also see ANDRA General Regulations, Protective Clothing in the current ANDRA Rulebook.</p>
Modern Street Cars (manufactured after 01-01-2008)	Faster than 10.00	<p>Seatbelt/Harness: Cars quicker than 11.99 1/4 mile and/or faster than 110mph: 4-point to E35 or AS/NZS 2596.</p> <p>Cars faster than 130mph: 5-point to SFI 16.1 or FIA 8853.</p> <p>Parachute: Compulsory all vehicles exceeding 130 mph (208 kph), or 140 mph (224kph) where four-wheel brakes are fitted.</p> <p>Rollcage: Required see www.andra.com.au/technical/technicaldocumentation/ or contact as per below.</p> <p>Technical Inspection: Required. Please contact ANDRA Technical for further info; P (08) 8271 5355 E technical@andra.com.au</p> <p>Also see ANDRA General Regulations in the current ANDRA Rulebook.</p>	<p>Clothing: Driver's suit meeting SFI 3.2A/5 or FIA 8856-2000 as a minimum. Shoes/socks/boots meeting SFI 3.3/5 or FIA 8856-2000 as minimum. Gloves meeting SFI 3.3/5 or FIA 8856-2000 as a minimum. Balaclava meeting SFI 3.3 or FIA 8856-2000 as a minimum, (only recommended for Naturally Aspirated vehicles). Socks meeting SFI 3.3 or FIA 8856-2000 recommended, flame resistant mandatory. Underwear meeting SFI 3.3 or FIA 8856 as a minimum, (only recommended for Naturally Aspirated vehicles).</p> <p>Helmet: FIA 8860-2018, FIA 8860-2010, FIA 8856-2010, FIA 8859-2015, FIA 8860-2004, SNELL SA2010, SNELL SA2015, SNELL SAH2010, SNELL M2010, SNELL M2015, SFI 31.1, SFI 41.1.</p> <p>Also see ANDRA General Regulations, Protective Clothing in the current ANDRA Rulebook.</p>

Vehicle Type	E.T. 1/8 mile (seconds)	Technical Safety Requirements	Personal Safety Equipment
Street Motorcycle	6.37 and slower on a modified motorcycle. 6.05 and slower on an un-modified motorcycle.	None – As manufactured. Technical Inspection: Not Required.	Clothing: Long trousers, a securely fastened leather or material of similar or greater durability jacket, motorcycle road riding gloves and closed footwear as a minimum. Helmet: FIA 8860-2018, SNELL SA2010, SNELL SA2015, SNELL M2010, SNELL M2015, SNELL SAH2010, SFI 31.1, SFI 41.1, AS/NZS 1698:2006, AS/NZS 1698, ECE 22.05. The use of open face helmets on any motorcycle is prohibited.
Street Motorcycle	6.36 and quicker on a modified motorcycle. 6.04 and quicker on an un-modified motorcycle.	A functional “lanyard” type kill switch must be fitted in addition to the kill switch requirement and be attached to the rider while operating. Technical Inspection: Mandatory for modified motorcycles quicker than 6.37 or any motorcycle with a modified swing arm, frame or brakes. Unmodified Production Motorcycles may achieve a performance of no quicker than 6.05 without requiring a Technical Inspection. Also see General Regulations in the current ANDRA Rulebook.	Clothing: Full leather rider’s suit, 1-piece or 2-piece zipped together. Full leathers or material of similar or greater durability that must be of one piece or zip together construction. Full leather boots 275mm height. May use short boots that cover ankles if pants cover top of boots. Elastic sided boots prohibited, lace up or zip up boots minimum. Short boots that extend to above ankle are accepted in bike classes providing the rider’s pants extend to cover part of the boot and prevent exposure of skin. Clothing should include full length pants, no shortened pant types allowed. Leather motorcycle riding gloves as a minimum. Gloves and jacket sleeves must overlap. Gloves with carbon fibre or Kevlar knuckling and/ or palms are strongly recommended. The wearing of club “colours” in conjunction with leathers or otherwise is expressly forbidden. Helmet: FIA 8860-2018, SNELL SA2010, SNELL SA2015, SNELL M2010, SNELL M2015, SNELL SAH2010, SFI 31.1, SFI 41.1, AS/NZS 1698:2006, AS/NZS 1698, ECE 22.05. The use of open face helmets on any motorcycle is prohibited. Also see General Regulations, Protective Clothing in the current ANDRA Rulebook.

Vehicle Type	E.T. 1/8 mile (seconds)	Vehicle Technical Safety Requirements	Personal Safety Equipment
Street Cars (manufactured prior to 01-01-2008)	Slower than 7.00	<p>Seatbelt/Harness: Slower than 7.64: Quick Release lap sash 3-point to E35 or AS/NZS 2596</p> <p>Quicker than 7.64 and/or faster than 110 mph: 4-point to E35 or AS/NZS 2596</p> <p>Parachute: Compulsory all vehicles exceeding 130 mph (208 kph), or 140 mph (224 kph) where four-wheel brakes are fitted. Quarter mile equivalent.</p> <p>Also see General Regulations in the current ANDRA Rulebook.</p>	<p>Clothing: Long sleeve top & full-length trousers as a minimum. Jacket meeting SFI3.2A/5 or FIA8856 recommended. Enclosed shoes and socks as a minimum. No minimum requirement for gloves.</p> <p>Helmet: FIA 8860-2018, FIA 8860-2010, FIA 8856-2010, FIA 8859-2015, FIA 8860-2004, SNELL SA2010, SNELL SA2015, SNELL SAH2010, SNELL M2010, SNELL M2015, SFI 31.1, SFI 41.1 AS/NZS 1698:2006 AS/NZS 1698, ECE 22.05.</p> <p>Also see General Regulations, Protective Clothing in the current ANDRA Rulebook.</p>
Street Cars (manufactured prior to 01-01-2008)	Faster than 7.00	<p>Seatbelt/Harness: Quicker than 7.64 and/or faster than 110 mph: 4-point to E35 or AS/NZS 2596</p> <p>Faster than 130 mph: 5-point to SFI 16.1 or FIA 8853</p> <p>Parachute: Compulsory all vehicles exceeding 130 mph (208 kph), or 140 mph (224 kph) where four-wheel brakes are fitted. Quarter Mile Equivalent</p> <p>Rollcage: Required see www.andra.com.au/technical/technicaldocumentation/ or contact as per below.</p> <p>Technical Inspection: Required. Please contact ANDRA Technical for further info; P (08) 8271 5355 E technical@andra.com.au</p> <p>Also see General Regulations in the current ANDRA Rulebook.</p>	<p>Clothing: Driver's suit meeting SFI 3.2A/5 or FIA 8856-2000 as a minimum. Shoes/socks/boots meeting SFI 3.3/5 or FIA 8856-2000 as minimum. Gloves meeting SFI 3.3/5 or FIA 8856-2000 as a minimum. Balaclava meeting SFI 3.3 or FIA 8856-2000 as a minimum, (only recommended for Naturally Aspirated vehicles). Socks meeting SFI 3.3 or FIA 8856-2000 recommended, flame resistant mandatory. Underwear meeting SFI 3.3 or FIA 8856 as a minimum, (only recommended for Naturally Aspirated vehicles).</p> <p>Helmet: FIA 8860-2018, FIA 8860-2010, FIA 8856-2010, FIA 8859-2015, FIA 8860-2004, SNELL SA2010, SNELL SA2015, SNELL SAH2010, SNELL M2010, SNELL M2015, SFI 31.1, SFI 41.1.</p> <p>Also see General Regulations, Protective Clothing in the current ANDRA Rulebook.</p>

Vehicle Type	E.T. 1/8 mile (seconds)	Vehicle Technical Safety Requirements	Personal Safety Equipment
<p>Modern Street Cars</p> <p>(manufactured after 01-01-2008)</p>	<p>Slower than 6.37</p>	<p>Seatbelt/Harness: Quick Release lap sash 3-point to E35 or AS/NZS 2596</p> <p>Quicker than 7.64 and/or faster than 110 mph: 4-point to E35 or AS/NZS 2596</p> <p>Parachute: Compulsory all vehicles exceeding 130 mph (208 kph), or 140 mph (224 kph) where four-wheel brakes are fitted. Quarter Mile Equivalent.</p> <p>Also see General Regulations in the current ANDRA Rulebook.</p>	<p>Clothing: Long sleeve top & full-length trousers as a minimum. Jacket meeting SFI3.2A/5 or FIA8856 recommended. Enclosed shoes and socks as a minimum. No minimum requirement for gloves.</p> <p>Helmet: FIA 8860-2018, FIA 8860-2010, FIA 8856-2010, FIA 8859-2015, FIA 8860-2004, SNELL SA2010, SNELL SA2015, SNELL SAH2010, SNELL M2010, SNELL M2015, SFI 31.1, SFI 41.1.</p> <p>Also see General Regulations, Protective Clothing in the current ANDRA Rulebook.</p>
<p>Modern Street Cars</p> <p>(manufactured after 01-01-2008)</p>	<p>Faster than 6.37</p>	<p>Seatbelt/Harness:</p> <p>Quicker than 7.64 and/or faster than 110mph: 4-point to E35 or AS/NZS 2596</p> <p>Faster than 130 mph: 5-point to SFI 16.1 or FIA 8853*</p> <p>Parachute: Compulsory all vehicles exceeding 130 mph (208 kph), or 140 mph (224 kph) where four-wheel brakes are fitted. Quarter Mile Equivalent</p> <p>Rollcage: Required see www.andra.com.au/technical/technicaldocumentation/ or contact as per below.</p> <p>Technical Inspection: Required. Please contact ANDRA Technical for further info; P (08) 8271 5355 E technical@andra.com.au</p> <p>Also see General Regulations in the current ANDRA Rulebook.</p>	<p>Clothing: Driver's suit meeting SFI 3.2A/5 or FIA 8856-2000 as a minimum Shoes/socks/boots meeting SFI 3.3/5 or FIA 8856-2000 as minimum. Gloves meeting SFI 3.3/5 or FIA 8856-2000 as a minimum. Balaclava meeting SFI 3.3 or FIA 8856-2000 as a minimum, (only recommended for Naturally Aspirated vehicles). Socks meeting SFI 3.3 or FIA 8856-2000 recommended, flame resistant mandatory. Underwear meeting SFI 3.3 or FIA 8856 as a minimum, (only recommended for Naturally Aspirated vehicles).</p> <p>Helmet: FIA 8860-2018, FIA 8860-2010, FIA 8856-2010, FIA 8859-2015, FIA 8860-2004, SNELL SA2010, SNELL SA2015, SNELL SAH2010, SNELL M2010, SNELL M2015, SFI 31.1, SFI 41.1.</p> <p>Also see General Regulations, Protective Clothing in the current ANDRA Rulebook.</p>