

Metabolic Assessment Form

| Name: | | _ Age: | _ Sex: | _ Date: | | | |
|---|--------------------|--------------|---------------------------|----------------------------|---|---|---------|
| PART I | | | | | | | |
| Please list your 5 major health concerns in order of | importance: | | | | | | |
| 1 | | | | | | | |
| 2 | | | | | | | |
| 3 | | | | | | | |
| | | | | | | | |
| 4 5 | | | | | | _ | |
| PART II | | | | | | | |
| How many alcoholic beverages do you consume pe | r week? | How | v many times do | you eat fish per week? | | | |
| How many caffeinated beverages do you consume | | | | ou work out per week? _ | | | |
| How many times do you eat out per week? | - | | - | nuts or seeds per week? _ | | | |
| Rate your stress level on a scale of 1-10 (1 being th | | • | • | • | | | |
| | | | | | | | |
| List the three worst foods you eat during the average | | | | | | | — |
| List the three healthiest foods you eat during the av | erage week: | | | | | — | |
| PART III | | | | | | | |
| Please list any medications you currently take and f | or what condition | ons: | | | | | |
| Please list any natural supplements you currently ta PART IV Please circle the appropriate number "0 - 3" on all of | | | ever to 3 as the 1 | nost/always. | | | |
| Category I | | Category I | П | | | | |
| Feeling that bowels do not empty completely | 0 1 2 3 | Intolerance | | | 0 | 1 | 2 3 |
| Lower abdominal pain relieved by passing stool or gas | 0 1 2 3 | Intolerance | | | 0 | 1 | 2 3 |
| Alternating constipation and diarrhea | 0 1 2 3 | | to shampoo, lotion | | | | 2 3 |
| Diarrhea | 0 1 2 3 | | nell and chemical s | sensitivities | | | 2 3 |
| Constipation | 0 1 2 3 | Constant sk | in outbreaks | | 0 | 1 | 2 3 |
| Hard, dry, or small stool Coated tongue or "fuzzy" debris on tongue | 0 1 2 3 0 1 2 3 | Catagoria I | 1 7 | | | | |
| Pass large amount of foul-smelling gas | 0 1 2 3 | Category I | v belching, burping, o | or blooting | 0 | 1 | 2 3 |
| More than 3 bowel movements daily | 0 1 2 3 | | iately following a | | | | 2 3 |
| Use laxatives frequently | 0 1 2 3 | Offensive b | | inicui | | | 2 3 |
| 1 2 | | | wel movement | | | | 2 3 |
| Category II | | Sense of ful | llness during and a | after meals | 0 | 1 | 2 3 |
| Increasing frequency of food reactions | 0 1 2 3 | | ligesting fruits and | | | | 2 3 |
| Unpredictable food reactions | 0 1 2 3 | Undigested | food found in stoo | ols | 0 | 1 | 2 3 |
| Aches, pains, and swelling throughout the body | 0 1 2 3 | - | | | | | |
| Unpredictable abdominal swelling | 0 1 2 3 0 1 2 3 | Category V | | to 1 4 to 0 C | 0 | 1 | 2 2 |
| Frequent bloating and distention after eating Abdominal intolerance to sugars and starches | 0 1 2 3 0 1 2 3 | Use antacid | | ing 1-4 hours after eating | | | 2 3 2 3 |



| Category V (continued) Feel hunger an hour or two after cating 0 1 2 3 5 Feature and search (pursuan when lying down or bending forward 0 1 2 3 5 Feature and the pursuan when lying down or bending forward 0 1 2 3 5 Feature and the pursuan when lying down or bending forward 0 1 2 3 5 Feature and the pursuan when lying down or bending forward 0 1 2 3 5 Feature and the pursuan when the preparation when the preparation when the pursuan | Cotorow V (continued) | | | | | Catagamy | | | |
|--|--|---|-----|----|----|------------------------------------|---|---|-----|
| Hearthurn when lying down or bending forward | | Λ | 1 | 2 | 2 | | 0 | 1 | 2 3 |
| Feature provising matacists, food, milk, or a carbonated beverages | | | | | | | | | _ |
| Carbonaled bevertages | | U | 1 | 2 | 5 | | | | |
| Digestive problems subside with rest and relaxation 0 1 2 3 1 1 2 3 1 1 2 3 1 1 2 3 1 1 2 3 1 1 2 3 1 1 2 3 1 1 2 3 1 1 2 3 1 1 2 3 1 1 2 3 1 1 2 3 1 1 2 3 1 1 2 3 1 1 2 3 1 3 1 3 3 1 3 3 1 3 3 | | 0 | 1 | 2 | 3 | | | | |
| Fleantum due to spiey foods, chocolate, cirrus, peppers, alcohol, and caffeine 0 1 2 3 Peppers, alcohol, and caffeine 0 1 2 3 Roughage and fiber cause constipation 0 1 2 3 Indigestion and fullness last 2-4 hours after eating 0 1 2 3 Pain, treadmess, scoreness on left add under rib cage 0 1 2 3 Pain, treadmess, scoreness on left add under rib cage 0 1 2 3 Pain, treadmess, scoreness on left add under rib cage 0 1 2 3 Pain, tendemess, scoreness on left add under rib cage 0 1 2 3 Pain, treadmess, scoreness on left add under rib cage 0 1 2 3 Pain, treadmess, scoreness on left add under rib cage 0 1 2 3 Pain, treadmess, scoreness on left add under rib cage 0 1 2 3 Pain, treadmess, scoreness on left add under rib cage 0 1 2 3 Pain, treadmess, scoreness on left add under rib cage 0 1 2 3 Pain, treadmess, scoreness on left add under rib cage 0 1 2 3 Pain, treadmess, scoreness on left add under rib cage 0 1 2 3 Pain, treadmess, or sonoting left 0 1 2 3 Prespent utrination 0 1 2 3 Prespent easily | | - | _ | _ | _ | | | | |
| Category VI | | U | 1 | _ | 5 | | | | |
| Category VI | | 0 | 1 | 2 | 3 | | | | |
| Category XI | peppers, areonor, and currente | Ü | 1 | _ | 5 | | | | |
| Roughage and fiber cause constipation 0 1 2 3 2 2 3 2 2 3 3 3 | Category VI | | | | | Dimounty rooms weight | | • | |
| Pain, tenderness, soreness on left side under rib eage 0 | | 0 | 1 | 2 | 3 | Category X1 | | | |
| Secosive passage of gas | Indigestion and fullness last 2-4 hours after eating | 0 | 1 | 2 | 3 | Cannot stay asleep | 0 | 1 | 2 3 |
| Stool undigested, foul smelling, mucous like, greasy, or poorly formed | Pain, tenderness, soreness on left side under rib cage | 0 | 1 | 2 | 3 | Crave salt | 0 | 1 | 2 3 |
| Stool undigested, foul smelling, mucous like, greasy, or poorly formed | Excessive passage of gas | 0 | 1 | 2 | 3 | Slow starter in the morning | 0 | 1 | 2 3 |
| Programmer of poorly formed 0 1 2 3 | Nausea and/or vomiting | 0 | 1 | 2 | 3 | Afternoon fatigue | 0 | 1 | 2 3 |
| Frequent urination | Stool undigested, foul smelling, mucous like, | | | | | Dizziness when standing up quickly | 0 | 1 | 2 3 |
| Difficulty losing weight | | 0 | 1 | 2 | 3 | Afternoon headaches | 0 | 1 | 2 3 |
| Category VII | | | | | | Headaches with exertion or stress | 0 | 1 | 2 3 |
| Category VII | Increased thirst and appetite | | | | | Weak nails | 0 | 1 | 2 3 |
| Cannot fall asleep | Difficulty losing weight | 0 | 1 | 2 | 3 | | | | |
| Creasy or high-fat foods cause distress | | | | | | | | | |
| Under high amount of stress | | | | | | | | | |
| Bitter metallic taste in mouth, especially in the morning 0 1 2 3 | | | | | | | | | |
| Unexplained itchy skin | | | | | | | | | |
| Stool color alternates from clay colored to normal brown 0 | | | | | | | | | |
| Stool color alternates from clay colored to normal brown 0 | | | | | | | 0 | 1 | 2 3 |
| Reddened skin, especially palms | | | | | | | | | |
| Dry or flaky skin and/or hair | | | | | | or no activity | 0 | 1 | 2 3 |
| History of gallbladder attacks or stones O 1 2 3 Edema and swelling in ankles and wrists O 1 2 3 Have you had your gallbladder removed? Yes No Muscle cramping O 1 2 3 Poor muscle endurance O 1 2 3 Prequent urination O 1 2 3 Prequent urination O 1 2 3 Excessive hair loss O 1 2 3 Excessive hair lo | | | | | | | | | |
| Have you had your gallbladder removed? | | | | | | | 0 | | 2 2 |
| Poor muscle endurance | | | | | | | | | _ |
| Category VIII Frequent urination 0 | Have you had your gallbladder removed? |) | res | Γ | NO | * * | | | _ |
| Acne and unhealthy skin 0 1 2 3 Frequent thirst 0 1 2 3 Excessive hair loss 0 1 2 3 Crave salt 0 1 2 3 Overall sense of bloating 0 1 2 3 Abnormal sweating from minimal activity 0 1 2 3 Bodily swelling for no reason 0 1 2 3 Alteration in bowel regularity 0 1 2 3 Hormone imbalances 0 1 2 3 Inability to hold breath for long periods 0 1 2 3 Shallow, rapid breathing 0 1 2 3 Freel cold—hands, feet, all over 0 1 2 3 Freel cold—hands, feet, all over 0 1 2 3 Crave sweets during the day 1 2 3 Require excessive amounts of sleep to function properly 0 1 2 3 Depend on coffee to keep going/get started 0 1 2 3 Freel cold—hands, feet, all over 0 1 2 3 Get light-headed if meals are missed 0 1 2 3 Depend on coffee to keep going/get started 0 1 2 3 Depend on coffee to keep going/get started 0 1 2 3 Depend on coffee to keep going/get started 0 1 2 3 Depend on coffee to keep going/get started 0 1 2 3 Depend on coffee to keep going/get started 0 1 2 3 Depend on coffee to keep going/get started 0 1 2 3 Depend on coffee to keep going/get started 0 1 2 3 Depend on coffee to keep going/get started 0 1 2 3 Difficult, infrequent bowel movements 0 1 2 3 Eating relieves fatigue 0 1 2 3 Depends on coffee to keep going/get started 0 1 2 3 Depends on coffee to keep going/get started 0 1 2 3 Depends on coffee to keep going/get started 0 1 2 3 Difficult, infrequent bowel movements 0 1 2 3 Freel shaky, jittery, or have tremors 0 1 2 3 Depends on coffee to keep going/get started 0 1 2 3 Depends on coffee to keep going/get started 0 1 2 3 Depends on coffee to keep going/get started 0 1 2 3 Depends on coffee to keep going/get started 0 1 2 3 Depends on coffee to keep going/get started 0 1 2 3 Depends on coffee to keep going/get started 0 1 2 3 Depends on coffee to keep going/get started 0 1 2 3 Depends on coffee to keep going/get started 0 1 2 3 Depends on coffee to keep going/get started 0 1 2 3 Depends on coffee to keep going/get started 0 1 2 3 Depends on coffee to keep going/get started 0 1 2 3 Depends on coffee to keep going/get started 0 1 2 3 | Correct VIII | | | | | | | | |
| Excessive hair loss | | 0 | 1 | 2 | 2 | | | | |
| Overall sense of bloating 0 1 2 3 Abnormal sweating from minimal activity 0 1 2 3 Bodily swelling for no reason 0 1 2 3 Alteration in bowel regularity 0 1 2 3 Thormone imbalances 0 1 2 3 Inability to hold breath for long periods 0 1 2 3 Weight gain 0 1 2 3 Shallow, rapid breathing 0 1 2 3 Shallow, rapid breathing 0 1 2 3 Thormone imbalances 0 1 2 3 Thinning of hair on scalp, face, or genitals, or excessive 0 1 2 3 Thinning of skin and/or scalp 0 1 2 3 Thinning of skin and/or scalp 0 1 2 3 Thinning of skin and/or scalp 0 1 2 3 Thinning of skin and/or scalp 0 1 2 3 Thinning of skin and/or scalp 0 1 2 3 Thinning of skin and/or scalp 0 1 2 3 Thinning of skin and/or scalp 0 1 2 3 Thinning 0 1 1 2 | | | | | | • | | | |
| Bodily swelling for no reason 0 1 2 3 Alteration in bowel regularity 0 1 2 3 Hormone imbalances 0 1 2 3 Inability to hold breath for long periods 0 1 2 3 Weight gain 0 1 2 3 Shallow, rapid breathing 0 1 2 3 Footbowel function 0 1 2 3 Shallow, rapid breathing 0 1 2 3 Footbowel function 3 Footbowel function 2 3 Footbowel function | | | | | | | | | |
| Hormone imbalances 0 1 2 3 Inability to hold breath for long periods 0 1 2 3 Shallow, rapid breathing 0 1 2 3 Shallow, rapid prediction 0 1 2 3 Shallow, rapid predic | | | | | | | | | |
| Weight gain 0 1 2 3 Shallow, rapid breathing 0 1 2 3 Poor bowel function 0 1 2 3 Category XIV Excessively foul-smelling sweat 0 1 2 3 Category XIV Tired/sluggish 0 1 2 3 Feel cold—hands, feet, all over 0 1 2 3 Increase in weight even with low-calorie diet 0 1 2 3 Poepend on coffee to keep going/get started 0 1 2 3 Gain weight easily 0 1 2 3 Get light-headed if meals are missed 0 1 2 3 Difficult, infrequent bowel movements 0 1 2 3 Feel shaky, jittery, or have tremors 0 1 2 3 Morning headaches that wear off as the day progresses 0 1 2 3 Agitated, easily upset, nervous 0 1 2 3 Poor memory/forgetful 0 1 2 3 Dryness of skin and/or scalp 0 1 2 3 Dryness of skin and/or scalp 0 1 2 3 Dryness of skin and/or scalp 0 1 2 3 Dryness of skin and/or scalp | · · · · · · · · · · · · · · · · · · · | | | | | | | | |
| Poor bowel function Excessively foul-smelling sweat O 1 2 3 Category XIV Tired/sluggish Feel cold—hands, feet, all over O 1 2 3 Require excessive amounts of sleep to function properly Increase in weight even with low-calorie diet O 1 2 3 Depend on coffee to keep going/get started O 1 2 3 Get light-headed if meals are missed O 1 2 3 Eating relieves fatigue O 1 2 3 Depression/lack of motivation Feel shaky, jittery, or have tremors O 1 2 3 Agitated, easily upset, nervous O 1 2 3 Poor memory/forgetful O 1 2 3 Poor memory/forgetful O 1 2 3 Difficult, infrequent bowel movements O 1 2 3 Morning headaches that wear off as the day progresses O 1 2 3 Outer third of eyebrow thins O 1 2 3 Thinning of hair on scalp, face, or genitals, or excessive Blurred vision O 1 2 3 Dryness of skin and/or scalp O 1 2 3 Dryness of skin and/or scalp | | | | | | | | | |
| Excessively foul-smelling sweat Category IX Crave sweets during the day Irritable if meals are missed Depend on coffee to keep going/get started Get light-headed if meals are missed Eating relieves fatigue Feel shaky, jittery, or have tremors Agitated, easily upset, nervous Poor memory/forgetful Blurred vision O 1 2 3 Category XIV Tired/sluggish Feel cold—hands, feet, all over Require excessive amounts of sleep to function properly O 1 2 3 Require excessive amounts of sleep to function properly O 1 2 3 Increase in weight even with low-calorie diet O 1 2 3 Gain weight easily O 1 2 3 Difficult, infrequent bowel movements O 1 2 3 Depression/lack of motivation O 1 2 3 Morning headaches that wear off as the day progresses O 1 2 3 Agitated, easily upset, nervous O 1 2 3 Poor memory/forgetful Blurred vision O 1 2 3 Dryness of skin and/or scalp D 1 2 3 Dryness of skin and/or scalp | | | | | | Shahow, rapid oreathing | U | 1 | 2 3 |
| Category IX Crave sweets during the day Irritable if meals are missed Depend on coffee to keep going/get started O 1 2 3 Get light-headed if meals are missed O 1 2 3 Eating relieves fatigue Feel shaky, jittery, or have tremors Agitated, easily upset, nervous Poor memory/forgetful Blurred vision Tirred/sluggish Feel cold—hands, feet, all over Require excessive amounts of sleep to function properly O 1 2 3 Require excessive amounts of sleep to function properly O 1 2 3 Increase in weight even with low-calorie diet O 1 2 3 Gain weight easily Difficult, infrequent bowel movements O 1 2 3 Difficult, infrequent bowel movements O 1 2 3 Depression/lack of motivation Outer third of eyebrow thins Outer third of eyebrow thins Thinning of hair on scalp, face, or genitals, or excessive Blurred vision O 1 2 3 Dryness of skin and/or scalp O 1 2 3 Dryness of skin and/or scalp | | | | | | Catagory VIV | | | |
| Category IX Crave sweets during the day O 1 2 3 Require excessive amounts of sleep to function properly Irritable if meals are missed O 1 2 3 Depend on coffee to keep going/get started O 1 2 3 Get light-headed if meals are missed O 1 2 3 Eating relieves fatigue O 1 2 3 Feel shaky, jittery, or have tremors O 1 2 3 Agitated, easily upset, nervous Poor memory/forgetful Blurred vision Feel cold—hands, feet, all over Require excessive amounts of sleep to function properly O 1 2 3 Require excessive amounts of sleep to function properly O 1 2 3 Require excessive amounts of sleep to function properly O 1 2 3 Dinfficult, infrequent bow-calorie diet O 1 2 3 Difficult, infrequent bowel movements O 1 2 3 Depression/lack of motivation O 1 2 3 Morning headaches that wear off as the day progresses O 1 2 3 Pour third of eyebrow thins O 1 2 3 Thinning of hair on scalp, face, or genitals, or excessive Blurred vision Dryness of skin and/or scalp O 1 2 3 Dryness of skin and/or scalp | Excessively loui-smelling sweat | U | 1 | _ | J | | 0 | 1 | 2 3 |
| Crave sweets during the day O 1 2 3 Irritable if meals are missed O 1 2 3 Depend on coffee to keep going/get started Get light-headed if meals are missed O 1 2 3 Eating relieves fatigue Feel shaky, jittery, or have tremors Agitated, easily upset, nervous Poor memory/forgetful Blurred vision O 1 2 3 Require excessive amounts of sleep to function properly O 1 2 3 Increase in weight even with low-calorie diet O 1 2 3 Gain weight easily Depression/lack of motivation O 1 2 3 Morning headaches that wear off as the day progresses O 1 2 3 Outer third of eyebrow thins O 1 2 3 Thinning of hair on scalp, face, or genitals, or excessive Blurred vision Dryness of skin and/or scalp O 1 2 3 Dryness of skin and/or scalp | Category IX | | | | | | | | |
| Irritable if meals are missed O 1 2 3 Depend on coffee to keep going/get started O 1 2 3 Get light-headed if meals are missed O 1 2 3 Depression/lack of motivation O 1 2 3 Eating relieves fatigue Feel shaky, jittery, or have tremors O 1 2 3 Agitated, easily upset, nervous Poor memory/forgetful Blurred vision O 1 2 3 Difficult, infrequent bowel movements O 1 2 3 Depression/lack of motivation O 1 2 3 Morning headaches that wear off as the day progresses O 1 2 3 Difficult, infrequent bowel movements O 1 2 3 Depression/lack of motivation | | 0 | 1 | 2. | 3 | | | | |
| Depend on coffee to keep going/get started Get light-headed if meals are missed O 1 2 3 Eating relieves fatigue Feel shaky, jittery, or have tremors Agitated, easily upset, nervous Poor memory/forgetful Blurred vision Difficult, infrequent bowel movements Depression/lack of motivation O 1 2 3 Morning headaches that wear off as the day progresses O 1 2 3 Outer third of eyebrow thins O 1 2 3 Thinning of hair on scalp, face, or genitals, or excessive Blurred vision Dryness of skin and/or scalp O 1 2 3 Dryness of skin and/or scalp | | | | | | | | | |
| Get light-headed if meals are missed Eating relieves fatigue O 1 2 3 Depression/lack of motivation Depression/lack of motivation O 1 2 3 Feel shaky, jittery, or have tremors Agitated, easily upset, nervous Poor memory/forgetful Blurred vision O 1 2 3 Difficult, infrequent bowel movements Depression/lack of motivation O 1 2 3 Morning headaches that wear off as the day progresses O 1 2 3 Outer third of eyebrow thins Thinning of hair on scalp, face, or genitals, or excessive Burred vision Dryness of skin and/or scalp O 1 2 3 Dryness of skin and/or scalp | | | | | | | | | |
| Eating relieves fatigue 0 1 2 3 Depression/lack of motivation 0 1 2 3 Feel shaky, jittery, or have tremors 0 1 2 3 Morning headaches that wear off as the day progresses 0 1 2 3 Agitated, easily upset, nervous 0 1 2 3 Outer third of eyebrow thins 0 1 2 3 Poor memory/forgetful 0 1 2 3 Thinning of hair on scalp, face, or genitals, or excessive Blurred vision 0 1 2 3 Dryness of skin and/or scalp 0 1 2 3 | | | | | | | 0 | | |
| Feel shaky, jittery, or have tremors Agitated, easily upset, nervous Poor memory/forgetful Blurred vision O 1 2 3 Morning headaches that wear off as the day progresses O 1 2 3 Outer third of eyebrow thins Thinning of hair on scalp, face, or genitals, or excessive hair loss Dryness of skin and/or scalp O 1 2 3 Dryness of skin and/or scalp | | | | | | | | | |
| Agitated, easily upset, nervous Poor memory/forgetful Blurred vision O 1 2 3 Outer third of eyebrow thins Thinning of hair on scalp, face, or genitals, or excessive Burred vision O 1 2 3 Thinning of hair loss Dryness of skin and/or scalp O 1 2 3 Dryness of skin and/or scalp | | | | | | | | | _ |
| Poor memory/forgetful Blurred vision 0 1 2 3 Thinning of hair on scalp, face, or genitals, or excessive hair loss Dryness of skin and/or scalp 0 1 2 3 Dryness of skin and/or scalp | | | | | | | 0 | | |
| Blurred vision 0 1 2 3 hair loss 0 1 2 3 Dryness of skin and/or scalp 0 1 2 3 | | | | | | | | | |
| Dryness of skin and/or scalp 0 1 2 3 | | | | | | | 0 | 1 | 2 3 |
| | | | | | | | | | |
| | | | | | | Mental sluggishness | 0 | 1 | 2 3 |



| Category XV | | Category XX (Menstruating Females Only) | |
|--|---------|---|---------|
| Heart palpitations | 0 1 2 3 | Perimenopausal | Yes No |
| Inward trembling | 0 1 2 3 | Alternating menstrual cycle lengths | Yes No |
| Increased pulse even at rest | 0 1 2 3 | Extended menstrual cycle (greater than 32 days) | Yes No |
| Nervous and emotional | 0 1 2 3 | Shortened menstrual cycle (less than 24 days) | Yes No |
| Insomnia | 0 1 2 3 | Pain and cramping during periods | 0 1 2 3 |
| Night sweats | 0 1 2 3 | Scanty blood flow | 0 1 2 3 |
| Difficulty gaining weight | 0 1 2 3 | Heavy blood flow | 0 1 2 3 |
| | | Breast pain and swelling during menses | 0 1 2 3 |
| Category XVI | | Pelvic pain during menses | 0 1 2 3 |
| Diminished sex drive | 0 1 2 3 | Irritable and depressed during menses | 0 1 2 3 |
| Menstrual disorders or lack of menstruation | 0 1 2 3 | Acne | 0 1 2 3 |
| Increased ability to eat sugars without symptoms | 0 1 2 3 | Facial hair growth | 0 1 2 3 |
| | | Hair loss/thinning | 0 1 2 3 |
| Category XVII | | | |
| Increased sex drive | 0 1 2 3 | Category XXI (Menopausal Females Only) | |
| Tolerance to sugars reduced | 0 1 2 3 | How many years have you been menopausal? | |
| "Splitting" - type headaches | 0 1 2 3 | Since menopause, do you ever have uterine bleeding? | Yes No |
| | | Hot flashes | 0 1 2 3 |
| Category XVIII (Males Only) | | Mental fogginess | 0 1 2 3 |
| Urination difficulty or dribbling | 0 1 2 3 | Disinterest in sex | 0 1 2 3 |
| Frequent urination | 0 1 2 3 | Mood swings | 0 1 2 3 |
| Pain inside of legs or heels | 0 1 2 3 | Depression | 0 1 2 3 |
| Feeling of incomplete bowel emptying | 0 1 2 3 | Painful intercourse | 0 1 2 3 |
| Leg twitching at night | 0 1 2 3 | Shrinking breasts | 0 1 2 3 |
| | | Facial hair growth | 0 1 2 3 |
| Category XIX (Males Only) | | Acne | 0 1 2 3 |
| Decreased libido | 0 1 2 3 | Increased vaginal pain, dryness, or itching | 0 1 2 3 |
| Decreased number of spontaneous morning erections | 0 1 2 3 | | |
| Decreased fullness of erections | 0 1 2 3 | | |
| Difficulty maintaining morning erections | 0 1 2 3 | | |
| Spells of mental fatigue | 0 1 2 3 | | |
| Inability to concentrate | 0 1 2 3 | | |
| Episodes of depression | 0 1 2 3 | | |
| Muscle soreness | 0 1 2 3 | | |
| Decreased physical stamina | 0 1 2 3 | | |
| Unexplained weight gain | 0 1 2 3 | | |
| Increase in fat distribution around chest and hips | 0 1 2 3 | | |
| Sweating attacks | 0 1 2 3 | | |
| More emotional than in the past | 0 1 2 3 | | |
| | | | |