

# ALL THE POWER YOU NEED. ●



PRODUCT CATALOG



ALL THE  
POWER  
YOU NEED. ●





Hit the turf rolling in 2018 with RedMax. This year we're introducing a full range of products that deliver maximum power and performance. Pros trust RedMax to start fast, work hard and keep running. Now, from zero-turn mowers to chainsaws, our lineup is ready to perform in a wider range of rugged, commercial conditions. Build your fleet with RedMax and enjoy all the power you need to get the job done.

<b>4</b>	Zero-Turn Mowers
<b>8</b>	Riding Mowers
<b>10</b>	Battery Series
<b>12</b>	Chainsaws
<b>14</b>	Blowers
<b>16</b>	Trimmers and Accessories
<b>19</b>	Strato-Charged® Engine
<b>20</b>	Maxtreme Trimmer
<b>22</b>	Reciprocator
<b>23</b>	Edgers
<b>24</b>	Hedge Trimmers
<b>25</b>	Walk Mowers
<b>26</b>	Fleet, Finance and Warranties

# NEW ZERO-TURN MOWERS

Maximize your mowing with the new lineup of zero-turn mowers from RedMax. Built tough with heavy-duty frames and strong commercial engines, RedMax delivers all the power you need for commercial conditions. With ergonomic features and built-in operator comfort, our powerful and productive models are also easy to maintain.

## SELECT ZERO-TURN MOWERS FEATURE:

1. Comfortable suspension seat
2. Dependable, powerful, commercial grade engine
3. Low, wide stance increases stability
4. Anti-scalp wheels with double gussets
5. Flat free front tires
6. Large, commercial casters and support brackets
7. Cast iron deck lift components
8. Easy to reach operator controls
9. Adjustable, ergonomic steering levers



Model CZT60x shown. Features may vary by model.



## DURABLE DESIGN

Rugged commercial construction features a welded steel tube frame, heavy-duty casters, flat-free tires and a sturdy deck lift system.

## POWERFUL & PRODUCTIVE

Kawasaki engines offer legendary power while the modular design of our chassis provides convenient access to all regular service parts as well as major components.

## PRECISION CUTTING WITHOUT COMPROMISE

### INDUSTRY-LEADING WARRANTIES

<b>CZTx</b>	5 Years or 1,500 Hours
<b>CZT</b>	4 Years or 750 Hours
<b>RZTx</b>	4 Years or 400 Hours
<b>RZT</b>	3 Year Consumer Warranty

## EASY TO MAINTAIN

The smart and simple design allows for better utilization of available space. Built on an open frame, you'll have quick and convenient access to all service components.



## CZTx SERIES

The CZTx Series is built on a rugged chassis with heavy-duty casters. The commercial-duty 7-gauge cutting deck is designed for cut quality and clipping dispersal at higher ground speeds, allowing for high productivity. Careful consideration of components and design provides extended durability and exceptional ease of service access.



## CZT SERIES

The CZT Series of commercial zero-turns take value to a whole new level. An intuitive operator interface, 13-gauge 2" x 3" heavy-duty steel frame and commercial drive system create the ultimate entry-level commercial mowing experience. With a rugged fabricated steel deck, the CZT is well suited for the demands of commercial mowing.

Specifications	CZT60x	CZT54x	CZT48x	CZT61	CZT52
Engine Manufacturer	Kawasaki	Kawasaki	Kawasaki	Kawasaki	Kawasaki
Engine Name	FX850V	FX801V	FX691V	FS691V	FS691V
Net Power (hp)	27	25.5	22	23	23
Fuel Tank Volume (gal)	11	11	11	5	5
Transmission Type	Pump & Wheel Motor	Pump & Wheel Motor	Pump & Wheel Motor	ZT-3400 Integrated	ZT-3400 Integrated
Transmission Manufacturer	Hydro-Gear/Parker	Hydro-Gear/Parker	Hydro-Gear/Parker	Hydro-Gear	Hydro-Gear
Speed Forward, Max	12 mph	11 mph	10 mph	10 mph	9 mph
Speed Reverse, Max	6 mph	6 mph	5 mph	4 mph	4 mph
Cutting Width (inches)	60	54	48	61	52
Cutting Height, Min-Max (inches)	1.0 - 5.0	1.0 - 5.0	1.0 - 5.5	1.5 - 4.5	1.5 - 4.5
Cutting Deck Type / Gauge	Comm Fab / 7 ga. Steel	Comm Fab / 7 ga. Steel	Comm Fab / 10 ga. Steel	Comm Fab / 11 ga. Steel	Comm Fab / 11 ga. Steel
Blade Spindle Type	Cast Iron	Cast Iron	Cast Aluminum	Cast Iron	Cast Iron
Seat Type	Suspension with EVC	Suspension with EVC	Suspension with EVC	EVC Anti-Vibration	EVC Anti-Vibration
Tire Size, Front (inches)	13 x 6.5 - 6 Flat Free	13 x 6.5 - 6 Flat Free	13 x 6.5 - 6 Flat Free	13 x 6.5 - 6	13 x 6.5 - 6
Tire Size, Rear (inches)	24 x 12 - 12	23 x 10.5 - 12	23 x 8.5 - 12	23 x 10.5 - 12	23 x 9.5 - 12
Warranty	5 Years or 1,500 Hours	5 Years or 1,500 Hours	5 Years or 1,500 Hours	4 Years or 750 Hours	4 Years or 750 Hours



## RZTx SERIES

The RZTx Series is designed for larger residential properties and built with commercial features to provide comfort and extended durability. The heavy-duty steel frame, fabricated cutting deck, and commercial rated hydraulic system create the ultimate mowing experience.

## RZT SERIES

The RZT Series delivers maneuverability, efficiency, and convenience in a residential zero-turn package. The rugged steel chassis, heavy-duty casters, fabricated cutting decks and durable transmissions all provide reliable performance.



Specifications	RZT61x	RZT54x	RZT54	RZT48	RZT42
Engine Manufacturer	Kawasaki	Kawasaki	Kawasaki	Kawasaki	Kawasaki
Engine Name	FR730V	FR730V	FR730V	FR691V	FR651V
Net Power (hp)	24	24	24	23	21.5
Fuel Tank Volume (gal)	5	5	3.5	3.5	3.5
Transmission Type	ZT-3100 Integrated	ZT-3100 Integrated	ZT-2200 Integrated	ZT-2200 Integrated	ZT-2200 Integrated
Transmission Manufacturer	Hydro-Gear	Hydro-Gear	Hydro-Gear	Hydro-Gear	Hydro-Gear
Speed Forward, Max	8.5 mph	8.5 mph	6.5 mph	6.5 mph	6.5 mph
Speed Reverse, Max	4 mph	4 mph	3 mph	3 mph	3 mph
Cutting Width (inches)	61	54	54	48	42
Cutting Height, Min-Max (inches)	1.5 - 4.5	1.5 - 4.0	1.5 - 4.0	1.5 - 4.0	1.5 - 4.0
Cutting Deck Type / Gauge	Fab / 11 ga. Steel	Fab / 10 ga. Steel	Fab / 10 ga. Steel	Fab / 10 ga. Steel	Fab / 10 ga. Steel
Blade Spindle Type	Cast Iron	Cast Iron	Cast Iron	Cast Iron	Cast Iron
Seat Type	Vinyl Cushion	Vinyl Cushion	Vinyl Cushion	Vinyl Cushion	Vinyl Cushion
Tire Size, Front (inches)	13 x 5 - 6	13 x 5 - 6	11 x 6 - 5	11 x 6 - 5	11 x 6 - 5
Tire Size, Rear (inches)	22 x 10 - 10	22 x 10 - 10	18 x 9.5 - 8	18 x 9.5 - 8	18 x 8.5 - 8
Warranty	4 Years or 400 Hours	4 Years or 400 Hours	3 Year Consumer	3 Year Consumer	3 Year Consumer

# NEW RIDING MOWERS

Ideal for large properties, the new lineup of RedMax riding mowers feature powerful engines, high performance fabricated cutting decks, and comfortable operator positioning. Engineered for peak performance, RedMax riding mowers deliver all the power you need.

## SELECT RIDING MOWERS FEATURE:

1. Premium seat with armrest for maximum comfort
2. Large capacity fuel tank
3. Locking differential increases traction on uneven or wet terrain
4. Fabricated steel cutting deck
5. Cast iron front axle
6. Brush guard
7. Powerful and reliable engine



Model GT2454F shown. Features may vary by model.

## POWERFUL ENGINES

Kawasaki engines deliver reliable performance and offer simple maintenance.

## FABRICATED CUTTING DECKS

Rugged and durable, RedMax cutting decks are built to deliver both premium cut quality and maximum air flow.

## COMFORTABLE OPERATION

The pedal operated hydrostatic transmission ensures easy speed and direction control.

GT2454F



YT2142F/YT2348F



YT1846



## GENUINE REDMAX ATTACHMENTS ADD VERSATILITY TO YOUR RIDING MOWER

Ideal for efficient lawn care and various tasks around the yard, your RedMax riding mower works with a variety of attachments. Get all the versatility you need to get the job done, all year round.

Available attachments include:

- Dump Cart
- Lawn Sweeper
- Tow Dethatcher
- Cultivator
- Box Scraper
- Sun Shade
- Snow Blade
- Tractor Cab



Specifications	GT2454F	YT2348F	YT2142F	YT1846
Engine Manufacturer	Kawasaki	Kawasaki	Kawasaki	Kawasaki
Engine Name	FR 730V	FR 691V	FR 651V	FR 600V
Net Power (hp)	24	23	21.5	18.5
Battery (V/Ah)	28	28	28	28
Fuel Tank Volume (gal)	4	4	4	2.5
Transmission Type	Hydrostatic	Hydrostatic	Hydrostatic	Hydrostatic
Transmission Manufacturer	Tuff Torq	Tuff Torq	Tuff Torq	Tuff Torq
Cutting Width (inches)	54	48	42	46
Cutting Height, Min-Max (inches)	1.5 - 4	1.5 - 4	1.5 - 4	1.5 - 4
Cutting Deck Type	Fabricated	Fabricated	Fabricated	Stamped Reinforced
Tire Size, Front (inches)	16.5 / 6.5	16.5 / 6.5	15 / 6	15 / 6
Tire Size, Rear (inches)	23 / 10.5	22 / 9.5	20 / 10	20 / 8
Locking Differential	•	•	•	
Warranty	3 Year Consumer	3 Year Consumer	3 Year Consumer	3 Year Consumer

# NEW BATTERY SERIES

Supercharge your commercial landscaping with the RedMax Battery Series. All the power and performance you expect with less noise, minimal maintenance and no direct emissions.

## QUIET AND POWERFUL

Built for commercial use, RedMax delivers quiet, clean and powerful performance.

## LESS IS MORE

Ergonomic design and reduced vibrations allow you to work longer.

## ZERO EMISSIONS

Batteries run with no emissions yet still deliver all the power you need. No noise. No fumes. All the power.

## ADVANCED BRUSHLESS MOTOR

The brushless motor delivers high and consistent torque.

## savE MODE

savE mode will maximize the 40-volt battery's running time.

## RECHARGE AT ANY TIME

Recharged at any time, even partially empty batteries. There is no "memory" effect with the RedMax Li-ion battery.

## ONE BATTERY FOR ALL PRODUCTS

All of the RedMax battery products use the same Li-ion pack so you can easily switch between machines. And charging time is extremely fast, making the battery ready to go again in just a lunch-break's time.



## BLI200ZR BATTERY

40-volt commercial duty battery. Features LED charge indicators, all-weather operation and active cooling technology.

Specifications	Battery BLi200ZR
Battery Voltage	40
Capacity (Ah)	5.2
Energy (Wh)	180
Weight (lbs)	2.9
Warranty	2 Years

QC330ZR Charger and BLi200ZR Battery

# POWER UP YOUR COMMERCIAL LAWN MAINTENANCE WITH THE REDMAX BATTERY SERIES



## BHT250PD60 Hedge Trimmer

Quiet, lightweight and highly efficient battery powered Hedge Trimmer delivers performance equal to gas powered models. Excellent ergonomics, a 24" double sided cutting blade and pivoting rear handle assure the best working position and result. Excludes battery and charger.

Specifications	Hedge Trimmer BHT250PD60
Motor Type	PMDC (4-brush)
Sound Power Level Guaranteed dB(A)	94
Weight (excluding battery)	8.4
Average Working Time, One Charge	60-120 min.
Cutting Length (inches)	24
Teeth Opening (inches)	0.5
Cutting Speed (cuts/min)	4,000
Warranty	2 Years



## BHB250P Blower

Lightweight, powerful blower with cruise control, instant start and boost power mode. Quiet and easy to use.

Excludes battery and charger.

Specifications	Blower BHB250P
Motor Type	BLDC (Brushless)
Sound Power Level Guaranteed dB(A)	96
Weight (excluding battery)	5.3
Average Working Time, One Charge	20-35 min.
Air Speed (mph)	105
Air Volume (cfm)	388
Warranty	2 Years



## BTR250PL Trimmer

High performance trimmer with adjustable loop handle delivers enough torque for commercial conditions. Two-way rotation trimmer head allows for efficient positioning.

Excludes battery and charger.

Specifications	Trimmer BTR250PL
Motor Type	BLDC (Brushless)
Sound Power Level Guaranteed dB(A)	96
Weight (excluding battery)	6.6
Average Working Time, One Charge	40-80 min.
Warranty	2 Years

# NEW CHAINSAWS

Cut through any job with a new RedMax chainsaw. Powerful, productive, and easy to use, these saws deliver all the power you need whether you're cutting firewood or felling trees.

## SELECT CHAINSAWS FEATURE:

1. Angled Handle with Soft Grip
2. Snap-Lock Air Filter Cover
3. Vibration Dampening Anti-Vib System
4. Easy to Start and Use
5. Side Mounted Chain Tensioning
6. Inertia Activated Chain Brake



**GENUINE PARTS & ACCESSORIES** Reliable parts, accessories and protective gear help you get the job done effectively and safely. From clean-up to commercial work, RedMax delivers all the gear you need.

**Functional Helmet** – Equipped for lighter forestry or yard work. Includes a four-point suspension with slip ratchet. The depth is also adjustable in three steps for individual fit. Hearing protectors are developed for optimal ergonomics. The mesh visor provides great protection and visibility.

**Hearing Protectors** – Extra wide headband without padding results in a secure, comfortable fit and reduced pressure on the head.

**Chainsaw Protective Pants** – Durable protective clothing with ventilation on back of legs for all-day comfort. Made with durable materials for safety and heavy-working conditions.

**Chainsaw Protective Chaps** – Lightweight frontal apron chaps with 600 Denier Polyester materials that are PVC coated for additional water shedding properties. Also features a pocket for felling wedges.

**Protective Glasses** – Scratch resistant glasses with static frames. Available with clear and grey tinted lenses. Meets ANSI Z87.1

**Gloves** – Synthetic, reinforced leather palm and reinforced fingertip pads. Velcro cuff provides a secure, adjustable fit.



PANTS



CHAPS



**GZ381****GZ500****GZ550****GZ3500T****GZ4350****GZ360****GZ5000****GZ7100****CLEAN POWER**

Gives the engine raw power, even at lower speeds while reducing fuel consumption and emissions.

**CARB CONTROL**

Continuous automatic tuning of the air and fuel mix ensures optimal performance. Eliminates the need for manual carburetor adjustments.

**TURBO AIR CLEANING**

Uses centrifugal force to separate up to 97% of all dust particles from the intake air. The result is an air filter that needs to be cleaned less frequently.

**ANTI VIB**

The saw handles are insulated from the engine and cutting equipment with springs, resulting in low vibration levels and good ergonomics.

**EVERY SAW IS DESIGNED WITH A PURPOSE****LIGHT DUTY**

Ideal for lighter work such as cutting smaller trees and firewood.

**MEDIUM DUTY**

Ideal for landowners and other regular users who value performance and efficiency.

**HEAVY-DUTY/COMMERCIAL**

Our most advanced chainsaws for full-time loggers and tree care workers

Specifications	GZ381	GZ500	GZ550	GZ360	GZ3500T	GZ4350	GZ5000	GZ7100	GZ9000
Displacement (cc)	40.9	45.7	55.5	35.2	35.2	43.1	50.1	70.7	88
Power Output (hp)	2.4	2.8	3.5	2	2	2.95	3.35	5.5	6.5
Weight* (lbs)	9.5	10.8	12.8	8.6	7.5	9.9	10.8	14.1	15.4
Power:Weight	0.25	0.26	0.27	0.23	0.27	0.3	0.31	0.39	0.42
Chain Pitch (inches)	0.325	0.325	3/8	3/8	3/8	0.325	0.325	3/8	3/8
Gauge	0.05	0.05	.050, .058	0.05	0.05	0.05	0.058	0.058	0.058
Bar Length (inches)	16	16-18	18-20	14-16	14	16	16-18	20-24	18-28
Usage	Light Duty	Light Duty	Medium Duty	Medium Duty	Heavy-Duty	Commercial	Heavy-Duty	Commercial	Commercial
Magnesium Crankcase						•	•	•	•
Clean Power	•	•	•	•	•	•	•	•	
Carb Control							•		
Turbo Air Cleaning	•	•	•	•	•	•	•	•	•
Anti Vib	•	•	•	•	•	•	•	•	•
Warranty – Consumer / Pro	2 Yr / 90 Days	2 Yr / 180 Days	2 Yr / 90 Days	2 Yr / 180 Days	2 Yr / 180 Days				

\*Weight excluding cutting equipment.

# BLOWERS

RedMax blowers are powerful. They're also efficient and easy to operate. Packed with features that include two-stage commercial air filters, vibration dampening, cruise control, and cushioned back pads, RedMax blowers truly deliver all the power you need.

## SELECT BLOWERS FEATURE:

1. Cruise control
2. S-shape tube design reduces rotational forces
3. Effective vibration dampening system
4. Adjustable tube length
5. Comfortable formed back pad
6. Magnesium engine crankcase
7. Large, upright, easy view fuel tank
8. Durable blow molded frame
9. Swivel grip system
10. Full wrap Free Flow™ air net system



HBZ260R



EBZ8500/RH



Anti-static throttle lever prevents static electricity shock.



Clean air intake system reduces dust and extends filter life.

*(EBZ8500 Series Only)*



Two stage, heavy-duty air filtration system.



Reflective decals provides safe operation in low light conditions.



Available in standard hip mount throttle or tube mounted / right hand (RH) throttle shown above.

# INDUSTRY-LEADING PERFORMANCE, DURABILITY AND ERGONOMICS



**UP TO 4 YEAR LIMITED WARRANTY**

Consumers can extend their product warranty from 2 years to either a 3 year or 4 year limited warranty when they purchase RedMax oil and fuel. See your local dealer for details.

EBZ7500/RH



EBZ6500/RH



EBZ5150/RH



HBZ281



**GENUINE REDMAX ATTACHMENTS INCREASE THE VERSATILITY AND EFFICIENCY**

**VK-280 HB280 VAC KIT**

The HBZ281 can be turned into vacuum mode allowing you to efficiently collect debris.



**GK-280 GUTTER KIT**

Extension kit allows for effortless cleaning of gutters.



Specifications	HBZ281	HBZ260R	EBZ5150/RH	EBZ6500/RH	EBZ7500/RH	EBZ8500/RH
Displacement (cc)	28	25.4	50.2	65.6	65.6	75.6
Power Output (hp)	1.1	1.14	2.3	3.8	4	4.4
Air Speed (mph)	170	157	215	232	236	206
Air Volume (cfm)	470	459	434	632	770	908
Dry Weight (lbs)	9.4	9.5	22.7	22.7	23.4	24.7
Usage	Light Duty	Professional	Medium Duty	Heavy-Duty	Professional	Professional
Warranty – Consumer / Pro	2 Years / 90 Days	2 Years / 2 Years	2 Years / 90 Days	2 Years / 2 Years	2 Years / 2 Years	2 Years / 2 Years

# TRIMMERS AND BRUSHCUTTERS

RedMax heavy-duty, commercial trimmers and brush cutters can clear, trim or edge with ease. Solid-steel drive shafts reduce vibration and improve acceleration. Low-friction and smooth-running, they're comfortable to use and deliver trouble-free operation with little maintenance.

## SELECT TRIMMERS AND BRUSHCUTTERS FEATURE:

1. High performance and efficient Strato-Charged® engine
2. Skid plate
3. Full wrap Free Flow™ air net system
4. Durable, long, ergonomic throttle trigger
5. Light weight hollow drive shaft with damper reduces vibration
6. High visibility debris guard
7. Commercial-duty tap head
8. Heavy-duty 4 bearing gear case with grease fitting
9. Cushioned loop handle

## GENUINE ACCESSORIES ENSURE YOUR REDMAX PRODUCTS RUN SMOOTHLY AND EFFICIENTLY

Our trimmer heads, trimmer line and blades are designed to do more than cut. They deliver top-level performance, efficiency and safety.



Specifications	TRZ230S	BCZ230TS	BCZ250S	BCZ260S	BCZ260TS
Displacement (cc)	22.5	22.5	25.4	25.4	25.4
Power Output (hp)	1	1	1.2	1.3	1.3
Dry Weight (lbs)	10.1	10.1	11	10.8	10.8
Drive Shaft	Solid Steel	Solid Steel	Solid Steel	Solid Steel	Solid Steel
Usage	Light Duty	Max Torque Professional	Professional	Heavy-Duty	Max Torque Professional
Warranty	2 Years/1 Year	2 Years	2 Years	2 Years	2 Years

# PRECISION CUTTING AND COMFORTABLE OPERATION



TRZ230S



BCZ230TS



BCZ250S



BCZ260S



BCZ260TS



BCZ3050S



BCZ3060TS



BCZ3050SW



BCZ350S



BCZ400SW



## UP TO 4 YEAR LIMITED WARRANTY

Consumers can extend their product warranty from 2 years to either a 3 year or 4 year limited warranty when they purchase RedMax oil and fuel. See your local dealer for details.

### BRUSHCUTTERS

Specifications	BCZ3050S	BCZ3060TS	BCZ3050SW	BCZ350S	BCZ400SW
Displacement (cc)	29.5	29.5	29.5	34.6	40.1
Power Output (hp)	1.4	1.4	1.4	2.15	2
Dry Weight (lbs)	12.3	12.3	13	13	15.2
Drive Shaft	Solid Steel	Hollow Steel with Damper	Solid Steel	Hollow Steel	Hollow Steel with Damper
Usage	Heavy-Duty	Max Torque Professional	Professional	Professional	Professional
Warranty	2 Years	2 Years	2 Years	2 Years	2 Years

# TRIMMER LINE, BLADES AND CUTTING HEADS

RedMax trimmer heads, lines and blades will do more than simply cut. Their outstanding design and high quality materials offer commercial performance, efficiency and safety.



## MAXLINE™ ROUND

- Commercial Grade
- Co-polymer round shape
- Lasts 30% longer than standard round



## MAXLINE™ PENTAGON

- Commercial grade
- Co-polymer round shape
- High performance
- Reduced breakage



## MAXLINE™ CABLE TWIST

- Commercial grade
- Co-polymer twist shape
- Less air resistance
- Reduced drag for optimal engine performance

## TRIMMER LINE

Type	Size	0.080	0.095	0.105	0.130
Maxline Round	1 Lb.	587 88 42-01	587 88 42-02	587 88 42-03	n/a
Maxline Round	3 Lb.	n/a	587 88 42-04	587 88 42-05	n/a
Maxline Round	5 Lb.	n/a	587 88 42-06	587 88 42-07	587 88 42-08
Maxline Pentagon	1 Lb.	587 88 42-09	587 88 42-10	587 88 42-11	n/a
Maxline Pentagon	3 Lb.	n/a	587 88 42-12	587 88 42-13	n/a
Maxline Pentagon	5 Lb.	n/a	587 88 42-14	587 88 42-15	587 88 42-16
Maxline Cable Twist	0.8 Lb.	588 04 96-01	588 04 96-02	588 04 96-03	588 04 96-04
Maxline Cable Twist	3 Lb.	588 04 96-05	588 04 96-06	588 04 96-07	588 04 96-08
Maxline Cable Twist	5 Lb.	n/a	588 04 96-09	588 04 96-10	588 04 96-11

## BRUSHCUTTER BLADES

**Grass blades** are designed for dense, coarse grass but not woody growth.



**SGB089** | 9" dia./8-Tooth  
Part No.: 574 15 86-01



**SGB049** | 9" dia./4-Tooth  
Part No.: 574 15 84-01



**SST229** | 9" dia./22-Tooth  
Part No.: 574 15 93-01



**SST249** | 9" dia./24-Tooth  
Part No.: 574 15 94-01

**Saw blades** are designed for heavy brush or small trees.

## CUTTING HEADS

RedMax® semi-automatic cutting heads feature Tap-n-Go function that automatically feeds line when head is pushed into the ground.



**MT104R** – 4" trimmer head for 3/8" shaft dia.  
Part No.: 537 33 83-07



**T45** – 5" trimmer head for M12 shaft dia.  
Part No.: 544 97 26-03



**PT100** – 6" trimmer head for M10 shaft dia.  
Part No.: 515 51 61-01



**MT104** – 4" trimmer head for M10 shaft dia.  
Part No.: 537 33 83-06



**PT104/Plus** – 4" trimmer head for M10 shaft dia.  
Part No.: 511 01 06-01



**UBT100** – 3" trimmer head for M10 shaft dia.  
Part No.: 574 16 52-01

# STRATO-CHARGED® ENGINES – SETTING THE STANDARD SINCE 1998

RedMax is the original inventor of the world's first stratified-charge 2-stroke engine. Introduced in 1998, our state-of-the-art Strato-Charged® engines are designed with advanced technology that has reduced environmental impact through efficient engine design, increased fuel economy and reduced emissions. Since then, this proven technology has delivered maximum performance in a light, rugged design with outstanding features that set it apart from the competition.



## STRATO-CHARGED® SUPERIORITY AND DURABILITY

**Commercial Performance:** Pure 2-stroke technology is ideal for commercial applications.

**Low Maintenance:** Minimal moving parts reduce the chance of problems. Requires no valve adjustments, oil changes or daily oil reservoir level checks.

**Eco Friendly:** Produces low emissions that meet clean air regulations.

**Lightweight** - No heavy, heated catalytic converter.

**Efficient:** Achieves up to 20% better fuel efficiency than standard 2-stroke engines.

**Powerful:** Generates 15% to 20% more horsepower than a typical 4-stroke or 4-stroke hybrid engine of the same engine displacement size.



### REDMAX OIL

RedMax oil is optimized according to the development of our engines. This premium synthetic blend will deliver perfect lubrication and protect against seizure, while the fuel stabilizer additives work well with pumped gasoline.




### REDMAX PRE-MIXED FUEL

Ethanol free, high octane fuel mixed with RedMax synthetic oil blend. Protects fuel systems and will not degrade or oxidize. Stays fresh for years, solving long term storage issues. Provides easier, more dependable starts. Requires no mixing.

# MAXTREME

Take versatility to the extreme with Maxtreme. By using a Strato-Charged® engine as the single power source, a seven-point, splined, solid-steel drive shaft, and quick connect coupler, you can get up to twelve handheld machines in one. RedMax's wide range of attachments can be switched out quickly and easily, and deliver all the power you need to get the job done.




### MAXTREME FEATURES:

1. High performance and efficient Strato-Charged® engine
2. Skid plate
3. Full wrap Free Flow™ air net system
4. Durable, long, ergonomic throttle trigger
5. Quick-connect coupler
6. High visibility debris guard
7. Commercial-duty tap head
8. Cushioned loop handle

### EXZ260S-PH

Specifications	EXZ260S-PH
Displacement (cc)	25.4
Power Output (hp)	1.27
Dry Weight with Trimmer Head (lbs)	12.1
Usage	Heavy-Duty
Warranty	2 Years

# SAVE TIME AND SPACE WITH THE VERSATILITY OF MAXTREME



## AVAILABLE ATTACHMENTS

1. Hedge Trimmer 4" Boom	LRT-EX110
2 Hedge Trimmer 33" Boom	LRT-EX850
3. Pole Saw 43" Boom	PS-EX1100
4. Grass Blade	GB-EX850
5. Edger Curved	HE-EX850
6. Dethatcher	DA-EX850
7. Extension	EX-EX780
8. Sweeper – Rubber	RMS-EX600
9. Trimmer	BC-EX850
10. Bristle Brush	BB-EX600
11. Blower 530 cfm, 148 mph	BL-EX600
12. Cultivator	CA-EX230

# RECIPROCATOR

Highly regarded among landscaping professionals, the commercial-grade reciprocator by RedMax can handle the most difficult trimming, edging or pruning tasks. Designed for tough everyday use, the reciprocating blades work back and forth in a scissor-like motion without high-speed spinning. This allows users to trim and edge safely without throwing objects or dangerous debris.

## RECIPROCATOR FEATURES:

1. High performance and efficient Strato-Charged® engine
2. Skid plate
3. Vibration dampening in the handle
4. Durable, long, ergonomic throttle trigger.
5. Solid steel drive shaft
6. High visibility debris guard
7. Unique reciprocating blades
8. Cushioned loop handle

The exclusive RedMax reciprocator can trim under fences, water<sup>†</sup>, mulch and gravel, cut and shape sod, and shape sand traps. It can also edge along flower beds and vines, and around head stones and monuments without damage.



Long Tooth Edger Blade



Short Tooth Standard Blade

7

Specifications	EXZ2460S-PH
Displacement (cc)	23.6
Power Output (hp)	1.14
Weight* (lbs)	15.2
Engine	Strato-Charged®
Fuel Capacity (fl. oz.)	21.3
Drive Shaft	Solid Steel
Usage	Heavy-Duty
Warranty	2 Years

\*Without cutting head and strap. †Underwater usage requires maintenance afterwards Ignition coil includes limited lifetime warranty.

# EDGERS

RedMax edgers are light weight and efficient, yet tough enough to handle nearly any terrain. Advanced features include high torque cutting to prevent stalling, an open-face, clog-resistant guard made of sturdy aluminum and vibration dampening. Their durable construction is designed to withstand even the most vigorous wear and tear.



**HEZ230F**



**HEZ230S**



**HEZ3060S**



**HEZ260F**

RedMax straight shaft edgers deliver the best transfer of power and are used in very difficult soil or clay, while the curved shaft edgers are used primarily in loose or soft soil areas where less power is needed.

Specifications	HEZ230F	HEZ260F	HEZ230S	HEZ3060S
Displacement (cc)	22.5	25.4	22.5	29.5
Power Output (hp)	0.94	1.27	0.94	1.4
Weight (lbs)	14	14.6	14	15.5
Drive	Flex	Steel	Steel	Steel
Shape	Curved	Curved	Straight	Straight
Usage	Professional	Professional	Professional	Professional
Warranty	2 Years	2 Years	2 Years	2 Years


# HEDGE TRIMMERS

RedMax offers an extensive line of durable, versatile and easy-to-use hedge trimmers. Case-hardened steel blades reduce the need for sharpening. Double reciprocating blades deliver fast, clean, precise, manicured cuts. And powerful, fuel efficient engines deliver all the performance you need.

## SELECT HEDGE TRIMMERS FEATURE:

1. High performance and efficient Strato-Charged® engine
2. Skid plate
3. Full wrap Free Flow™ air net system
4. Durable, long, ergonomic throttle trigger
5. Well-balanced and comfortable with extended reach
6. Fixed and articulating cutting head configurations
7. Cushioned loop handle
8. Vibration dampening in the handle

CHTZ2460



CHTZ220 / CHTZ220L

CHTZ2460 / CHTZ2460L

HTZ2460 / HTZ2460L

SRTZ260F

SRTZ230

LRTZ230

Specifications	CHTZ220	CHTZ220L	CHTZ2460	CHTZ2460L	HTZ2460	HTZ2460L	SRTZ260F	SRTZ230	LRTZ230
Displacement (cc)	21.7	21.7	23.6	23.6	23.6	23.6	25.4	22.5	22.5
Power Output (hp)	0.8	0.8	1.14	1.14	1.14	1.14	1.3	0.94	0.94
Blade Length (inches)	18	24	24	30	30	40	26	20	20
Overall Length (inches)	-	-	43	49	45	58	76	65	96.5
Teeth Opening (inches)	1.1	1.1	1.1	1.1	1.1	1.1	1.2	1.0	1.0
Cutting Speed (cuts/min)	4,300	4,300	4,600	4,600	4,600	4,600	4,300	2,750	2,750
Dry Weight (lbs)	9.3	9.9	12.8	13.3	12.3	14	13.2	13.3	13.6
Warranty – Consumer / Pro	2 Yrs / 90 Days	2 Yrs / 90 Days	2 Yrs / 2 Yrs						

# WALK MOWERS

The new lineup of walk lawn mowers from RedMax are easy to use, durable and efficient. Built to deliver perfect results, you'll enjoy all the power and performance you need to tackle any terrain.



## SELECT WALK MOWERS FEATURE:

1. Reinforced handles
2. Powerful, smooth running engine
3. Collision guard
4. Reinforced high tunnel cutting deck
5. Water hose connection for easy cleaning
6. Heavy-duty wheels with wear resistant tread



Specifications	CWP21	RWRH21	RWP21
Engine Manufacturer	Kohler	Honda	Honda
Engine Name	775 HD	GCV-160	GCV-160
Net Power (hp)	4	4.4	4.4
Fuel Tank Volume (gal)	0.375	0.245	0.245
Drive System	Push	Self Propelled	Push
Drive Wheels	-	Rear	-
Wheel Size, Front/Rear (inches)	8 / 8	8 / 11	8 / 11
Cutting Width (inches)	21	21	21
Cutting Height, Min-Max (inches)	1.0 - 4.0	1.0 - 4.0	1.0 - 4.0
Warranty	2 Years	3 Year Consumer	3 Year Consumer

# IT'S EASY TO BUILD YOUR FLEET WITH REDMAX.

## COMMERCIAL FLEET DISCOUNT

Loyalty has its rewards. When you build a commercial fleet with RedMax you'll receive discounts of up to 20%.

UP TO  
**20%**  
SAVINGS

## FINANCING AND LEASING

Owning a fleet of RedMax has never been easier. With available financing and leasing options, all the power you need is within reach.

**0%**  
FINANCING





# MAXIMIZE PERFORMANCE AND PEACE-OF-MIND.

## 2 YEAR STANDARD WARRANTY

RedMax consumer products are covered by a 2 Year Limited Standard Warranty.

## 3 YEAR EXTENDED WARRANTY

Purchase a RedMax handheld product and at least six bottles of RedMax two-stroke oil at the same time and extend the Standard Consumer Warranty to 3 years.

## 4 YEAR EXTENDED WARRANTY

Purchase a RedMax handheld product and at least three 32 oz. cans of RedMax pre-mixed fuel and extend the Standard Consumer Warranty to 4 years.



The limited extended warranty applies to consumers who purchase two-stroke gasoline powered chain saws, blowers, stick edgers, hedge trimmers and trimmers. Product must be used for non-income producing personal use or household purposes only. The customers invoice must reflect the RedMax brand oil and/or pre-mix fuel purchased at the same time as the equipment to qualify. The customer should retain a copy of the invoice for the length of the warranty time period as proof of purchase. RedMax reserves the right to request a copy of the invoice to verify warranty coverage in the event a warranty repair is made to the machine.

For more information visit your local  
RedMax dealer or visit [redmax.com](http://redmax.com)



Copyright © 2018 RedMax. All rights reserved. RedMax and other product and feature marks are trademarks of the RedMax Division. See your dealer for details.