Safety Data Sheet

Issue Date: 17-Sept-2014 Revision Date: 17-Sept-2014 Version 1

1. IDENTIFICATION

Product Identifier

Product Name Citrus Degreaser. CP - 50

Other means of identification

SDS # Citrus Degreaser. CP - 50

Recommended use of the chemical and restrictions on use

Recommended Use Industrial Cleaning Compound

Details of the supplier of the safety data sheet

Supplier Address NAT PAPER USA 6901 TPC Dr. Suite. 350 ORLANDO, FL 32822

Emergency Telephone Number

Company Phone Number (407) 587-9620

Emergency Telephone (24 hr) 800-535-5053 Info Trac #97581

2. HAZARDS IDENTIFICATION

Physical State Liquid

Classification

Skin corrosion/irritation	Category 1C
Serious eye damage/eye irritation	Category 1
Aquatic Toxicity, Acute	Category 3
Aquatic Toxicity, Chronic	Category 3

Hazards Not Otherwise Classified (HNOC)

None

Signal Word Danger

Hazard Statements

Causes skin irritation
Causes serious eye Damage
Harmful to aquatic life with long lasting effects



Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling

Do not breathe dust/fume/gas/mist/vapors/spray

Wear protective gloves/protective clothing/eye protection/face protection

Avoid release to the environment

Precautionary Statements - Response

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

Wash contaminated clothing before reuse.

IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing. Immediately call a Poison Center or doctor/physician.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Precautionary Statements - Storage:

Store Locked Up

Other Hazards:

None Known

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Sodium Metasilicate	10213-79-3	1-5
2-Butoxyethanol	111-76-2	1-5
Sodium xylenesulfonate	1300-72-7	1-5
Alkyl benzenesulfonic acid:	68584-22-5	1-5
Sodium Tripolyphosphate	7758-29-4	1-5
Sodium Hydroxide Solution	1310-73-2	1-5
Nonylphenol polyethylene glycol ether	127087-87-0	1-5
Isopropanol	67-63-0	1-5
d-Limonene	5989-27-5	1-5

^{**}If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.**

4. FIRST-AID MEASURES

First Aid Measures

Eye Contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

Skin Contact Wash with soap and water. Take off contaminated clothing. Wash contaminated clothing

before reuse. If skin irritation or rash occurs: Get medical advice/attention.

Inhalation Remove to fresh air.

Ingestion Clean mouth with water and drink afterwards plenty of water.

Most important symptoms and effects

Symptoms Contact may cause irritation and redness.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media Not determined.

Specific Hazards Arising from the Chemical

Non-flammable solution.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal PrecautionsUse personal protective equipment as required.

Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for Clean-Up Keep in suitable, closed containers for disposal.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on Safe Handling Use personal protection recommended in Section 8. Wash thoroughly after handling.

Contaminated work clothing should not be allowed out of the workplace. Avoid breathing

vapors or mists.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place.

Incompatible Materials None known based on information supplied.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
2-Butoxyethanol 111-76-2	TWA: 25 ppm	TWA: 50 ppm	-
Sodium hydroxide 1310-73-2	Ceiling: 2 mg/m ³	TWA: 2 mg/m³ (vacated) Ceiling: 2 mg/m³	IDLH: 10 mg/m³ Ceiling: 2 mg/m³
Sodium Tripolyphosphate 7758-29-4	15 mg/m ³	15 mg/m ³	-
Isopropanol 67-63-0	TWA: 200 ppm	980 mg/M3 400 ppm	-

Appropriate engineering controls

Engineering Controls Apply technical measures to comply with the occupational exposure limits.

Individual protection measures, such as personal protective equipment

Eye/Face Protection Avoid contact with eyes.

Skin and Body Protection Wear suitable protective clothing.

Respiratory Protection Ensure adequate ventilation, especially in confined areas.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State Liquid

Appearance Not determined Odor Citrus

ColorOrangeOdor ThresholdNot determined

Property
pHValues
Not determinedRemarks • Method

Melting Point/Freezing Point Not determined **Boiling Point/Boiling Range** Not determined **Flash Point** Not determined **Evaporation Rate** Not determined Flammability (Solid, Gas) n/a-liquid **Upper Flammability Limits** Not determined **Lower Flammability Limit** Not determined **Vapor Pressure** Not determined **Vapor Density** Not determined **Specific Gravity** Not determined **Water Solubility** Not determined Solubility in other solvents Not determined **Partition Coefficient** Not determined **Auto-ignition Temperature** Not determined **Decomposition Temperature** Not determined **Kinematic Viscosity** Not determined Not determined **Dynamic Viscosity Explosive Properties** Not determined **Oxidizing Properties** Not determined

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to Avoid

Keep out of reach of children.

Incompatible Materials

None known based on information supplied.

Hazardous Decomposition Products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Eye Contact Avoid contact with eyes.

Skin Contact May cause an allergic skin reaction. Causes skin irritation. May be harmful in contact with

skin.

Inhalation Avoid breathing vapors or mists.

Ingestion Do not taste or swallow.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
2-Butoxyethanol 111-76-2	= 470 mg/kg (Rat)	= 2270 mg/kg (Rat) = 220 mg/kg ((= 2.21 mg/L (Rat) 4 h = 450 ppm (
		Rabbit)	Rat) 4 h
Sodium xylenesulfonate 1300-72-7	= 7200 mg/kg (Rat)	-	-
Sodium hydroxide 1310-73-2	-	= 1350 mg/kg (Rabbit)	-
d-Limonene 5989-27-5	-	> 5 g/kg (Rabbit)	-
Isopropanol 67-63-0	= 5840 mg/Kg (Rat)	> 12800 mg/Kg (Rabbit)	> 10000 ppm, 6h, Vapor rat
Nonylphenol polyethylene glycol ether 127087-87-0	960-6980 mg/kg (Rat)	2000-2991 mg/kg (Rabbit)	1.15 mg/L (Rat) Aerosol, 4 h
Sodium Tripolyphosphate: 7758-29-4	3900 mg/kg (Rat)	4640 mg/kg (Rabbit)	-
Sodium Metasilicate 10213-79-3	847 mg/kg (Rat)	-	-
Alkyl benzenesulfonic acid: 68584-22-5	1450 mg/kg (Rat)	2000 mg/kg (Rabbit)	-

Information on physical, chemical and toxicological effects

Symptoms Please see section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity Not classifiable as a human carcinogen.

	Chemical Name	ACGIH	IARC	NTP	OSHA
--	---------------	-------	------	-----	------

2-Butoxyethanol 111-76-2	A3	Group 3	
d-Limonene 5989-27-5		Group 3	X

Legend

IARC (International Agency for Research on Cancer)

Group 3 IARC components are "not classifiable as human carcinogens"

Numerical measures of toxicity

Calculated ATE (Oral) or this mixture is >7000 mg/kg

12. ECOLOGICAL INFORMATION

Ecotoxicity

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
2-Butoxyethanol 111-76-2		1490: 96 h Lepomis macrochirus mg/L LC50 static 2950: 96 h Lepomis macrochirus mg/L LC50	<u>g</u>	1698 - 1940: 24 h Daphnia magna mg/L EC50 1000: 48 h Daphnia magna mg/L EC50
Sodium Tripolyphosphate 7758-29-4	-	-	-	EC50: 276.6 mg/L; Daphnia' 48h
Sodium hydroxide 1310-73-2		45.4: 96 h Oncorhynchus mykiss mg/L LC50 static		
d-Limonene 5989-27-5		0.619 - 0.796: 96 h Pimephales promelas mg/L LC50 flow-through 35: 96 h Oncorhynchus mykiss mg/L LC50		
Nonylphenol, branched, ethoxylated 127087-87-0	-	LC50: 3.8-6.2 mg/L; fathead minnow, 96h	IC50: >1000 mg/L, Baacteria, 16h	LC50: 9.3-21.4 mg/L; Water flea, 48h
Alkyl benzenesulfonic acid: 68584-22-5:	ErC50 green algae, statictest, growth rate inhibition, 72 h: 47.3 mg/L	1.67: 96 h Pimephales promelas mg/L LC50 static		2.4: 48 h Daphnia magna mg/L LC50

Persistence/Degradability

Not determined.

Bioaccumulation

Not determined.

Mobility

Component information:

Chemical Name	Partition Coefficient
2-Butoxyethanol 111-76-2	0.81
Isopropanol 67-63-0	1.1

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of WastesDisposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated Packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

California Hazardous Waste Status

Chemical Name	California Hazardous Waste Status
d-Limonene	Toxic
5989-27-5	

14. TRANSPORT INFORMATION

Note Please see current shipping paper for most up to date shipping information, including

exemptions and special circumstances.

DOT Not regulated

IATA Not regulated

<u>IMDG</u>

Marine Pollutant This material may meet the definition of a marine pollutant

15. REGULATORY INFORMATION

International Inventories

Not determined

US Federal Regulations

Cercla:

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Sodium hydroxide 1310-73-2	1000 lb		RQ 1000 lb final RQ
			RQ 454 kg final RQ
Sodium Tripolyphosphate		5000 lbs	5000 lbs
7758-29-4			
Alkyl benzenesulfonic acid:	1000 lb		
68584-22-5			

SARA 313

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
2-Butoxyethanol	111-76-2	1-5	1.0
Isoporpanol	67-63-0	1-5	1.0

CWA (Clean Water Act)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Sodium hydroxide 1310-73-2	1000 lb			X

US State Regulations

U.S. State Right-to-Know Regulations

Not determined

Chemical Name	New Jersey	Massachusetts	Pennsylvania
2-Butoxyethanol 111-76-2	X	X	X
d-Limonene	X	-	X
Sodium hydroxide 1310-73-2	Х	X	X
Sodium Tripolyphosphate 7758-29-4	Х	Х	Х
Alkyl benzenesulfonic acid: 68584-22-5	Х	Х	Х
Isopropanol: 67-63-0	X	X	Х
Sodium Metasilicate 10213-79-3	Х	-	X
Nonylphenol, branched, ethoxylated 127087-87-0	Х	Х	Х
Sodium Xylene Sulfonate	X	-	X

16. OTHER INFORMATION

Issue Date:17-Sept-2014Revision Date:17-Sept-2014Revision Note:New format

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet