

VANTAGE

FREE STANDING DIRECT VENT GAS STOVE





Natural

FDV451N FDV451NE2 Millivolt / IPI 34,500 BTU 23,750 BTU

Input Min. FE (P.4.1-15) Glass Single

65.89% / 67.72%

Propane Millivolt / IPI 31,000 BTU 24,500 BTU 72.14% / 74.06% Single

FDV451LP

FDV451LPE2

MQFDV453N MQFDV453NE2 Natural Millivolt / IPI 34,500 BTU 23,750 BTU

65.89% / 67.72%

Three



Three



F45LG Optional Log Grate



Stainless





SETS

LOG

OPTIONS

MEDIA

LOGF451 Oak Log Set



MQLOGF452 Oak Log Set



MQLOGF453 Driftwood Log Set



Porcelain Reflective Liner



Traditional **Brick Liner**



Herringbone **Brick Liner**



Fluted Liner



MQG5ZG Zircon Glacier Ice Glass



MQG5A Cobalt **Ember Glass**



MQG5B Black **Ember Glass**



MQG5C Bronze **Ember Glass**



MQG5W White **Ember Glass**



MQEMBER Ember Chunks



MQSTONE Decorative **Stones**



MQROCK2 Natural Rock Set



Multi-Colored Rock Set



Multi-Colored Cannonballs



STANDARD FEATURES

- · Dual burner system, with Realistic Flame Pattern
- Millivolt or IPI valve system allows operation during a power failure with Hi/Low heat and flame adjustment
- · Heat radiating ceramic glass
- · Mobile home approved
- · Approved for installation in abedroom or bed sitting room
- Proflame II Models include Remote Control - Features flame, fan, thermostat, smart thermostat (FDV451NE2, FDV451LPE2, MQFDV453NE2 and MQFDV453LPE2 Models only)

OPTIONAL FEATURES

Fan Kit: Heat activated with variable speed control

Colour Options: Charcoal with your choice of accent colour: Flat Black or Stainless. with matching side panels

Media: Contemporary Rocks, Decorative Stones, Decorative Ember Glass (Glacier Ice, Cobalt Blue, Black, Bronze, White), Ember Chunks or Multi-Colored Cannonballs

Log Sets: Driftwood or Oak

Liners: Traditional, Herringbone or Black Fluted Refractory Brick Liner, or Porcelain Reflective Liner

Thermostat: Wall Mount Thermostat or Programmable Thermostat

Remote Controls (Millivolt or IPI PF1): Thermostat on/off, Thermostat on/off modulating, Thermostat on/off modulating and fan control









FDV451N Free Standing Direct Vent Stove - Natural Gas, F450FBL Door Front - Charcoal with Black Posts, F451SDSBL Side Doors - Solid Charcoal Panel with Black Frame, MQG5C Bronze Glass (x3), RBCB1 Cannonballs, F45LG Log Grate, F45FK Fan Kit.

MQZCV48

A 27 1/8"

4"

26"

H 11 5/16"

K 20 1/8"

5 3/8" 15"

10 5/8"

19 3/4"

20 5/16" Q 9/16"

16 15/16"

33 1/2"


D 20"


В 7"


G 4"



MQFDV453N Free Standing Stove - Natural Gas, F450FBL Door Front - Charcoal with Black Posts, MQ453SDBL Side Doors with Black Frame and Charcoal Panel, MQG5C Bronze Glass (x3), MQSTONES Decorative Stones, MQ451RLH Herringbone Brick Liner, F45FK Fan Kit.







MINIMUM CLEARANCES TO COMBUSTIBLES:

from front of unit from side of unit from back of unit

ALCOVE INSTALLATION:

depth (max.) 71 1/2" height (min.) width (min.)

Every angle gives you a beautiful view of the flames with the Vantage by Marquis. This contemporary take on a classic woodstove adds warmth with 3-sided glass and sleek charcoal finish with flat black or stainless steel accents. Amp up the impact with your choice of log sets, decorative stones, rocks, and cannonballs or even ember glass.

Visit www.marquisfireplaces.net to see the latest evolution in fireplaces.



Stainless Steel and Flat Black Vent Lid






Marquis Fireplaces maintains a program of continuous testing, refinement and improvements of all its products. Some aspect of units shown here may be changed at any time without notice or obligation. Certification: FDV451N, FDV451NP, FDV451LPE, MQFDV453N, MQFDV453NP, MQFDV453LP, MQFDV453LPE are Certified to: ANSI Z21.88-2014, CSA 2.33-2014 Direct Vent Gas Stove.

Note: Components may have to be ordered separately to create a complete unit. Discuss with your local Marquis Dealer for clarification.

LIMITED LIFETIME WARRANTY



2340 Logan Avenue Winnipeg, Manitoba, CAN R2R 2V3 Phone: 204.632.1962 Fax: 204.632.1960 marguisfireplaces.net

Printed in Canada B088 – 08/18



Look for the **EnerGuide** Gas Fireplace Energy Efficiency Rating in this brochure

Based on CSA P.4.1-15

Unit Illustrated: MQFDV453N Free Standing Direct Vent Stove – Natural Gas, F450FSS Door Front - Charcoal with Stainless Steel Posts, MQ453SDSS Side Doors with Stainless Steel Frame and Charcoal Panel, MQG5C Bronze Glass (x3), MQ453PL Porcelain Liner, F45FK Fan Kit.