

Silver Lining Cable Rail System


General Information

Consult your local building code before purchasing and installing WM Coffman's Silver Lining Cable Rail system. All Cable Railing is meant for use as a guard/fence and not intended or designed to be stood on or climbed on. Load limits may vary depending on method of installation. An engineer or qualified contractor should be consulted for any questions regarding this or any other Cable Railing system and its application.

The following installation instructions/information are to be used as a reference tool only.

WM Coffman Recommended Complimentary Parts list for Silver Lining Cable Rail System

Item	Description	Specie
802824	C-4076 3-1/2" x 56" Square Newel Post	Red Oak
801742	C-4076 3-1/2" x 56" Square Newel Post	Hard Maple
801743	C-4076 3-1/2" x 56" Square Newel Post	Poplar
803021	C-4076 3-1/2" x 56" Square Newel Post	White Oak
802864	C-5360 1-3/4" x 36" Square Baluster	Red Oak
802288	C-5360 1-3/4" x 42" Square Baluster	Red Oak
801253	C-5360 1-3/4" x 36" Square Baluster	Hard Maple
802342	C-5360 1-3/4" x 42" Square Baluster	Hard Maple
801254	C-5360 1-3/4" x 36" Square Baluster	Poplar
802313	C-5360 1-3/4" x 42" Square Baluster	Poplar
801255	C-5360 1-3/4" x 36" Square Baluster	Primed
802377	C-5360 1-3/4" x 42" Square Baluster	Primed
802508	C-6700 Non-Plowed 16' Rail	Red Oak
802509	C-6700 Non-Plowed 16' Rail	Hard Maple
802510	C-6700 Non-Plowed 16' Rail	White Oak



WM Coffman Recommended Tools & Accessories for Silver Lining Cable Rail System

Review instructions below before placing order to ensure you have all tools to complete proper installation

Item	Description
803978	Cable Cutter for 1/8" Stainless Steel
803979	Cable Release Tool for 1/8" Stainless Steel
803980	Post Protector Tube (4 pack) 3/4"
803981	Package Mandrel and two cut-off wheels
803982	Aluminum Cable Brace 42" Pre-drilled
803983	Aluminum Cable Brace 42" Undrilled
803984	Stainless Steel End Cap for SL-102-KIT

Other Tools (not offered at WMC)	
SL-102-KIT System	Swageless System
Power Drill	Power Drill
5/32" Drill Bit	5/32" Drill Bit
9/32" Drill Bit	7/32" Drill Bit
29/64" Drill Bit	17/32" Drill Bit
1/4" Drill Bit	1/4" Drill Bit
1/8" Hex Wrench	3/8" Wrench
7/16" Wrench	

WM Coffman Stair Parts Silver Lining Cable Rail system is a perfect system for interior or exterior applications. The instructions to follow will help you choose the best system for your install. If you have any questions regarding anything in these instructions/information, please contact us at sales@thestairco.net

General Information

WM Coffman's Silver Lining Cable Rail is...

- Made in the United States
- 1/8" Diameter (all WM Coffman offered Cable systems)
- Type 316 Stainless Steel (marine grade)
 - Interior & Exterior (perfect for decks as well as stairs)
 - Corrosion Resistant
 - *Wedges inside of Swageless Fittings are made of 17-4 stainless (a harder alloy). 17-4 has a similar corrosive resistance to Type 304 stainless.*

All WM Coffman Stainless Steel cable and hardware are covered by a limited **warranty** for a period of ten (10) years from the date of receipt to be free from defects due to defective materials and workmanship.

This warranty does not cover materials which have been abused, neglected or used in any Manner other than for pedestrian railings nor any damage, failure of corrosion resulting from environmental conditions, improper installation, vandalism, insurrection, war or acts of nature.

Preventative Maintenance

Recommended proper Preventative Maintenance

As with all Stainless Steel, regular maintenance and cleaning must be performed. This is the reason for our limited warranty.

There are numerous products that can be purchased to maintain Stainless Steel (we recommend Boeshield products (T-9 & RustFree). Boeshield can be found at numerous retailers.

If you have any questions regarding anything in these instructions/information or need help finding Boeshield Preventative products, please contact us at sales@thestairco.net

General Information

Recommended Specifications

Consult your local building code before purchasing and installing Silver Lining Cable Rail system.

Newel Post should be a minimum of 3-1/2” wide

- WM Coffman recommends C-4076 posts (Red Oak, White Oak, Hard Maple)

Intermediate Posts/Balusters should be placed at a recommended spacing of 48” (max) apart

- WM Coffman recommends C-5360 balusters (Red Oak, Poplar, Primed, Hard Maple) (Undrilled) or...
- Alum Cable Brace (Pre-drilled (3-1/8” on center) or Undrilled)

We recommend C-6700 **Railing** to compliment the Craftsman style that is so popular today

- C-6700 Non-plowed rail (Red Oak, White Oak, Hard Maple)

3-1/8” Spacing between Cable Railing on Posts/Intermediate Balusters is recommended in order to meet code (always consult your local building code)

Installation Instructions

WM Coffman offers 2 Cable Rail system:

- **SL-102-KIT** - Silver Lining Cable Kit system
 - Easy to Install and available in 5’ up to 50’ lengths**Instructions for SL-102-KIT can be found at WM-Coffman.com/silverlining**

- **SL-PL Swageless Fittings system** - with coils of rail
 - Available for Level runs as well as Rake runs

Instructions for SL-PL Swageless system can be found at WM-Coffman.com/silverlining

If you have any questions regarding anything in these instructions/information, please contact us at
sales@thestairco.net

The Stair Co.

Silver Lining Cable Rail System

by WM Coffman Resources

Item	Description
803964	SL-CABLE RAIL KIT - 5'
803965	SL-CABLE RAIL KIT - 10'
803966	SL-CABLE RAIL KIT - 15'
803967	SL-CABLE RAIL KIT - 20'
803968	SL-CABLE RAIL KIT - 25'
803969	SL-CABLE RAIL KIT - 30'
803970	SL-CABLE RAIL KIT - 40'
803971	SL-CABLE RAIL KIT - 50'
803972	SL-Swageless Level Non-Tensioning for Wood
803973	SL-Swageless Level Tensioning for Wood
803974	SL-Swageless Rake Non-Tensioning for Wood
803975	SL-Swageless Rake Tensioning for Wood
803976	SL-Coils of Cable Railing - 100'
803977	SL-Coils of Cable Railing - 500'
803978	SL-CABLE CUTTER C-7 1/8"
803979	SL-CABLE RELEASE TOOL 1/8"
803980	SL-S.S. Post Protector Tube (4-Pk) 3/4"
803981	SL-Package Mandrel and two cut-off wheels
803982	SL-Anodized Alum Cable Brace 42" - 13 holes, 2 plugs and screws
803983	SL-Anodized Alum Cable Brace 42" - Undrilled, 2 plugs and screws
803984	SL-Optional S.S. End Cap for SL Cable Kit

Installation Instructions can be found at wm-coffman.com/silverlining

For Pricing and other information, contact The Stair Co. at 817-975-3866 or email sales@thestairco.net