

# SAFETY DATA SHEET

Date issued: 26-Oct-15

## Rozep 32 Aw

## **SECTION 1: PRODUCT IDENTIFICATION**

Product Name	Rozep 32 Aw
Product Code #	226
CAS #	Not applicable for mixtures
Manufacturer	Royal Mfg Co, LP
Synonym	Not applicable
Chemical Name	Not applicable
<b>Chemical Formula</b>	Not applicable
Trade Secret	No
Address	516 S. 25th West Ave. Tulsa, OK 74127
Phone	(918) 584-2671
Emergency Contact	CHEMTREC (24 hour Emergency Telephone), call: 1-800-424-9300 International CHEMTREC, call: 1-800-255-3924
<b>Recommended Use</b>	Hydraulic Fluid
<b>Restrictions on Use</b>	This product must not be used in applications other than recommended in Section 1 without taking the advice from supplier/manufacturer.

## SECTION 2: HAZARD(S) IDENTIFICATION

Classifications:	Skin sensitization: Category 1 Aquatic Hazard – Acute: Category 3 Aquatic Hazard – Long-term: Category 4
Pictograms:	
Signal Word:	Warning
Hazard Statements:	May cause an allergic skin reaction. Harmful to aquatic life. May cause long lasting harmful effects to aquatic life.
Precautionary Statements:	<ul> <li>P101: If medical advice is needed have product container or label at hand</li> <li>P102: Keep out of reach of children</li> <li>P103: Read Label before use</li> <li>P210: Keep away from Heat, hot surfaces, sparks, open flames and other ignition sources. No Smoking.</li> <li>P211: So not spray on an open flame or other ignition source.</li> <li>P232: Protect from Moisture.</li> <li>P233: Keep container tightly closed</li> <li>P273: Avoid release to the environment.</li> <li>P280: Wear protective gloves/protective clothing/eye protection/face protection</li> </ul>

Royal Mfg Co LP, P.O. Box 3308, Tulsa, OK 74101 | 918-584-2671 | www.royalmfg.com |

Page 1 of 5



SO

#### *Rozep 32 Aw* Date issued: 26-Oct-15

P404: Store in a closed container

None

Percent of the mixture consisting of ingredient(s) of unknown toxicity:

### **SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS**

Chemical Designation	% of Comp.	CAS No.
Zinc Alkyldithiophosphate	< 0.1%	84605-29-8
Butylated Phenol	< 0.1%	Confidential
Calcium Sulfonate	< 0.1%	61789-86-4
Aryl Phosphite	< 0.1%	101-02-0
2-Ethylhexanol	< 0.1%	104-76-7
Aryl Thiophosphate	< 0.1%	597-82-0
Alkylated phenol	< 0.1%	121158-58-5
Substituted Triazole	< 0.1%	Confidential

### SECTION 4: FIRST AID MEASURES

Eyes:	Flush eyes with water for at least 15 minutes. If irritation persists, seek medical attention.
Skin:	Immediately remove contaminated clothing and shoes. Wash off immediately with plenty of water for at least 15 minutes. Call a physician immediately.
Inhalation:	Remove to fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration using a pocket mask type resuscitator. Call a physician immediately.
Ingestion:	Do not induce vomiting. Get immediate medical attention. Never give anything by mouth to an unconscious person.

### **SECTION 5: FIRE FIGHTING MEASURES**

Fire Hazard:	No
Flash Point °C (°F):	> 93.0° (199.4°)
Flammable Limits:	LOWER: Not determined UPPER: Not determined
Extinguishing Media:	Water Mist Foam Dry Powder CO2
Special protective Equipment and firefighting procedures:	Not determined
Unusual Fire & Explosion:	Not determined

### SECTION 6: ACCIDENTAL RELEASE MEASURES

PersonalVapor protective clothing should be worn for spills and leaks with no fire. Do not touch damaged container or<br/>spilled material unless wearing appropriate protective clothing/equipment. Ventilate the closed area.Spills / Leaks:Isolate the spill/leak area in all directions for about 50 meters (150 ft) for liquids and about 25 meters (75 ft)<br/>for solids and semi-solids. Eliminate all ignition sources (no smoking, flares, sparks/flames in close vicinity).<br/>Keep unauthorized persons away and ventilate closed space before entering

### **SECTION 7: HANDLING & STORAGE**

Handling:	Handle in accordance with good industrial hygiene and safety practices. These practices include avoiding unnecessary exposure and prompt removal of material from eyes skin and clothing.
Storage:	Store in a sealed container in a cool, dry environment.



### *Rozep 32 Aw* Date issued: 26-Oct-15

#### **SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION**

Exposure Limits:5 mg/m3OSHA Permissible5 mg/m3Exposure Limits (PELs) :Threshold Limit ValuesThreshold Limit Values10 mg/m3(TLVs):10 mg/m3

**Engineering Controls:** N/A

**Personal Protective Equipment:** 

 Face:

 Eyes:
 Safety Glasses

Skin: Gloves

Respiratory: Pictograms:



### SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Odor: Odor Threshold: pH: Melting Point °C (°F): Freezing Point °C (°F):	Amber liquid Petroleum Not determined Not determined Not determined Not determined	Upper Flammability/Explosive Limit: Lower Flammability/Explosive Limit: Vapor Pressure: Vapor Density: Vapor Temperature °C (°F): Relative Density/Specific Gravity:	Not determined Not determined Not determined Not determined Not determined 0.8650
Pour Point °C (°F): Boiling Range: Flash Point °C (°F): Flash Point Method used:	-21.0° (-5.8 °) N/A > 199.4° (93.0°) ASTM D92	Solubility: Partition Coefficient: Auto-ignition temperature: Decomposition temperature:	Not Water Soluble Not determined Not determined Not determined
Evaporation Rate: Flammability:	Not determined None	Viscosity (cSt): VOC Content: VOC Less Water & Exempts:	32.00 @ 40° C N/A N/A

#### **SECTION 10: STABILITY AND REACTIVITY**

Chemical Reactivity: Chemical Stability: Conditions to Avoid: Materials to Avoid: Hazardous Decomposition: Not determined Stable under normal ambient temperature and conditions. Extreme temperature and direct sunlight/heat/flame Strong oxidizing agents Not expected

### SECTION 11: TOXICOLOGICAL INFORMATION

#### Inhalation

Description of effects from short- and long-term exposure: Not known Description of symptoms: Not known Measure of toxicity:



Royal Mfg Co LP, P.O. Box 3308, Tulsa, OK 74101 | 918-584-2671 | www.royalmfg.com |

	Not known
Ingestio	n
	Description of effects from short- and long-term exposure:
	Not known
	Description of symptoms:
	May cause nausea and vomiting.
	Measure of toxicity:
	Not known
Eyes	
	Description of effects from short- and long-term exposure: Not known
	Description of symptoms:
	Contact may cause eye irritation. Measure of toxicity:
	Not known
Skin	
SKIII	Description of officets from short, and long torm oversures
	Description of effects from short- and long-term exposure: Not known
	Description of symptoms:
	Prolonged contact may cause severe skin irritation and possible burns.
	Measure of toxicity:
	Not known
Carcinog	ens listing:
-	-
NTP:	No No

IARC: No OSHA: No GHS: No

Chronic Toxicity: No

### **SECTION 12: ECOLOGICAL INFORMATION**

Aquatic Toxicity:No data availableBiodegradability:No data availableBioaccumulation:No data available

### SECTION 13: DISPOSAL CONSIDERATION

Treatment, storage, transportation, and disposal must be in accordance with applicable federal, state/provincial, and local regulations. Regulations may vary by location.

#### **SECTION 14 : TRANSPORT INFORMATION**

UN Number: Proper Shipping Name: Royal Rozep 32

**Pictograms:** 

### SECTION 15: REGULATORY INFORMATION

OSHA Regulated Hazard: DOT Regulated:

Royal Mfg Co LP, P.O. Box 3308, Tulsa, OK 74101 918-584-2671 www.royalmfg.com

No


No



### *Rozep 32 Aw* Date issued: 26-Oct-15

E C Classification:	Non-applicable	
TSCA Status:	In compliance with TSCA inventory requirements for commercial purposes	
SARA 312 Regulated Chemical(s):	No	
SARA 313 Regulated Chemical(s):	Yes	
EPA Registration Number:	Non-applicable	
California Prop. 65:	Toluene 0.001717%	
PA Right to know Chemical(s): NJ Right to know Chemical(s): Additional State Regulations: Canada:	Benzene None known None known None known Non-applicable	0.000001%

### **SECTION 16: OTHER INFORMATION**



The above Information is based on the present state of our knowledge of the product at the time of publication. No warranty is implied with respect to the quality or the specification of the product and the user must satisfy themselves that the product is entirely suitable for their purposes.

**DISCLAIMER** This SDS is intended to provide a brief summary of our knowledge and guidance regarding the use of this material. The information contained here has been compiled from sources considered by N/A to be dependable and is accurate to the best of the company's knowledge. The information is offered in good faith. Each user of this material needs to evaluate the conditions of use and design the appropriate protective mechanisms to prevent employee exposures, property damage, or release to the environment. N/A assumes no responsibility for injury to the recipient or third persons, or for any damage to any property resulting from misuse of the product.

