

MEDIUM DUTY CASTERS

Part #	Swivel/Rigid	Wheel Size (Diameter x Tread Width), Wheel Material, Bearings, Color	Capacity	Overall Height	Price Each	Shipping Locations
27MA34JB6017YY	Swivel	3.25 in. x 2 in. Glass Filled Nylon w/Precision Ball Bearings; Black	900#	4-1/4 in.	\$24.00	Ohio, Texas
28MA34JB6017YY	Rigid	3.25 in. x 2 in. Glass Filled Nylon w/Precision Ball Bearings; Black	900#	4-1/4 in.	\$23.00	Ohio, Texas
27PH34JB0417YY	Swivel	3.25 in. x 2 in. Phenolic w/Straight Roller Bearings; Black	700#	4-1/4 in.	\$24.00	Ohio, Texas, NC
28PH34JB0417YY	Rigid	3.25 in. x 2 in. Phenolic w/Straight Roller Bearings; Black	700#	4-1/4 in.	\$23.00	Ohio, Texas, NC
27SS34JSO417YY	Swivel	3.25 in. x 2 in. Cast Iron Steel w/Straight Roller Bearings; Grey	700#	4-1/4 in.	\$24.00	Ohio, Texas, NC
28SS34JSO417YY	Rigid	3.25 in. x 2 in. Cast Iron Steel w/Straight Roller Bearings; Grey	700#	4-1/4 in.	\$23.00	Ohio, Texas, NC

27NM40JB4817YY	Swivel	4 in. x 2 in. Thermoplastic Elastomer on Poly w/Precision Ball Bearings; Grey on Grey	400#	5-5/8 in.	\$20.00	Ohio, Texas
27NM40JB4817TY	Swivel w/Top Lock Brake	4 in. x 2 in. Thermoplastic Elastomer on Poly w/Precision Ball Bearings; Grey on Grey	400#	5-5/8 in.	\$23.00	Ohio, Texas
28NM40JB4817	Rigid	4 in. x 2 in. Thermoplastic Elastomer on Poly	400#	5-5/8 in.	\$19.00	Ohio, Texas

		w/Precision Ball Bearings; Grey on Grey				
27PH40JB0417YY	Swivel	4 in. x 2 in. Phenolic w/Straight Roller Bearings; Black	800#	5-5/8 in.	\$16.00	Ohio, Texas, NC
27PH40JB0417TY	Swivel w/Top Lock Brake	4 in. x 2 in. Phenolic w/Straight Roller Bearings; Black	800#	5-5/8 in.	\$19.00	Ohio, Texas, NC
28PH40JB0417YY	Rigid	4 in. x 2 in. Phenolic w/Straight Roller Bearings; Black	800#	5-5/8 in.	\$15.00	Ohio, Texas, NC
27PU40JG0417YY	Swivel	4 in. x 2 in. Poly on Cast Iron w/Straight Roller Bearings; Green on Black	800#	5-5/8 in.	\$20.00	Ohio, Texas, NC
27PU40JG0417TY	Swivel w/Top Lock Brake	4 in. x 2 in. Poly on Cast Iron w/Straight Roller Bearings; Green on Black	800#	5-5/8 in.	\$23.00	Ohio, Texas, NC
28PU40JG0417YY	Rigid	4 in. x 2 in. Poly on Cast Iron w/Straight Roller Bearings; Green on Black	800#	5-5/8 in.	\$19.00	Ohio, Texas, NC
27CD40JR0417YY	Swivel	4 in. x 2 in. Ductile Steel Crowned Tread w/Roller Bearings; Red	1,250#	5-5/8 in.	\$30.00	Ohio, Texas
27CD40JR0417TY	Swivel w/Top Lock Brake	4 in. x 2 in. Ductile Steel Crowned Tread w/Roller Bearings; Red	1,250#	5-5/8 in.	\$33.00	Ohio, Texas
28CD40JR0417YY	Rigid	4 in. x 2 in. Ductile Steel Crowned Tread w/Roller Bearings; Red	1,250#	5-5/8 in.	\$29.00	Ohio, Texas
27HU40JI6317YY	Swivel	4 in. x 2 in. Ergolastomer Solid Polyurethane Crowned Tread w/Precision Ball Bearings; Grey	1,000#	5-5/8 in.	\$30.00	Ohio, Texas

27HU40JI6317TY	Swivel w/Top Lock Brake	4 in. x 2 in. Ergolastomer Solid Polyurethane Crowned Tread w/Precision Ball Bearings; Grey	1,000#	5-5/8 in.	\$33.00	Ohio, Texas
28HU40JI6317	Rigid	4 in. x 2 in. Ergolastomer Solid Polyurethane Crowned Tread w/Precision Ball Bearings; Grey	1,000#	5-5/8 in.	\$29.00	Ohio, Texas

27NM50JB4817YY	Swivel	5 in. x 2 in. Thermoplastic Elastomer on Poly w/Precision Ball Bearings; Grey on Grey	500#	6-1/2 in.	\$22.00	Ohio, Texas
27NM50JB4817TY	Swivel w/Top Lock Brake	5 in. x 2 in. Thermoplastic Elastomer on Poly w/Precision Ball Bearings; Grey on Grey	500#	6-1/2 in.	\$25.00	Ohio, Texas
28NM50JB4817	Rigid	5 in. x 2 in. Thermoplastic Elastomer on Poly w/Precision Ball Bearings; Grey on Grey	500#	6-1/2 in.	\$21.00	Ohio, Texas
27PH50JB0417YY	Swivel	5 in. x 2 in. Phenolic w/Straight Roller Bearings; Black	1,000#	6-1/2 in.	\$18.00	Ohio, Texas, NC
27PH50JB0417TY	Swivel w/Top Lock Brake	5 in. x 2 in. Phenolic w/Straight Roller Bearings; Black	1,000#	6-1/2 in.	\$21.00	Ohio, Texas, NC
28PH50JB0417YY	Rigid	5 in. x 2 in. Phenolic w/Straight Roller Bearings; Black	1,000#	6-1/2 in.	\$17.00	Ohio, Texas, NC
27PU50JG0417YY	Swivel	5 in. x 2 in. Poly on Cast Iron w/Straight Roller Bearings; Green on Black	1,100 #	6-1/2 in.	\$22.00	Ohio, Texas, NC

27PU50JG0417TY	Swivel w/Top Lock Brake	5 in. x 2 in. Poly on Cast Iron w/Straight Roller Bearings; Green on Black	1,100#	6-1/2 in.	\$25.00	Ohio, Texas, NC
28PU50JG0417YY	Rigid	5 in. x 2 in. Poly on Cast Iron w/Straight Roller Bearings; Green on Black	1,100#	6-1/2 in.	\$21.00	Ohio, Texas, NC
27CD50JR0417YY	Swivel	5 in. x 2 in. Ductile Steel Crowned Tread w/Roller Bearings; Red	1,250#	6-1/2 in.	\$32.00	Ohio, Texas
27CD50JR0417TY	Swivel w/Top Lock Brake	5 in. x 2 in. Ductile Steel Crowned Tread w/Roller Bearings; Red	1,250#	6-1/2 in.	\$35.00	Ohio, Texas
28CD50JR0417YY	Rigid	5 in. x 2 in. Ductile Steel Crowned Tread w/Roller Bearings; Red	1,250#	6-1/2 in.	\$31.00	Ohio, Texas
27HU50JI6317YY	Swivel	5 in. x 2 in. Ergolastomer Solid Polyurethane Crowned Tread w/Precision Ball Bearings; Grey	1,250#	6-1/2 in.	\$32.00	Ohio, Texas
27HU50JI6317TY	Swivel w/Top Lock Brake	5 in. x 2 in. Ergolastomer Solid Polyurethane Crowned Tread w/Precision Ball Bearings; Grey	1,250#	6-1/2 in.	\$35.00	Ohio, Texas
28HU50JI6317	Rigid	5 in. x 2 in. Ergolastomer Solid Polyurethane Crowned Tread w/Precision Ball Bearings; Grey	1,250#	6-1/2 in.	\$31.00	Ohio, Texas

27NM60JB4817YY	Swivel	6 in. x 2 in. Thermoplastic Elastomer on Poly w/Precision Ball Bearings; Grey on Grey	600#	7-1/2 in.	\$24.00	Ohio, Texas
27NM60JB4817TY	Swivel w/Top Lock	6 in. x 2 in. Thermoplastic Elastomer on Poly	600#	7-1/2 in.	\$27.00	Ohio, Texas

	Brake	w/Precision Ball Bearings; Grey on Grey				
28NM60JB4817	Rigid	6 in. x 2 in. Thermoplastic Elastomer on Poly w/Precision Ball Bearings; Grey on Grey	600#	7-1/2 in.	\$23.00	Ohio, Texas
27PH60JB0417YY	Swivel	6 in. x 2 in. Phenolic w/Straight Roller Bearings; Black	1,200#	7-1/2 in.	\$20.00	Ohio, Texas, NC
27PH60JB0417TY	Swivel w/Top Lock Brake	6 in. x 2 in. Phenolic w/Straight Roller Bearings; Black	1,200#	7-1/2 in.	\$23.00	Ohio, Texas, NC
28PH60JB0417YY	Rigid	6 in. x 2 in. Phenolic w/Straight Roller Bearings; Black	1,200#	7-1/2 in.	\$19.00	Ohio, Texas, NC
27PU60JG0417YY	Swivel	6 in. x 2 in. Poly on Cast Iron w/Straight Roller Bearings; Green on Black	1,200#	7-1/2 in.	\$24.00	Ohio, Texas, NC
27PU60JG0417TY	Swivel w/Top Lock Brake	6 in. x 2 in. Poly on Cast Iron w/Straight Roller Bearings; Green on Black	1,200#	7-1/2 in.	\$27.00	Ohio, Texas, NC
28PU60JG0417YY	Rigid	6 in. x 2 in. Poly on Cast Iron w/Straight Roller Bearings; Green on Black	1,200#	7-1/2 in.	\$23.00	Ohio, Texas, NC
27CD60JR0417YY	Swivel	6 in. x 2 in. Ductile Steel Crowned Tread w/Roller Bearings, Red	1,250#	7-1/2 in.	\$42.00	Ohio, Texas
27CD60JR0417TY	Swivel w/Top Lock Brake	6 in. x 2 in. Ductile Steel Crowned Tread w/Roller Bearings; Red	1,250#	7-1/2 in.	\$45.00	Ohio, Texas
28CD60JR0417YY	Rigid	6 in. x 2 in. Ductile Steel Crowned Tread w/Roller Bearings; Red	1,250#	7-1/2 in.	\$41.00	Ohio, Texas

27HU60JI6317YY	Swivel	6 in. x 2 in. Ergolastomer Solid Polyurethane Crowned Tread w/Precision Ball Bearings; Grey	1,250#	7-1/2 in.	\$42.00	Ohio, Texas
27HU60JI6317TY	Swivel w/Top Lock Brake	6 in. x 2 in. Ergolastomer Solid Polyurethane Crowned Tread w/Precision Ball Bearings; Grey	1,250#	7-1/2 in.	\$45.00	Ohio, Texas
28HU60JI6317	Rigid	6 in. x 2 in. Ergolastomer Solid Polyurethane Crowned Tread w/Precision Ball Bearings; Grey	1,250#	7-1/2 in.	\$41.00	Ohio, Texas

27NM80JB4817YY	Swivel	8 in. x 2 in. Thermoplastic Elastomer on Poly w/Precision Ball Bearings; Grey on Grey	700#	9-1/2 in.	\$29.00	Ohio, Texas
27NM80JB4817TY	Swivel w/Top Lock Brake	8 in. x 2 in. Thermoplastic Elastomer on Poly w/Precision Ball Bearings; Grey on Grey	700#	9-1/2 in.	\$32.00	Ohio, Texas
28NM80JB4817	Rigid	8 in. x 2 in. Thermoplastic Elastomer on Poly w/Precision Ball Bearings; Grey on Grey	700#	9-1/2 in.	\$28.00	Ohio, Texas
27PH80JB0417YY	Swivel	8 in. x 2 in. Phenolic w/Straight Roller Bearings; Black	1,250#	9-1/2 in.	\$25.00	Ohio, Texas, NC
27PH80JB0417TY	Swivel w/Top Lock Brake	8 in. x 2 in. Phenolic w/Straight Roller Bearings; Black	1,250#	9-1/2 in.	\$28.00	Ohio, Texas, NC
28PH80JB0417YY	Rigid	8 in. x 2 in. Phenolic w/Straight Roller Bearings; Black	1,250#	9-1/2 in.	\$24.00	Ohio, Texas, NC

27PU80JB0417YY	Swivel	8 in. x 2 in. Poly on Cast Iron w/Straight Roller Bearings; Green on Black	1,250#	9-1/2 in.	\$29.00	Ohio, Texas, NC
27PU80JG0417TY	Swivel w/Top Lock Brake	8 in. x 2 in. Poly on Cast Iron w/Straight Roller Bearings; Green on Black	1,250#	9-1/2 in.	\$32.00	Ohio, Texas, NC
28PU80JG0417YY	Rigid	8 in. x 2 in. Poly on Cast Iron w/Straight Roller Bearings; Green on Black	1,250#	9-1/2 in.	\$28.00	Ohio, Texas, NC
27CD80JR0417YY	Swivel	8 in. x 2 in. Ductile Steel Crowned Tread w/Roller Bearings; Red	1,250#	9-1/2 in.	\$48.00	Ohio, Texas
27CD80JR0417TY	Swivel w/Top Lock Brake	8 in. x 2 in. Ductile Steel Crowned Tread w/Roller Bearings; Red	1,250#	9-1/2 in.	\$51.00	Ohio, Texas
28CD80JR0417YY	Rigid	8 in. x 2 in. Ductile Steel Crowned Tread w/Roller Bearings; Red	1,250#	9-1/2 in.	\$47.00	Ohio, Texas
27HU80JI6317YY	Swivel	8 in. x 2 in. Ergolastomer Solid Polyurethane Crowned Tread w/Precision Ball Bearings; Grey	1,250#	9-1/2 in.	\$65.00	Ohio, Texas
27HU80JI6317TY	Swivel w/Top Lock Brake	8 in. x 2 in. Ergolastomer Solid Polyurethane Crowned Tread w/Precision Ball Bearings; Grey	1,250#	9-1/2 in.	\$68.00	Ohio, Texas
28HU80JI6317	Rigid	8 in. x 2 in. Ergolastomer Solid Polyurethane Crowned Tread w/Precision Ball Bearings; Grey	1,250#	9-1/2 in.	\$64.00	Ohio, Texas