| Part# | Swivel / Rigid | Wheel Size (Diameter x Tread Width), Wheel Material, Bearings, Color | Capacity | Overall Height | Price Each | Shipping Locations |
|----------------|--------------------------------------|-------------------------------------------------------------------------------------------------|----------|-------------------|---------------|-----------------------|
| S5NM40JB0517YY | Stainless Steel Swivel | 4" x 2" Thermoplastic Elastomer on Poly w/ Stainless Steel Roller Bearings; Grey on Grey | 400# | 5-5/8" | \$135.00 | Ohio, Texas |
| S5NM40JB0517TY | SS Swivel w/ SS Top Lock Brake | 4" x 2" Thermoplastic Elastomer on Poly w/ Stainless Steel Roller Bearings; Grey on Grey | 400# | 5-5/8" | \$154.00 | Ohio, Texas |
| S6NM40J05S17 | Stainless Steel Rigid | 4" x 2" Thermoplastic Elastomer on Poly w/ Stainless Steel Roller Bearings; Grey on Grey | 400# | 5-5/8" | \$57.00 | Ohio, Texas |
| S5PH40JB0517YY | Stainless Steel Swivel | 4" x 2" Phenolic w/ Stainless Steel Roller Bearings; Black | 800# | 5-5/8" | \$131.00 | Ohio, Texas, NC |
| S5PH40JB0517TY | SS Swivel w/ SS Top Lock Brake | 4" x 2" Phenolic w/ Stainless Steel Roller Bearings; Black | 800# | 5-5/8" | \$150.00 | Ohio, Texas, NC |
| S6PH40JB0517YY | Stainless Steel Rigid | 4" x 2" Phenolic w/ Stainless Steel Bearings; Black | 800# | 5-5/8" | \$55.00 | Ohio, Texas, NC |
| S5NY40JE1217YY | Stainless Steel Swivel | 4" x 2" Nylon w/ 1 Piece Delrin Bearing; White | 800# | 5-5/8" | \$143.00 | Ohio, Texas, NC |
| S5NY40JE1217TY | SS Swivel w/ SS Top Lock Brake | 4" x 2" Nylon w/ 1 Piece Delrin Bearing; White | 800# | 5-5/8" | \$163.00 | Ohio, Texas, NC |
| S6NY40JE1217YY | Stainless Steel Rigid | 4" x 2" Nylon w/ 1 Piece Delrin Bearing; White | 800# | 5-5/8" | \$67.00 | Ohio, Texas, NC |
| S5MA40JB6S17YY | Stainless Steel Swivel | 4" x 2" Maxrock Crowned Tread w/ SS Precision Ball Bearings; Black | 800# | 5-5/8" | \$145.00 | Ohio, Texas |
| S5MA40JB6S17TY | SS Swivel w/ SS Top Lock Brake | 4" x 2" Maxrock Crowned Tread w/ SS Precision Ball Bearings; Black | 800# | 5-5/8" | \$165.00 | Ohio, Texas |
| S6MA40JB6S17YY | Stainless Steel Rigid | 4" x 2" Maxrock Crowned Tread w/ SS Precision Ball Bearings; Black | 800# | 5-5/8" | \$69.00 | Ohio, Texas |
| S5HU40JI6S17YY | Stainless Steel Swivel | 4" x 2" Ergolastomer Solid Polyurethane Crowned Tread w/ SS Precision Ball Bearings; Grey | 1,000# | 5-5/8" | \$165.00 | Ohio, Texas |
| S5HU40JI6S17TY | SS Swivel w/ SS Top Lock Brake | 4" x 2" Ergolastomer Solid Polyurethane Crowned Tread w/ SS Precision Ball Bearings; Grey | 1,000# | 5-5/8" | \$185.00 | Ohio, Texas |
| S6HU40JI6S17 | Stainless Steel Rigid | 4" x 2" Ergolastomer Solid Polyurethane Crowned Tread w/ SS Precision Ball Bearings; Grey | 1,000# | 5-5/8" | \$89.00 | Ohio, Texas |
| S5NM50JB0517YY | Stainless Steel Swivel | 5" x 2" Thermoplastic Elastomer on Poly w/ Stainless Steel Roller Bearings; Grey on Grey | 500# | 6-1/2" | \$138.00 | Ohio, Texas |
| S5NM50JB0517TY | SS Swivel w/ SS Top Lock Brake | 5" x 2" Thermoplastic Elastomer on Poly w/ Stainless Steel Roller Bearings; Grey on Grey | 500# | 6-1/2" | \$157.00 | Ohio, Texas |
| S6NM50JB0517 | Stainless Steel Rigid | 5" x 2" Thermoplastic Elastomer on Poly w/ Stainless Steel Roller Bearings; Grey on Grey | 500# | 6-1/2" | \$60.00 | Ohio, Texas |
| S5PH50JB0517YY | Stainless Steel Swivel | 5" x 2" Phenolic w/ Stainless Steel Roller Bearings; Black | 1,000# | 6-1/2" | \$134.00 | Ohio, Texas, NC |
| S5PH50JB0517TY | SS Swivel w/ SS Top Lock Brake | 5" x 2" Phenolic w/ Stainless Steel Roller Bearings; Black | 1,000# | 6-1/2" | \$153.00 | Ohio, Texas, NC |
| S6PH50JB0517YY | Stainless Steel Rigid | 5" x 2" Phenolic w/ Stainless Steel Roller Bearings; Black | 1,000# | 6-1/2" | \$56.00 | Ohio, Texas, NC |
| S5NY50JE1217YY | Stainless Steel Swivel | 5" x 2" Nylon w/ 1 Piece Delrin Bearing; White | 900# | 6-1/2" | \$146.00 | Ohio, Texas, NC |
| S5NY50JE1217TY | SS Swivel w/ SS Top Lock Brake | 5" x 2" Nylon w/ 1 Piece Delrin Bearing; White | 900# | 6-1/2" | \$165.00 | Ohio, Texas, NC |
| S6NY50JE1217YY | Stainless Steel Rigid | 5" x 2" Nylon w/ 1 Piece Delrin Bearing; White | 900# | 6-1/2" | \$68.00 | Ohio, Texas, NC |

| S5MA50JB6S17YY | Stainless Steel Swivel | 5" x 2" Maxrock Crowned Tread w/ SS Precision Ball Bearings; Black | 1,000# | 6-1/2" | \$148.00 | Ohio, Texas |
|----------------|--------------------------------------|-------------------------------------------------------------------------------------------------|--------|--------|----------|-----------------|
| S5MA50JB6S17TY | SS Swivel w/ SS Top Lock Brake | 5" x 2" Maxrock Crowned Tread w/ SS Precision Ball Bearings; Black | 1,000# | 6-1/2" | \$167.00 | Ohio, Texas |
| S6MA50JB6S17YY | Stainless Steel Rigid | 5" x 2" Maxrock Crowned Tread w/ SS Precision Ball Bearings; Black | 1,000# | 6-1/2" | \$70.00 | Ohio, Texas |
| S5HU50JI6S17YY | Stainless Steel Swivel | 5" x 2" Ergolastomer Solid Polyurethane Crowned Tread w/ SS Precision Ball Bearings; Grey | 1,400# | 6-1/2" | \$168.00 | Ohio, Texas |
| S5HU50JI6S17TY | SS Swivel w/ SS Top Lock Brake | 5" x 2" Ergolastomer Solid Polyurethane Crowned Tread w/ SS Precision Ball Bearings; Grey | 1,400# | 6-1/2" | \$187.00 | Ohio, Texas |
| S6HU50JI6S17 | Stainless Steel Rigid | 5" x 2" Ergolastomer Solid Polyurethane Crowned Tread w/ SS Precision Ball Bearings; Grey | 1,400# | 6-1/2" | \$90.00 | Ohio, Texas |
| S5NM60JB0517YY | Stainless Steel Swivel | 6" x 2" Thermoplastic Elastomer on Poly w/ Stainless Steel Roller Bearings; Grey on Grey | 600# | 7-1/2" | \$141.00 | Ohio, Texas |
| S5NM60JB0517TY | SS Swivel w/ SS Top Lock Brake | 6" x 2" Thermoplastic Elastomer on Poly w/ Stainless Steel Roller Bearings; Grey on Grey | 600# | 7-1/2" | \$160.00 | Ohio, Texas |
| S6NM60JB0517 | Stainless Steel Rigid | 6" x 2" Thermoplastic Elastomer on Poly w/ Stainless Steel Roller Bearings; Grey on Grey | 600# | 7-1/2" | \$63.00 | Ohio, Texas |
| S5PH60JB0517YY | Stainless Steel Swivel | 6" x 2" Phenolic w/ Stainless Steel Roller Bearings; Black | 1,200# | 7-1/2" | \$137.00 | Ohio, Texas, NC |
| S5PH60JB0517TY | SS Swivel w/ SS Top Lock Brake | 6" x 2" Phenolic w/ Stainless Steel Roller Bearings; Black | 1,200# | 7-1/2" | \$156.00 | Ohio, Texas, NC |
| S6PH60JB0517YY | Stainless Steel Rigid | 6" x 2" Phenolic w/ Stainless Steel Roller Bearings; Black | 1,200# | 7-1/2" | \$59.00 | Ohio, Texas, NC |
| S5NY60JE1217YY | Stainless Steel Swivel | 6" x 2" Nylon w/ 1 Piece Delrin Bearing; White | 1,000# | 7-1/2" | \$149.00 | Ohio, Texas, NC |
| S5NY60JE1217TY | SS Swivel w/ SS Top Lock Brake | 6" x 2" Nylon w/ 1 Piece Delrin Bearing; White | 1,000# | 7-1/2" | \$168.00 | Ohio, Texas, NC |
| S6NY60JE1217YY | Stainless Steel Rigid | 6" x 2" Nylon w/ 1 Piece Delrin Bearing; White | 1,000# | 7-1/2" | \$71.00 | Ohio, Texas, NC |
| S5MA60JB6S17YY | Stainless Steel Swivel | 6" x 2" Maxrock Crowned Tread w/ SS Precision Ball Bearings; Black | 1,200# | 7-1/2" | \$151.00 | Ohio, Texas |
| S5MA60JB6S17TY | SS Swivel w/ SS Top Lock Brake | 6" x 2" Maxrock Crowned Tread w/ SS Precision Ball Bearings; Black | 1,200# | 7-1/2" | \$170.00 | Ohio, Texas |
| S6MA60JB6S17YY | Stainless Steel Rigid | 6" x 2" Maxrock Crowned Tread w/ SS Precision Ball Bearings; Black | 1,200# | 7-1/2" | \$73.00 | Ohio, Texas |
| S5HU60JI6S17YY | Stainless Steel Swivel | 6" x 2" Ergolastomer Solid Polyurethane Crowned Tread w/ SS Precision Ball Bearings; Grey | 1,700# | 7-1/2" | \$171.00 | Ohio, Texas |
| S5HU60JI6S17TY | SS Swivel w/ SS Top Lock Brake | 6" x 2" Ergolastomer Solid Polyurethane Crowned Tread w/ SS Precision Ball Bearings; Grey | 1,700# | 7-1/2" | \$190.00 | Ohio, Texas |
| S6HU60JI6S17 | Stainless Steel Rigid | 6" x 2" Ergolastomer Solid Polyurethane Crowned Tread w/ SS Precision Ball Bearings; Grey | 1,700# | 7-1/2" | \$93.00 | Ohio, Texas |
| S5NM80JB0517YY | Stainless Steel Swivel | 8" x 2" Thermoplastic Elastomer on Poly w/ Stainless Steel Roller Bearings; Grey on Grey | 700# | 9-1/2" | \$159.00 | Ohio, Texas |
| S5NM80JB0517TY | SS Swivel w/ SS Top Lock Brake | 8" x 2" Thermoplastic Elastomer on Poly w/ Stainless Steel Roller Bearings; Grey on Grey | 700# | 9-1/2" | \$179.00 | Ohio, Texas |
| S6NM80JB0517 | Stainless Steel Rigid | 8" x 2" Thermoplastic Elastomer on Poly w/ Stainless Steel Roller Bearings; Grey on Grey | 700# | 9-1/2" | \$70.00 | Ohio, Texas |
| S5PH80JB0517YY | Stainless Steel Swivel | 8" x 2" Phenolic w/ Stainless Steel Roller Bearings; Black | 1,400# | 9-1/2" | \$155.00 | Ohio, Texas, NC |

| S5PH80JB0517TY | SS Swivel w/ SS Top Lock Brake | 8" x 2" Phenolic w/ Stainless Steel Roller Bearings; Black | 1,400# | 9-1/2" | \$175.00 | Ohio, Texas, NC |
|----------------|--------------------------------------|-------------------------------------------------------------------------------------------------|-----------|--------|----------|-----------------|
| S6PH80JB0517YY | Stainless Steel Rigid | 8" x 2" Phenolic w/ Stainless Steel Roller Bearings; Black | 1,400# | 9-1/2" | \$66.00 | Ohio, Texas, NC |
| | Oteer Rigid | | | | | |
| S5NY80JE1217YY | Stainless | 0" v 0" Nulen vv/ 4 Dises Delrin | 4 4 0 0 # | 0.4/0" | ¢407.00 | Ohia Tayaa NC |
| 55N100JE121711 | Stainless Steel Swivel | 8" x 2" Nylon w/ 1 Piece Delrin Bearing; White | 1,100# | 9-1/2" | \$167.00 | Ohio, Texas, NC |
| S5NY80JE1217TY | SS Swivel w/ SS Top Lock Brake | 8" x 2" Nylon w/ 1 Piece Delrin Bearing; White | 1,100# | 9-1/2" | \$187.00 | Ohio, Texas, NC |
| S6NY80JE1217YY | Stainless Steel Rigid | 8" x 2" Nylon w/ 1 Piece Delrin Bearing; White | 1,100# | 9-1/2" | \$79.00 | Ohio, Texas, NC |
| S5MA80JB6S17YY | Stainless Steel Swivel | 8" x 2" Maxrock Crowned Tread w/ SS Precision Ball Bearings; Black | 1,250# | 9-1/2" | \$169.00 | Ohio, Texas |
| S5MA80JB6S17TY | SS Swivel w/ SS Top Lock Brake | 8" x 2" Maxrock Crowned Tread w/ SS Precision Ball Bearings; Black | 1,250# | 9-1/2" | \$189.00 | Ohio, Texas |
| S6MA80JB6S17YY | Stainless Steel Rigid | 8" x 2" Maxrock Crowned Tread w/ SS Precision Ball Bearings; Black | 1,250# | 9-1/2" | \$81.00 | Ohio, Texas |
| S5HU80JI6S17YY | Stainless Steel Swivel | 8" x 2" Ergolastomer Solid Polyurethane Crowned Tread w/ SS Precision Ball Bearings; Grey | 2,000# | 9-1/2" | \$200.00 | Ohio, Texas |
| S5HU80JI6S17TY | SS Swivel w/ SS Top Lock Brake | 8" x 2" Ergolastomer Solid Polyurethane Crowned Tread w/ SS Precision Ball Bearings; Grey | 2,000# | 9-1/2" | \$229.00 | Ohio, Texas |
| S6HU80JI6S17 | Stainless Steel Rigid | 8" x 2" Ergolastomer Solid Polyurethane Crowned Tread w/ SS Precision Ball Bearings; Grey | 2,000# | 9-1/2" | \$100.00 | Ohio, Texas |