


ClearCreek Siding Part Catalog


www.ClearCreekSiding.com
417-862-9511

Siding Styles


Log
with
Chinking




Log
No
Chinking



Timber
with
Chinking



Timber
No
Chinking




Siding is produced in 12' lengths and each end has a concrete factory edge. For runs shorter than 12', siding can be cut down at the jobsite to the length needed.


Trim Options

Window/Door Trim

Small Window Sill/Head Trim



Large Window Sill/Head Trim



This Trim is used as Window Head/Sill trim and Door Head trim.


They are made custom length in the factory and finished on each end.

Typically the Small trim is used with the Log Style and the Large trim is used with the Timber style. However, they are interchangeable.


Optional: Parts may be provided in 12' pieces, cut in the field and the ends finished.

Termination Trims

Standard Termination Trim



Large Termination Trim




This Trim is used as vertical casings for Windows and Doors and as a transition trim in cases where siding is terminating into something other than a corner or casing.

Optional: Small Termination trim can also be used at soffits and gables.

This part is produced in 12' lengths and will be cut at the jobsite to the length needed.

Corner Trims

Round Outside Corner




This part is used at 90 degree outside corners.

Included is a "Wood Corner Base."

It is produced in 10' lengths and will be cut at the jobsite to the length needed.

The bottom end of the part is finished.

Square Outside Corner



This part is used at 90 degree outside corners.

It is produced in 10' lengths and will be cut at the jobsite to the length needed.

The bottom end of the part is finished.

Outside Corner, 135 Degree




This part is used at 135 degree outside corners, often found on bay windows.

It is produced in 10' lengths and will be cut at the jobsite to the length needed.

The bottom end of the part is finished.

Inside Corner




This part is used at 90 degree inside corners.

It is produced in 10' lengths and will be cut at the jobsite to the length needed.

The bottom end of the part is finished.


Custom Trim

ClearCreek can also provide Custom Trim: Arches, Trim between windows too narrow for Standard Trim, etc.




Accessories


Electrical Outlet
Block, Single




Faucet Mounting
Block




Low Profile
Faucet Mounting Block



Light Block



Dryer Vent
Block



Accessories are 3" deep

Custom Accessory Blocks are also available.

Fasteners

2 1/2" #8 Bugle Head
Coated Exterior Screw



5" #10 Bugle Head
Coated Exterior Screw



3/4" Plastic Washer



Metal Starter Clip



Coatings

Concrete Fill Mix



Concrete Sealer



Silicone Sealant



FoamCoat 550

