





Hard Rock

GRES PORCELLANATO RETTIFICATO COLORATO IN MASSA
RECTIFIED COLOURED BODY PORCELAIN STONEWARE



XCLUSIVE
C E R A M I C A





Hard Rock

GRES PORCELLANATO RETTIFICATO COLORATO IN MASSA
RECTIFIED COLOURED BODY PORCELAIN STONEWARE



XCLUSIVE
CERAMICA
by **Batixl**







GLACIER

FLOOR 60x60 | 24"x24"

WALL 30x60 | 12"x24"

SHOWER 30x30 (5x5) | 12"x12" (2"x2")

MOSAICO SU RETE | MESH-MOUNTED MOSAIC



MOUNTAIN

FLOOR POSA MULTIFORMATO | MULTIFORMAT LAYING

COUNTER 20x20 | 8"x8"



DESERT

POSA MULTIFORMATO | MULTIFORMAT LAYING **R11**







SEA

FLOOR POSA MULTIFORMATO
MULTIFORMAT LAYING R11

POOL 60x90 | 24"x36" R11
20x20 | 8"x8" R11





DESERT

60x90 | 24"x36"



GLACIER

INDOOR 60x90 | 24"x36"

OUTDOOR FLOOR POSA MULTIFORMATO
MULTIFORMAT LAYING **R11**

OUTDOOR WALL 30x60 | 12"x24" **R11**







MOUNTAIN

POSA MULTIFORMATO | MULTIFORMAT LAYING **R11**





RETTIFICATO RECTIFIED




60x90 | 24"x36"



60x60 | 24"x24"



30x60 | 12"x24"



30x30 | 12"x12"




20x20 | 8"x8"

MOSAICI SU RETE MESH-MOUNTED MOSAIC




30x30 | 12"x12"
(5x5 | 2"x2")

BATTISCOPA SKIRTING



7,5x90 | 3"x36"




7,5x60 | 3"x24"




RETTIFICATO RECTIFIED




60x90 | 24"x36"



60x60 | 24"x24"



30x60 | 12"x24"




30x30 | 12"x12"




20x20 | 8"x8"

MOSAICI SU RETE MESH-MOUNTED MOSAIC




30x30 | 12"x12"
(5x5 | 2"x2")

BATTISCOPA SKIRTING



7,5x90 | 3"x36"



7,5x60 | 3"x24"



RETTIFICATO RECTIFIED




60x90 | 24"x36"




60x60 | 24"x24"



30x60 | 12"x24"




30x30 | 12"x12"




20x20 | 8"x8"

MOSAICI SU RETE MESH-MOUNTED MOSAIC




30x30 | 12"x12"
(5x5 | 2"x2")

BATTISCOPA SKIRTING



7,5x90 | 3"x36"



7,5x60 | 3"x24"




RETTIFICATO RECTIFIED




60x90 | 24"x36"



60x60 | 24"x24"



30x60 | 12"x24"




30x30 | 12"x12"




20x20 | 8"x8"

MOSAICI SU RETE MESH-MOUNTED MOSAIC




30x30 | 12"x12"
(5x5 | 2"x2")

BATTISCOPA SKIRTING



7,5x90 | 3"x36"



7,5x60 | 3"x24"



GRES PORCELLANATO RETTIFICATO COLORATO IN MASSA
RECTIFIED COLOURED BODY PORCELAIN STONEWARE


Scarica il catalogo in formato PDF
Download the catalog in PDF format



IMBALLI PACKAGING


formati sizes	spessore (mm) thickness (mm)	pz pcs	m ² sqm	kg	sc box	m ² sqm	kg	numero grafiche number of graphics
60x90 24"x36"	10	2	1,08	24,00	48	51,84	1.152	16
60x60 24"x24"		3	1,08	23,80	40	43,20	952	16
30x60 12"x24"		6	1,08	23,80	40	43,20	952	48
30x30 12"x12"		6	0,54	11,90	96	51,84	1.142	96
20x20 8"x8"		16	0,64	13,60	48	30,72	652	192
mosaici mosaics								
30x30 (4,8x4,8) 12"x12" (2"x2")	10	6	0,54	11,90	-	-	-	-
battiscopa skirting								
7,5x90 3"x36"	-	9	-	11,50	-	-	-	-
7,3x60 3"x24"	-	15	-	15,50	-	-	-	-

SCHEMI DI POSA MODULARE MODULAR LAYING SKETCHES




MODULO | PATTERN 1

FORMATI SIZES	60x90 24"x36"	60x60 24"x24"	30x60 12"x24"	30x30 12"x12"
PZ PCS	2	4	2	4
%	33%	44%	11%	11%



MODULO | PATTERN 2

FORMATI SIZES	60x90 24"x36"	60x60 24"x24"	30x60 12"x24"	30x30 12"x12"
PZ PCS	2	4	2	4
%	33%	44%	11%	11%




MODULO | PATTERN 3

FORMATI SIZES	60x90 24"x36"	60x60 24"x24"	30x60 12"x24"	30x30 12"x12"
PZ PCS	2	4	2	4
%	33%	44%	11%	11%

CARATTERISTICHE TECNICHE

TECHNICAL FEATURES

GRES PORCELLANATO COLORATO IN MASSA
COLOURED BODY PORCELAIN STONEWARE
GRUPPO DI APPARTENENZA | SPECIFIC GROUPING
EN 14411 APPENDICE G Bla GL

	caratteristiche features	metodo di prova test method	valore prescritto prescribed value	valore medio Xclusive Xclusive mean value
	DIMENSIONE LATI DIMENSIONS-LENGHT AND WIDTH	UNI EN ISO 10545-2	+/- 0,5 %	CONFORME CONFORM
	RETTILINEITÀ DEI LATI SIDE STRAIGHTNESS	UNI EN ISO 10545-2	+/- 0,5 %	CONFORME CONFORM
	ORTOGONALITÀ DEGLI SPIGOLI CORNER SQUARENESS	UNI EN ISO 10545-2	+/- 0,6 %	CONFORME CONFORM
	PLANARITÀ FLATNESS	UNI EN ISO 10545-2	+/- 0,5 %	CONFORME CONFORM
	SPESSORE THICKNESS	UNI EN ISO 10545-2	+/- 5,0 %	CONFORME CONFORM
	ASSORBIMENTO D'ACQUA WATER ABSORPTION	UNI EN ISO 10545-3	≤ 0,5 %	CONFORME CONFORM
	SFORZO DI ROTTURA BREAKING STRENGHT	UNI EN ISO 10545-4	≥ 1300 N (se sp ≥ 7,5 mm) ≥ 700 N (se sp < 7,5 mm)	CONFORME CONFORM
	MODULO DI ROTTURA MODULUS OF RUPTURE	UNI EN ISO 10545-4	≥ 35 N/mm²	CONFORME CONFORM
	RESISTENZA ALL'ABRASIONE PROFONDA ABRASION RESISTANCE	UNI EN ISO 10545-6	≤ 175 mm³	CONFORME CONFORM
	RESISTENZA AL GELO FROST RESISTANCE	UNI EN ISO 10545-12	RICHIESTA REQUIRED	CONFORME CONFORM
	RESISTENZA ALL'ATTACCO CHIMICO RESISTANCE TO CHEMICAL ATTACK	UNI EN ISO 10545-13	Secondo i dati del costruttore According to builder's specifications	CONFORME CONFORM
	RESISTENZA AL CAVILLO CRAZING RESISTANCE	UNI EN ISO 10545-11	RICHIESTA REQUIRED	CONFORME CONFORM
	RESISTENZA ALLE MACCHIE STAIN RESISTANCE	UNI EN ISO 10545-14	3 MIN	CONFORME CONFORM
	RESISTENZA ALLO SCIVOLAMENTO SLIP RESISTANCE	ANSI A137.1:2012	≥ 0,42	CONFORME CONFORM

Hard Rock

GRES PORCELLANATO RETTIFICATO COLORATO IN MASSA
RECTIFIED COLOURED BODY PORCELAIN STONEWARE

XCLUSIVE
C E R A M I C A

by **Batix** Import Export S.R.L. S.U.

Via Ghiarola Nuova, 116
41042 Fiorano Modenese (MO) Italy
Tel. +39 0536 808015 - Fax +39 0536 918259

www.xclusiveceramica.com
info@xclusiveceramica.com

