## Certificate of Analysis

Reported: September 17, 2021

**Revision Number:** 0

| Sample Name  | CBD-Berry Blossom (Flower)<br>Test 1   | Matrix                     | CIP                          |
|--|--|----------------------------|------------------------------|
| Sample Description   | N/A  | Sample Type                | Hemp                         |
| Sample Weight On Receipt (g)   | 23.78  | Batch ID                   | 09162021-1                   |
| Sample ID  | S21-1430   | Received                   | 09/15/2021                   |
| Narrative  | N/A  |                            |                              |
| Customer:<br>Doylestown Hemp Company<br>205 Doyle Street<br>Doylestown, PA 18901 | Laboratory:<br>Allied Hemp Labs<br>2020 Downyflake Ln. #202<br>Allentown, PA 18103   |                            |                              |
| consent of Allied Hemp Labs.<br>C) Values reported below quantitation limits o   | d by Allied Hemp Labs.<br>I not be reproduced, except in its entirety, with<br>r calculations using BLOQ results are for inform<br>s calculated using the equation: Total THC = [c | national purposes only and | CBD Sample B<br>Barn Blosson |

## **Requested Testing**

| Test         | Code | Procedure | Analytes Tested   | Disposition |
|--------------|------|-----------|---|-------------|
| Cannabinoids | CN   | TM-PA-1   | CBDVA, CBDV, CBDA, CBGA, CBG, CBD, THCV, THCVA,<br>CBN, CBNA, Δ9 THC, Δ8 THC, CBL, CBC, CBCV, THCA,<br>CBCA, CBLA, CBT, Total THC | N/A         |

## Potency

Analysis Start Date: 09/16/2021 Instrument: HPLC-DAD

Method: TM-PA-1

| Analyte   | Result mg/g | Result % wt. | LOD mg/g | LOQ mg/g |
|-----------|-------------|--------------|----------|----------|
| CBDVA     | ND          | ND           | 0.019    | 0.057    |
| CBDV      | ND          | ND           | 0.011    | 0.034    |
| CBDA      | 0.051       | 0.005        | 0.013    | 0.039    |
| CBGA      | ND          | ND           | 0.013    | 0.039    |
| CBG       | 0.077       | 0.008        | 0.010    | 0.031    |
| CBD       | 4.02        | 0.402        | 0.004    | 0.013    |
| THCV      | ND          | ND           | 0.006    | 0.019    |
| THCVA     | ND          | ND           | 0.018    | 0.055    |
| CBN       | ND          | ND           | 0.014    | 0.042    |
| CBNA      | ND          | ND           | 0.020    | 0.059    |
| Δ9 ΤΗΟ    | 0.089       | 0.009        | 0.018    | 0.055    |
| Δ8 THC    | ND          | ND           | 0.004    | 0.012    |
| CBL       | ND          | ND           | 0.003    | 0.009    |
| CBC       | 0.165       | 0.016        | 0.004    | 0.011    |
| CBCV      | ND          | ND           | 0.007    | 0.021    |
| THCA      | ND          | ND           | 0.009    | 0.026    |
| CBCA      | ND          | ND           | 0.009    | 0.027    |
| CBLA      | ND          | ND           | 0.015    | 0.045    |
| СВТ       | ND          | ND           | 0.014    | 0.042    |
| Total THC | 0.089       | 0.009        |          |          |

0.009

Authorized Signature for Release

This testing is accredited under the laboratory's ISO/IEC 17025:2017 accreditation issued by ANSI National Accreditation Board. Refer to certificate and scope of accreditation AT-2937. September 17, 2021



END OF REPORT