FXX-D S
1 / 10 DRIFT CHASSIS

UPDATED INSTRUCTION
變更說明

Please refer to the addendum manual before assembling.
請於組裝前詳閱本附件說明書。

Please follow assembling steps according to the main instructions, and refer to the addendum manual for the revised parts.
本品有多處修正配件，組裝時請依主說明書組裝，並參閱本附件說明書。

MST max speed technology


3×6 Screw ×4
自攻圓頭螺絲
110022


M3×8 Screw ×2
圓頭螺絲
110002


M3×10 Screw ×4
圓頭螺絲
110026


M3×8 Screw ×2
沉頭螺絲
110005


M3×10 Screw ×2
沉頭螺絲
110052


M2×8 Screw ×4
圓頭螺絲(半牙)
110045


4.8×4.5 copper ball connector ×2
銅製球頭螺絲
310054


5.8×4 copper ball connector ×4
銅製球頭螺絲
310078


3×6×0.5 Spacer ×2
墊片
110047


2.5×6 Thrust bearing ×1
止推培林
120008


3×6×2.5 Bearing ×2
軸承
120024


5×8×2.5 Bearing ×2
軸承
120017



Diff. nut ×1
滾差螺帽
210040


Diff. spring ×1
滾差彈簧
310032


Steel ball 3.0 ×10
鋼珠 3.0
110020






FXX reduction gear 30T ×1
減速齒 30T
210402


Diff. plate ×2
滾差壓板
310033




Diff. oil ×1
滾差油
130040



Enlarged brake calipers ×2
加大剎車卡鉗
210510CR



Wheel hubs w/disc shape (large) ×2
碟型六角輪座(大)
230041




Front damper stay ×1
前避震架
230013





Rear damper stay ×1
後避震架
230013



FXX Steering arm set ×1
FXX 轉向搖臂組
230040


Car body post set ×2
車殼支柱組
210381


Balancing weights diffuser ×1
配重擾流板
210439




Servo horn set (long) ×1
長伺服舵片
210033




Balancing weights 30g ×1
配重塊 30g
820083


PARTS BAG 1 LOWER DECK PARTS
底盤配件



PARTS BAG 2 FRONT LOWER ARM
前下擺臂




PARTS BAG 3 STEERING ARM
轉向搖臂組




Carefully tighten M3×10 screw till steering joint plate turning freely.
慢慢旋緊M3×10螺絲至轉向連接板可自由轉動無阻力。


PARTS BAG 4




PARTS BAG 6



PARTS BAG 7





PARTS BAG 8



Apply ball diff. grease to the balls during assembly.
請於滾珠上塗油


PARTS BAG 12/13 FRONT & REAR AXLE
前後輪座









WHEEL HUBS STICKERS





PARTS BAG 14 DAMPER STAY
避震架






PARTS BAG 16 BODY MOUNTS
車殼固定座





PARTS BAG 17 STEERING SERVO
轉向伺服



GEAR RATIO
齒比表

For Gear A **30T** (210402)				
	3rd Reduction rate. 3次減速比			
Pinion Gear 馬達齒	210362 32T/18T 1.78	210026 34T/18T 1.89	210034 36T/17T 2.12 Original setting	210025 40T/16T 2.50
16	6.00	6.37	7.15	8.44
17	5.64	6.00	6.73	7.94
18	5.33	5.67	6.35	7.50
19	5.05	5.37	6.02	7.11
20	4.80	5.10	5.72	6.75
21	4.57	4.86	5.45	6.43

For Gear A **28T**				
	3rd Reduction rate. 3次減速比			
Pinion Gear 馬達齒	210362 32T/18T 1.78	210026 34T/18T 1.89	210034 36T/17T 2.12 Original setting	210025 40T/16T 2.50
18	4.98	5.29	5.93	7.00
19	4.72	5.01	5.62	6.63
20	4.48	4.76	5.34	6.30
21	4.27	4.53	5.08	6.00
22	4.07	4.33	4.85	5.73
23	3.90	4.14	4.64	5.48