OPTIONAL PARTS




OPTIONAL PARTS




STEP 3 Attaching rear axle
安裝後輪座

STEP 1 Wheel hubs assembly (Brake disc shaped)
煞車碟盤型輪座組裝





ADJUST THE BUMP STEER VARIATION
後輪轉向變化量調整





※Recommended Bump Steer range of action -2～+1.
作動範圍建議 -2～+1


The variation is larger for the bigger gap between connector A and B
A 點球頭與 B 點球頭位置高低落差越大，後輪轉向變化量越大








Soft coil spring 31mm ×2 (purple-red)
軟避震彈簧 31mm (紫紅)


Spring retainer ×4
避震調整環


Hard coil spring 31mm ×2 (red)
硬避震彈簧 31mm (紅)



Damper cap ×4
避震器上蓋

E-clip ×8
E扣


Damper cylinder ×4
避震筒身


Rod guide ×4
避震器下蓋墊片


Damper O-ring P3 ×4
避震器O環


Rod guide cap ×4
避震器下蓋


6.5×2 Sponge ×4
泡綿


12×1 O-ring ×4
O環


4.5×1 O-ring ×4
O環



3×1.0 Piston ×4
3×1.0 避震活塞



6×0.8 Piston ×4
6×0.8 避震活塞


Low pressure damper seal ×4
避震器氣室(低內壓)


Damper retainer ×4
避震器彈簧座


Piston rod ×4
避震軸心


Adjustable damper cap ×4
可調下座


Damper adjuster ×4
避震器拉桿



Adjustable shock end ×4
可調上球頭座

STEP 1 Damper assembly
避震器組裝

※ Please assemble the part by number in the circle.
請按照球號順序組裝

1







2




3



4



5





Pull down piston and pour oil into cylinder. Remove air bubbles by slowly moving piston up and down.
拉下活塞並填入避震油，緩慢上下移動活塞將氣泡移除。

6




7



※ Pull down piston rod 4mm, attach cylinder cap and absorb oil overflow with tissue paper.
將軸心下拉4mm後，蓋上避震器上蓋並以面紙拭去溢出的矽油。

8





9




STEP 2 Attaching damper
安裝避震器


FRONT










REAR









Battery mounts A (R) ×1
電池座 A(R)



Battery mounts A (L) ×1
電池座 A(L)



Battery mounts B (L) ×1
電池座 B (L)



Battery mounts B (R) ×1
電池座 B (R)




Heightened spacer R ×1
增高墊片 R



Heightened spacer L ×1
增高墊片 L



5×7×1.5 Spacer ×2
墊片



Battery baffle ×2
電池擋片



M3×8 screw ×4
沉頭螺絲



M3×14 screw ×2
沉頭螺絲




M3×10 screw ×2
圓頭螺絲



PVC Deck protective film ×2
PVC 底盤防刮貼紙

STEP 1 Attaching battery mounts
安裝電池固定座



Recommend using a thin short battery for the greater vehicle performance.
建議使用薄型短電池,已獲得更出色的運動性能!

Do not lock it and keep the battery baffle functional.
勿鎖緊,保持電池擋片能正常開關。


Please install M3×8 screws for general short battery.

Please install M3×14 screws for general short battery.


BATTERY HOLDER HEIGHT / LINGTH ADJUSTMENT INSTRUCTIONS

Anno. 1
註1

Remove heightened spacer for a thin short battery
薄型短電池請移除增高墊片




Add heightened spacer for a general short battery
一般型短電池請加裝增高墊片




Anno. 2
註2

Remove 5×7×1.5 spacer for a short battery within 93.5mm length
短型電池長度93.5mm以下請移除5×7×1.5墊片




Add 5×7×1.5 spacer for a short battery above 93.5mm length
短型電池長度93.5mm以上請加裝5×7×1.5墊片



PARTS BAG 10 ◄ BATTERY MOUNT
電池座

STEP 1 Attaching Battery
安裝電池




PARTS ◄ WHEELS
輪胎



Flange nut M4 ×4
凸緣螺帽M4

Bag 8




Wheel hub spacer 1.0 ×2
輪座墊片 1.0


Bag 8




※ NOT including.
Please refer to MST website for the wheel & tire types.
此框組須另購，詳情請見官網。
[www.rc-mst.com]

STEP 1 Attaching wheels / ESC / Gyro
安裝輪胎 / ESC / 陀螺儀






Bumper support ×1
防撞板上蓋




Bumper mount ×1
防撞板下座




Rear body mount ×2
後車殼支柱



Front body mount ×2
前車殼支柱



Body mount cover M ×2
支柱套 M



Body mount cover L ×2
支柱套 L



M3×10 screw ×2
圓頭螺絲



M3×8 screw ×2
圓頭螺絲



M3×8 screw ×3
沉頭螺絲





M3×10 screw ×2
沉頭螺絲



M2×8 screw ×4
圓頭螺絲

STEP 1 Attaching body mounts
安裝車殼固定座





OPTIONAL PARTS



210633
Carbon lower bumper 3.0



Please trim the body mounts length for car shell, then attach the body mount cover.
請依車殼高度裁切車殼支柱之長度再安裝支柱套。

OPTIONAL PARTS




820141
MST F/R Stealth Magnetic Body Post set

OPTIONAL PARTS




210105BK
Alum. turnbuckle 3×60 (black)

STEP 1 Attaching ESC rear moun
安裝ECS後置固定座



❷ M3×6



❶

M3×8 screw ×2
圓頭螺絲


Bag 7



Back seat ×1
後背座

Bag 7

STEP 2 Attaching upper deck
安裝二樓板



❶ Servo

❷ Servo turnbuckle
M3×60 Alum. turnbuckle

❸ M3×8


OPTIONAL PARTS



210669BK
MRX alum. carbon ESC rear mount set


MRX AGGRESSIVE MODE

STEP 1 Front upper arm setting
前上擺臂設定



STEP 2 Steering setting
轉向設定

NORMAL 正裝




Shorten the steering arm stroke (Shorter EPA stroke)
縮短轉向搖臂行程 (EPA行程較短)

The parallel time of the two rounds at the beginning of the steering movement is longer and the end of the increase in the Ackerman angle is shorter.

轉向運動初期兩輪平行時間較長，進入末期加大阿克曼角時間較短。


REVERSE 反裝





Extend the steering arm stroke (Longer EPA stroke)
延長轉向搖臂行程 (EPA行程較長)


The parallel time of the two rounds at the beginning of the steering movement is shorter and the end of the increase in the Ackerman angle is longer.

轉向運動初期兩輪平行時間較短，進入末期加大阿克曼角時間較長。











STEP 3 Rear caster angle setting
後傾角設定





MRX GEAR RATIO


MRX		Differential Gear 40/13 差速齒		Differential Gear 42/11 差速齒	
MOTOR HEIGHT 馬達高度	PINION GEAR 馬達齒	Tail Gear 36T/21T 尾齒	Tail Gear 38T/19T 尾齒	Tail Gear 36T/21T 尾齒	Tail Gear 38T/19T 尾齒
THIN SHORT BATTERY < 19mm 薄型短電池	18	15.03	17.58	18.64	21.8
	19	14.24	16.65	17.66	20.65
	20	13.53	15.82	16.77	19.62
	21	12.88	15.07	15.98	18.69
	22	12.3	14.38	15.25	17.84
	23	11.76	13.76	14.59	17.06
	24	11.27	13.18	13.98	16.35
	25	10.82	12.66	13.42	15.7
	26	10.4	12.17	12.9	15.09
	27	10.02	11.72	12.43	14.53
	28	9.66	11.3	11.98	14.01
	29	9.33	10.91	11.57	13.53
	30	9.02	10.55	11.18	13.08
	31	8.73	10.21	10.82	12.66
	32	8.45	9.89	10.48	12.26
	33	8.2	9.59	10.17	11.89
GENERAL SHORT BATTERY < 25mm 一般短電池	34	7.96	9.31	9.87	11.54
	35	7.73	9.04	9.59	11.21
	36	7.51	8.79	9.32	10.9
	37	7.31	8.55	9.07	10.61
	38	7.12	8.33	8.83	10.33

※ **FORMULA**
終傳比計算式

Spur Gear 48T ÷ Pinion Gear × Gear A ÷ Gear B × Tail Gear A ÷ Tail Gear B × Big Bevel Gear ÷ Small Bevel Gear = Transmission ratio

大直齒 48T ÷ 馬達齒 × 齒輪 A ÷ 齒輪 B × 尾齒 A ÷ 尾齒 B × 大傘齒 ÷ 小傘齒 = 終傳

48T ÷ (22T) × 30T ÷ 28T × (38T) ÷ (19T) × (40T) ÷ (13T) = (14.38)


09 210684BK
15 210682
08 820141
11 210636
07 210620R/BK
10 210669BK
06 210627R/BK
12 210671
13 210672
05 210561R/BK
14 820143R/BK
03 820139
04 820125R/BK
02 820135
16 210616R/BK
01 210645R/BK
17 210637R/BK
19 820127R/BK
18 841015
27 210633
20 210105R/BK
24 210588R/BK
25 210590R/BK
26 210589R/BK
23 820155R/BK
21 820117R/BK
22 210575R/BK



210645R/BK
RMX alum. lightweight integrated front head mount



820135
Alum. wheel hubs 6mm (large brake disc shaped)



820139
Alum. Lightweight 2WD axle (2)



820125R/BK
Alum. servo mount (black)



210561R/BK
Alum. post M3 X 13 (red) (2)



210627R/BK
Alum. Gyro mount (black)



210620R/BK
MB Alum. Rear upright set (black)



820141
MST F/R Stealth Magnetic Body Post set



210684BK
MRX alum. adj. damper stay set (black)



210669BK
MRX alum. carbon ESC rear mount set



210636
Alum. ball diff. joint set



820143R/BK
Adjustable alum. suspension mount (+3.5~+5.0) (black)



210671
MRX Alum. tail gear 19T



210672
MRX Alum. tail gear 21Tt



210682
MRX 50T spur gear (POM) (machined)



210616R/BK
MB Alum. Rear lower arm set (black)



210637R/BK
Carbon short battery holder set (black)



841015
MST MGX Gyro



820127R/BK
Alum. 8-adjusting servo saver (black)



210105R/BK
Alum. turnbuckle 3 X60 (black)



820117R/BK
Alum. front lower arm set (black)



210575R/BK
RMX 2.0 Alum. upper arm set (black)



820155R/BK
Adjustable alum. suspension mount (-1.0~-2.5) (black)



210588R/BK
Alum. steering arm mount (black)



210590R/BK
RMX 2.0 Alum. steering joint plate (black)



210589R/BK
RMX 2.0 Alum. steering arm (black)



210633
Carbon lower bumper 3.0

MRX GT V1.5


1 / 10 SCALE RC RWD HIGH PERFORMANCE DRIFT CAR

SETUP SHEET
ORIGINAL SETTING


DATE : _____ SURFACE : Plastic tiles NOTE : _____

TRACK : MST Station


Caster
- ☐ 6°
- ■ 8°
- ☐ 10°
- ☐ 12°




Steering








FRONT / REAR



FRONT
Tire: Silver
Wheel: GT
Offset: +5


REAR
Tire: Silver
Wheel: GT
Offset: +5

Front upright



Front suspension

Camber: 7.5°
Toe-out: 3.5



Ride height: 8 mm GROUND

Mode




☐ MRX Factory mode



■ MRX aggressive mode


Rear suspension

Camber: 2
Toe-in: 1.5




GROUND Ride height: 5 mm


Rear upright



Front Suspension mount Rollcenter



Rear Suspension mount Rollcenter



Rear diff







■ Gear diff. ☐ Ball diff.

Diff oil #3000

Front damper




Shock oil: #10
Spring: 31 mm ø1.1
Spring color: Red
Piston: ø1.0 mm
Piston hole: 3

☐ 


■ 

Rear damper



Shock oil: #10
Spring: 31 mm ø1.1
Spring color: Purple-Red
Piston: ø0.8 mm
Piston hole: 6

☐ 

■ 

※FORMULA
終得比計算式

Spur Gear 48T ÷ Pinion Gear × Gear A ÷ Gear B × Tail Gear A ÷ Tail Gear B × Big Bevel Gear ÷ Small Bevel Gear = Transmission ratio

大直齒 48T ÷ 馬達齒 × 齒輪 A ÷ 齒輪 B × 尾齒 A ÷ 尾齒 B × 大傘齒 ÷ 小傘齒 = 終得

48T ÷ (22T) × 30T ÷ 28T × (38T) ÷ (19T) × (40T) ÷ (13T)= (14.38)

Motor & ESC: _____ Battery: _____

Transceiver: _____ Gyro: _____

※Please download the blank setup sheet at [www.rc-mst.com].

PARTS

Color 顏色	Remark 標示
Red 紅 / BACK 黑	R / BK



M1.6×4 screw ×4
圓頭螺絲
110039S



M2×10 screw ×4
圓頭螺絲
110122



M2×8 screw ×4
圓頭螺絲(半牙)
110045



M2×4 screw ×12
圓頭螺絲
110004



M2×8 screw ×2
圓頭螺絲
110063



M2.5×12 Screw ×4
圓頭螺絲
110065



M3×8 screw ×20
圓頭螺絲
110002



M3×10 screw ×16
圓頭螺絲
110026



M3×12 screw ×2
圓頭螺絲
110029



M3×14 screw ×4
圓頭螺絲
110061



M3×16 screw ×2
圓頭螺絲
110086



4.8 Ball connector ×9
外六角球頭
210161



4.8 Ball connector L ×4
外六角球頭(長)
210344



4.8×4.5 Ball connector ×9
球頭螺絲
310001



5.8×6 Ball connector ×4
球頭螺絲
210625



M3×2.6 screw ×2
止付螺絲
110060



M3×12 screw ×2
止付螺絲
110056



M2×8 Taping screw ×8
自攻沉頭螺絲
110058



M2.5×12 Screw ×2
沉頭螺絲
110109



M3×6 screw ×2
沉頭螺絲
110024



M3×8 screw ×29
沉頭螺絲
110005



M3×10 screw ×14
沉頭螺絲
110052



M3×12 Screw ×2
沉頭螺絲
110043



M3×14 Screw ×2
沉頭螺絲
110081




M3×16 Screw ×1
沉頭螺絲
110073




M3×20 Screw ×2
沉頭螺絲
110101




M3×40 Screw ×2
有頭螺絲(半牙)
110091



M3×45 Screw ×2
有頭螺絲(半牙)
110121



2WD Axle ×2
二驅輪軸
820095



Wheel axle ×2
萬向接杆
310065



Driven shaft ×2
傳動軸
310123

1.5×7.8 Shaft ×5
插銷
110059

1.6×9 Shaft ×1
插銷
110071

2×9.8 Shaft ×4
插銷
110017

2×9.8 Shaft ×2
插銷
110046



2.6×25 Shaft ×2
插銷
310035

2×28 Shaft ×2
插銷
310103

2.5×46 Arm shaft ×4
擺臂插銷
310048



MST-PVC Sticker ×1
MST-PVC貼紙
710001



Suspension mount spacer 0.5mm ×4
擺臂座墊片 0.5mm
820063BK

M3×16 Alum. reinforced turnbuckle ×2
鋁合金強化可調拉桿
810006BK

M3×25 Steel reinforced turnbuckle ×2
鋼製強化可調拉桿
810029

M3×28 Alum. turnbuckle (black) ×4
鋁製可調拉桿(黑)
810009BK

M3×44 Alum. turnbuckle (black) ×1
鋁製可調拉桿(黑)
810013BK

Cross joint ×2
連接軸
820030

Post 11.5 ×2
支柱 11.5
210593

3×6×0.5 Spacer ×6
墊片
110047

2.5×5 Suspension balls ×8
插銷短頭
210321

O-ring P4 (red) ×2
O環 P4
130025

Wheel hub spacer 1.0 ×2
輪座墊片 1.0
820049BK

Flange nut M4 ×4
凸緣螺帽
110015

E-Clip 3.0 ×3
E扣 3.0
110070

Wheel hubs ×4
六角輪座
820122BK

R-clip 5.0 ×6
R-銷 5.0
820075

Main shaft ×1
主齒軸
310124

Bevel gear diff O-ring ×1
傘差O環
130024

Bevel gear shaft ×1
傘齒軸
310125

Bevel gear diff. joint set ×1
傘插接杆組
210271

Steel CVD universal shaft 40 ×2
鋼製CVD傳動軸 40
210304

3×5.5×2 Alum. Spacer ×2
鋁合金墊片
820027BK

3×5.5×3 Alum. Spacer ×4
鋁合金墊片
820028BK

4×6×0.3 Spacer ×1
墊片
820017

5×7×0.3 Spacer ×2
墊片
820020

10×12×0.3 Spacer ×2
墊片
820024

2.5×9×0.1 Spacer ×4
墊片
310040

4×14×0.1 Spacer ×2
墊片
310039

3×6 Ball bearing ×4
培林
120005

4×8×3 Ball bearing ×3
培林
120013

5×8 Ball bearing ×8
培林
120003

4×10 Ball bearing ×2
培林
120018


5×10 Ball bearing ×6
培林
120002

6×10×2.5 Ball bearing ×4
培林
120025


8×14 Ball bearing ×1
培林
120007


10×15 Ball bearing ×2
培林
120001

Color 顏色	Remark 標示
Red 紅 / BACK 黑	R / BK




Wheel hubs w/disc shape (large) with sticker
碟型六角輪座組 (加大型) 附貼紙
230041







MB Rear lower arm ×2
MB 後下擺臂
230097




MB Rear wheel hubs
MB 後輪座組
230096



XXX Reinforced gear diff. case set
XXX 強化式傘齒差速箱
210287




MRX Reduction gear set
MRX 連齒組
230147



Enlarged brake calipers (red)
加大剎車卡鉗 (紅)
210510CR




Carbom steering arm post joint plate
碳纖維轉向搖臂支柱固定板



Front arm set ×2
前擺臂組
230062




FXX Reduction gear set
FXX 連齒組
210080



Soft coil spring 31mm ×2 (purple-red)
軟避震彈簧 31mm (紫紅)
820104



Hard coil spring 31mm (red) ×2
硬避震彈簧 (紅)
820103



Damper cylinder ×4
避震筒身
210151



Spring retainer ×4
避震調整環
310106BK



Damper cap ×4
避震器上蓋
310003BK



Rod guide cap ×4
避震器下蓋
310005BK



Piston rod ×4
避震軸心
310008

E-clip 2.0 ×8
E扣2.0
110013



6.5×2 sponge ×4
泡棉
130021




4.5×1 O-ring ×4
O環
820147



High-smooth damper O-ring P3 (white) ×4
高順暢阻尼器O環 P3 (白)
130059



Rod guide ×4
避震器下蓋墊片
210235




Damper adjuster ×4
避震器拉桿
230140



Adjustable damper cap ×4
可調下座
820147



Low pressure damper seal ×4
低內壓避震氣室
130038



Adjustable shock end×4
可調上球頭座
230140



Machined piston 3X1.0 ×2
切削避震活塞 3X1.0
820071



Machined piston 6X0.8 ×2
切削避震活塞 6X0.8
820151




12×1 O-ring ×4
O環
130049




Damper retainer ×4 (lower type)
避震器彈簧座降低型
230140


Color 顏色	Remark 標示
Red 紅 / BACK 黑	R / BK




Front bumper support
快拆式電池座組
230146



Steering arm set
轉向搖臂組
230058




Front head set
前擋支架組
230065



Diff. gear set
傘差齒輪組
210053




MRX Alum. gearbox C
MRX 鋁合金齒箱 C
210666-1BK




Shaft bush & spacer set
襯套墊片組
230070BK




Alum. post M3×13 ×1
鋁合金支柱 M3×13
210561BK




Reinforced adjuster set
4.8×18
強化拉桿頭組
210047



Front wheel hubs ×2
前輪座組
230056



5.8 Ball end bush
球頭襯套
820054W



NS High-torque
servo saver
NS 高扭力伺服緩衝器
820126



Alum. suspension mount (-2.0) (black)
鋁合金擺臂座 (-2.0) (黑)
820129BK




Alum. adjustable alum. suspension mount (+1.5~+3.0) (black) ×2
鋁合金可調式擺臂座 (+1.5~+3.5)
820058BK




4.8 Rod ends set (M/S) ×2
4.8 拉桿頭組 (M/S)
230067


Color 顏色	Remark 標示
Red 紅 / BACK 黑	R / BK




Car body post set
車殼支柱組
210381



MRX rear damper stay & brace
MRX 後避震架 & 後背座
230158




Bevel gear set 40-13
傘齒組 40-13
210035



MRX Alum. gearbox A/B
MRX 鋁合金齒箱 A/B
210665-1BK




MRX Motor mount
MRX 馬達座
210667BK



RMX alum. adj. front connect mount V.2
RMX 鋁合金可調式前連結座組 V.2
210654BK




PVC Deck protective film ×2
PVC 底盤防刮貼
820152



Quick-release battery mount
快拆式電池座組
230145




MRX Upper deck fixed mount
MRX 二樓板固定座
210668-1BK




5.8×26 Reinforced adjuster set
強化拉桿頭組
210031

Color 顏色	Remark 標示
Red 紅 / BACK 黑	R / BK



MRX GT lightweight flexible carbon deck 2.5
MRX GT 輕量化靈活性碳纖維底盤 2.5
210670



MRX Carbom front upper deck R / L
MRX 碳纖維前二樓板 R / L
210663




MRX Carbom rear upper deck R / L
MRX 碳纖維後二樓板 R / L
210664



RMX Carbom front dmaper stay
RMX 碳纖維前避震架
210586



KMW Carbon front connecter
KMW 碳纖維前連結板
210659



MRX Carbom rear dmaper stay
MRX 碳纖維後避震架
210662

PARTS CODE

110002	Round head screw M3×8 (10)	120003	Ball bearing 5×8 (4)	210662	MRX Carbom rear dmaper stay	310103	Arm shaft 2×28 (2)
110004	Round head screw M2×4 (6)	120005	Ball bearing 3×6 (4)	210663	MRX Carbom front upper deck R / L	310106BK	Spring retainer (black) (2)
110005	Countersunk screw M3×8 (10)	120007	Ball bearing 8×14 (2)	210664	MRX Carbom rear upper deck R / L	310123	Driven shaft
110013	E-clip 2.0 (10)	120013	Ball bearing 4×8×3 (2)	210665-1BK	MRX Alum. gearbox A/B	310124	Main shaft
110015	Flange nut M4 (4)	120018	Ball bearing 4×10×4 (2)	210666-1BK	MRX Alum. gearbox C	310125	Bevel gear shaft
110017	Shaft 2×9.8 (10)	120025	Ball bearing 6×10×2.5 (2)	210667BK	MRX Motor mount	710001	MST-PVC Sticker (4)
110024	Countersunk screw M3×6 (10)	130021	Sponge 6.5×2 (10)	210668-1BK	MRX Upper deck fixed mount	810006BK	鋁合金強化可調拉桿 3×16 (黑) (2)
110026	Round head screw M3×10 (10)	130024	Bevel gear diff O-ring (5)	210670	MRX GT lightweight flexible carbon deck 2.5	810009BK	Alum. reinforced turnbuckle 3×28 (black) (2)
110029	Round head screw M3×12 (6)	130025	O-ring P4 (red) (8)	210683	Reinforced bevel diff. assembly	810013BK	Alum. reinforced turnbuckle 3×44 (black) (2)
110039S	Cap screw M1.6×4 (10)	130038	Low pressure damper seal (4)	230041	Wheel hubs w/disc shape (large)	810029	Steel reinforced turnbuckle 3×25 (2)
110043	Countersunk screw M3×12 (10)	130049	O-ring 12×1 (4)	230058	Steering arm set	820017	Spacer 4×6×0.3 (8)
110045	Round head screw M2×8 (partial thread) (6)	130059	High-smooth damper O-ring P3 (white) (10)	230062	Front arm set	820020	Spacer 5×7×0.3 (8)
110046	Shaft 2×9.8 (8)	210031	Reinforced adjuster set 5.8×26	230065	Front head set	820024	Spacer 10×12×0.3 (8)
110047	Spacer 3×6×0.5 (8)	210035	Bevel gear set 40-13	230066	Front wheel hubs	820027BK	Alum. spacer 3×5.5×2.0 (black) (5)
110052	Countersunk screw M3×10 (10)	210047	Reinforced adjuster set 4.8×18 (8)	230067	4.8 Rod ends set (M/S)	820028BK	Alum. spacer 3×5.5×3.0 (black) (5)
110056	Set screw M3×12 (6)	210053	Diff. gear set	230070BK	Shaft bush & spacer set	820030	Cross joint (2)
110058	Tapping countersunk screw 2×8 (8)	210080	FXX Reduction gear set	230096	MB Rear wheel hubs	820063BK	Suspension mount spacer 0.5mm (4) (black)
110059	Shaft 1.5×7.8 (8)	210151	Damper cylinder	230097	MB Rear lower arm	820049BK	Wheel hub spacer 1.0 (black) (4)
110060	Set screw M3×2.6 (10)	210161	Ball connector nut 4.8 (4)	230140	Adjustable damper ball connector & end adjuster (2)	820054W	5.8 Ball end bush (white)
110061	Round head screw M3×14 (6)	210235	Piston spacer set			820058BK	Adjustable alum. suspension mount (+1.5~+3.0) (black)
110063	Round head screw M2×8 (6)	210271	Bevel gear diff. joint set	230145	Quick-release battery mount		
110065	Round head screw M2.5×12 (6)	210287	XXX Reinforced gear diff. case set	230146	Front bumper support	820071	Machined piston 3×1.0 (4)
110070	E-clip 3.0 (10)	210304	Steel CVD universal shaft 40 (40°) (2)	230147	MRX Reduction gear set	820075	R-clip 5.0 (10)
110071	Shaft 1.6×9 (10)	210321	Suspension balls 2.5×5 (8)	230158	MRX rear damper stay & brace	820095	AKM 2WD axle (2)
110073	Countersunk screw M3×16 (6)	210344	Ball connector nut L 4.8 (4)	310001	Ball connector 4.8×4.5 (5)	820103	31mm Hard coil spring set (8)
110081	Countersunk screw M3×14 (6)	210381	Car body post set	310003BK	Cylinder cap (black) (2)	820104	31mm Soft coil spring set (8)
110086	Round head screw M3×16 (6)	210510CR	Enlarged brake calipers (red) (4)	310005BK	Rod guide cap (black) (2)	820122BK	Alum. hex. wheel hubs 6mm (black) (4)
110091	Cap screw M3×40 (6)	210561BK	Alum. post M3X13 (black) (2)	310008	Piston rod (4)	820126	NS High-torque servo saver
110101	Countersunk screw M3×20 (6)	210586	RMX 2.0 Carbon front damper stay 3.5	310035	Lower arm shaft 2.6×22&25 (each one pair)	820129BK	Alum. suspension mount (-2.0) (black)
110109	Countersunk screw M2.5×12 (6)	210593	Post 11.5 (2)	310039	Spacer 4×14×0.1 (8)	820147	Adjustable shock upper end (4)
110122	Cap screw M2×10 (6)	210625	Ball connector L 5.8×6 (4)	310040	Spacer 2.5×9×0.1 (8)	820151	Machined shock absorber piston 6×0.8 (4)
120001	Ball bearing 10×15 (4)	210654BK	RMX alum. adj. front connect mount v.2 (black)	310048	Arm shaft 2.5×46 (4)	820152	PVC Deck protective film
120002	Ball bearing 5×10 (4)	210659	KMW carbon front connecter	310065	Wheel axle (2)		

部品編號

110002	六角半圓頭螺絲 M3×8 (10)	120003	培林 5×8 (4)	210662	MRX 碳纖維後避震架	310106BK	避震調整環 (黑) (2)
110004	六角半圓頭螺絲 M2×4 (6)	120005	培林 3×6 (4)	210663	MRX 碳纖維前二樓板 R / L	310123	傳動軸
110005	六角沉頭螺絲 M3×8 (10)	120007	培林 8×14 (2)	210664	MRX 碳纖維後二樓板 R / L	310124	主齒軸
110013	E扣 2.0 (10)	120013	培林 4×8×3 (2)	210665-1BK	MRX 鋁合金齒箱 A/B	310125	傘齒軸
110015	凸緣螺帽 M4 (4)	120018	培林 4×10×4 (2)	210666-1BK	MRX 鋁合金齒箱 C	710001	MST-PVC貼紙 (4)
110017	插銷 2×9.8 (10)	120025	培林 6×10×2.5 (2)	210667BK	MRX 馬達座	810006BK	鋁合金強化可調拉桿 3×16 (黑) (2)
110024	六角沉頭螺絲 M3×6 (10)	130021	泡棉 6.5×2 (10)	210668-1BK	MRX 二樓板固定座	810009BK	鋁合金強化可調拉桿 3×28 (黑) (2)
110026	六角半圓頭螺絲 M3×10 (10)	130024	傘差O環 (5)	210670	MRX GT 輕量化碳活性碳纖維底盤 2.5	810013BK	鋁合金強化可調拉桿 3×44 (黑) (2)
110029	六角半圓頭螺絲 M3×12 (6)	130025	O環 P4 (紅) (8)	210683	強化傘齒總成組	810029	鋼製強化可調拉桿 3×25 (2)
110039S	六角有頭螺絲 M1.6×4 (10)	130038	低內壓避震氣室 (4)	230041	碟型六角輪座組 (加大型)	820017	墊片 4×6×0.3 (8)
110043	六角沉頭螺絲 M3×12 (10)	130049	O環 12×1 (4)	230058	轉向搖臂組	820020	墊片 5×7×0.3 (8)
110045	六角半圓頭螺絲 M2×8 (半牙) (6)	130059	高順暢阻尼器O環 P3 (白)(10)	230062	前擺臂組	820024	墊片 10×12×0.3 (8)
110046	插銷 2×9.8 (削溝) (8)	210031	強化拉桿頭組 5.8×26	230065	前擋支架組	820027BK	鋁墊片3×5.5×2.0 (黑) (5)
110047	墊片 3×6×0.5 (8)	210035	傘齒組 40-13	230066	前輪座組	820028BK	鋁墊片3×5.5×3.0 (黑) (5)
110052	六角沉頭螺絲 M3×10 (10)	210047	強化拉桿頭組 4.8×18 (8)	230067	4.8 拉桿頭組 (M/S)	820030	連接軸 (2)
110056	六角止付螺絲 M3×12 (6)	210053	傘差齒輪組	230070BK	襯套墊片組	820063BK	擺臂座墊片0.5mm (4) (黑)
110058	自攻十字沉頭螺絲 2×8 (8)	210080	FXX 減速齒組	230096	MB 後輪座組	820049BK	輪座墊片 1.0 (黑) (4)
110059	插銷 1.5×7.8 (8)	210151	避震筒身	230097	MB 後下擺臂	820054W	5.8 球頭襯套 (白)
110060	六角止付螺絲 M3×2.6 (10)	210161	球頭螺帽 4.8 (4)	230140	避震器可調式上球頭 &下拉桿頭組 (2)	820058BK	可調式鋁合金擺臂座 (+1.5~+3.0) (黑)
110061	六角半圓頭螺絲 M3×14 (6)	210235	避震器活塞墊片組	230145	快拆式電池座組	820071	切削避震活塞 3×1.0 (4)
110063	六角半圓頭螺絲 M2×8 (6)	210271	傘差接杯組	230146	前防撞板組	820075	R銷 5.0 (10)
110065	六角圓頭螺絲 M2.5×12 (6)	210287	XXX 強化式傘齒差速箱	230147	MRX 速齒組	820095	AKM 二輪軸軸 (2)
110070	E扣 3.0 (10)	210304	鋼製CVD傳動軸 40 (40°) (2)	230158	MRX 後避震架 & 後背座	820103	31mm 硬避震彈簧組 (8)
110071	插銷 1.6×9 (10)	210321	插銷球頭 2.5×5 (8)	310001	內六角公球頭 4.8×4.5 (5)	820104	31mm 軟避震彈簧組 (8)
110073	六角沉頭螺絲 M3×16 (6)	210344	球頭螺帽L 4.8 (4)	310003BK	避震器上蓋 (黑) (2)	820122BK	鋁合金六角輪座 6mm (黑) (4)
110081	六角沉頭螺絲 M3×14 (6)	210381	車殼支柱組	310005BK	避震器下蓋 (黑) (2)	820126	NS 高扭力伺服緩衝器
110086	六角半圓頭螺絲 M3×16 (6)	210510CR	加大煞車卡鉗 (紅) (4)	310008	避震軸心 (4)	820129BK	鋁合金擺臂座 (-2.0) (黑)
110091	六角有頭螺絲 M3×40 (半牙) (6)	210561BK	鋁合金支柱 M3X13 (黑) (2)	310035	下擺臂插銷 2.6×22 & 25 (各一對)	820147	避震器可調長度上座組 (4)
110101	六角沉頭螺絲 M3×20 (6)	210586	RMX 2.0 碳纖維前避震架 3.5	310039	墊片 4×14×0.1 (8)	820151	切削避震器活塞 6×0.8 (4)
110109	六角沉頭螺絲 M2.5×12 (6)	210593	支柱 11.5 (2)	310040	墊片 2.5×9×0.1 (8)	820152	PVC 底盤防刮貼
110122	六角有頭螺絲 M2×10 白鐵 (6)	210625	球頭螺絲 L 5.8×6 (4)	310048	擺臂插銷 2.5×46 (4)		
120001	培林 10×15 (4)	210654BK	RMX 鋁合金可調式前連結座組 v.2 (黑)	310065	萬向接杯 (2)		
120002	培林 5×10 (4)	210659	KMW 碳纖維前連結板	310103	擺臂插銷 2×28 (2)		

026260-1