USUKANI

PDS

THE SOUL OF PROGUN DRIFT

MANUAL INSTRUCTION


1/10 RC EP RWD DRIFT CAR CHASSIS KIT

Made in China

A BAG A



SC-F36
3x6mm X4



SC-F38
3x8mm X4



AL-50 X1




AL-05 X1



AL-06 X1



AL-03 X2




AL-04 X2



AL-42 X2



CF-01 X1



B BAG B



SC-F320
3x20mm X4




Nt-3mm
M3 Nut X4




SP-05 X4
3x6x5.25mm




SP-06 X4
3x6x6.5mm



BT-01 X2





BT-02 X2



C BAG C


- SC-R36 3x6mm X4
- SC-F36 3x6mm X2
- SC-F38 3x8mm X1
- SC-S38 3x8mm X2
- SC-C26 2x6mm X1
- SC-C210 2x10mm X2
- SP-07 X4 3x7x0.5mm
- AL-60 X2 4.8mm
- AL-16 X1
- AL-17 X1
- AL-13 X1
- AL-14 X1
- AL-11 X1
- AL-15 X1
- AL-12 X1






D BAG D


- SC-R36 3x6mm X15
- SC-F36 3x6mm X14
- SC-S34 3x4mm X1
- SC-S33 3x3mm X2
- SC-C25 2x5mm X2
- SP-07 X2 3x7x0.5mm
- SP-01 X2 5x8x1mm
- SP-08 X2 10x14x0.2mm
- AL-71 X1 2x7.5mm
- AL-72 X1 2x9.8mm
- BR-02 X4 5x10x4mm
- BR-03 X2 10x15x4mm



- CF-10 X1



- CF-11 X1
- AL-29 X1
- AL-38 X1
- AL-31 X2
- AL-30 X1
- AL-21 X2
- CF-04 X1
- AL-39 X1



D BAG D


AL-09 X1


AL-66 X1



20T
AL-64 X1


28T
AL-65 X1



48P21T
AL68- X1


48P87T
PL-19 X1



52T
AL-67 X1


AL-28 X1



AL-10 X1




E BAG E



SC-F36
3x6mm X10



AL-48 X2


AL-47 X1



AL-49 X1


CF-14 X1


CF-13 X1



E BAG E



F BAG F


SC-F36
3x6mm X1

SC-R36
3x6mm X2

SC-R310
3x10mm X2

AL-52 X1

CF-02 X1



G BAG G

SC-C25
2x5mm X2

SC-R34
3x4mm X2

SP-02 X2
4.5x6x1mm

SP-03 X4
4.5x6x2mm

SP-04 X2
4.5x6x3mm


AL-51 X2

AL-59 X2
M3x20mm


PL-08 X2


AL-43 X1


AL-44 X1




G BAG G


SC-R38
3x8mm X2
SC-F38
3x8mm X2
M2.5
SC-C314
3x14mm X2
SP-09 X4
3x5.5x2mm
SP-10 X2
3x5.5x3mm
AL-60 X2
4.8mm



SC-C314
3x14mm
SC-R38
3x8mm
SP-09
3x5.5x2mm
SP-10
3x5.5x3mm
SC-R38
3x8mm
AL-60
CF-17



CF-17 X1



SC-F38
3x8mm

H BAG H


SC-R36
3x6mm X2
M2.5
SC-C314
3x14mm X2



SP-10
3x5.5x3mm
SC-C314
3x14mm
AL-60
AL-60
SC-C314
3x14mm
SC-R36
3x6mm
SP-10
3x5.5x3mm
AL-60


CF-12 X1


SC-F38
3x8mm X2
SP-10 X4
3x5.5x3mm
AL-60 X4
4.8mm



CF-12

H BAG H




I BAG I

- SC-F36 3x6mm X6
- SC-F316 3x16mm X2
- SC-R36 3x6mm X2
- SC-S36 3x6mm X2
- SC-S316 3x16mm X2
- AL-60 X2 4.8mm
- SP-11 X8 3x5.5x1mm
- SP-09 X2 3x5.5x2mm
- Nts-3mm M3 Nut X2
- PL-08 X2
- AL-40 X2 30mm
- AL-08 X4
- AL-41 X2 42mm
- CF-15 X1
- CF-16 X1
- AL-46 X1
- AL-45 X1
- AL-20 X2




I BAG I



J BAG J

- SC-C165 1.6x5mm X2
- SC-S38 3x8mm X4
- SC-S310 3x10mm X2
- AL-60 X6 4.8mm
- SP-09 X2 3x5.5x2mm
- AL-72 X2 2x9.8mm
- BR-01 X4 5x8x2.5mm
- AL-56 X2
- AL-69 X2 4mm
- AL-54 X1
- AL-55 X1




J BAG J


SC-R36
3x6mm X2

AL-70 X2


PL-08 X4

AL-58 X2
M3x45mm






Adjust the position of limit arm.
切れ角の角度を調整してください。





X2





K BAG K


- SC-F36 3x6mm X10
- SC-R36 3x6mm X2
- SC-R310 3x10mm X2
- SC-S36 3x6mm X2
- SC-S38 3x8mm X2
- SC-C165 1.6x5mm X2
- AL-72 X2 2x9.8mm
- AL-37 X2 2x17.2mm
- SP-10 X2 3x5.5x3mm
- SP-12 X2 3x5.5x0.5mm
- SP-13 X2 5x7x1mm
- AL-60 X4 4.8mm
- BR-02 X2 5x10x4mm
- BR-03 X2 10x15x4mm
- AL-69 X2 4mm
- AL-25 X4
- AL-26 X4
- AL-35 X1 L
- AL-36 X1 R
- CF-06 X1 LL
- CF-07 X1 LR
- CF-09 X1 RR
- CF-08 X1 RL
- AL-23 X1 L
- AL-24 X1 R
- AL-01 X2
- AL-22 X2 49mm
- AL-34 X2
- AL-02 X2 2x9.7mm
- PL-20 X2














K BAG K



SC-F38
3x8mm X2




SP-10 X2
3x5.5x3mm



SP-09 X2
3x5.5x2mm




AL-08 X4



AL-27 X2
45mm



AL-07 X1



AL-03 X1




AL-04 X1




PL-08 X4




AL-57 X2
M3x25mm






L BAG L


- EC-2mm X8
- PL-11 X4
- PL-17 X4
- PL-21 X4
- AL-61 X4
- PL-09 X4
- PL-18 X4
- PL-12 X4
- AL-63 X4
- PL-10 X4
- PL-16 X4
- PL-22 X4
- AL-62 X4
- PL-15 X4
- SSP-01 X2 Rear/Green
- SSP-02 X2 Front/Yellow








Suggest to use #100 shock oil.
100番のダンパーオイルを推奨します。







SSP-02 F Yellow




X2

SSP-01 R Green



X2

L BAG L



M BAG M

SC-F36
3x6mm X2

SC-F38
3x8mm X3

PL-01 X2 17 Hole

PL-02 X2 11 Hole

PL-03 X2 9 Hole

PL-04 X2 7 Hole


PL-05 X2 5 Hole

PL-06 X2 3 Hole

CF-03 X1


AL-19 X2

AL-18 X1



M BAG M


- SC-F36 3x6mm X2
- SC-R36 3x6mm X6
- CF-05 X1
- BP-01 X1
- PL-07 X4
- AL-73 X8
- AL-32 X2





M BAG M




Nt-4mm
M4 Nut X4









PDS

THE SOUL OF PROGUN DRIFT

SETTING SHEET

Drive — Date / /

Citcuit


Place ☐ Indoor ☐ Outdoor

Track ☐ Asphalt ☐ Carpet ☐ Concrete ☐ Plastic tile

Track situation ☐ Flat ☐ Bump

Traction ☐ High ☐ Medium ☐ Low

FRONT



Ride Height

mm

Camber Angle

Caster Angle

Sway Bar

mm

Droop/Arm

mm

Toe Angle

Notes

Shock Absorber

☐ Molded

☐ Aluminum

Oil

Piston/Holes

/ mm

Sping


Notes

REAR

☐ Spool

☐ Ball Diff

☐ Gear Diff /#_____Oil



Ride Height

mm

Camber Angle

Sway Bar

mm

Droop/Arm

mm

Toe Angle

Notes

Shock Absorber

☐ Molded

☐ Aluminum

Oil

Piston/Holes

/ mm

Sping

Notes

OTHER

Spur Gear | Pinion Gear

Body | Wing

Transmitter

ESC

Servo

Gyroscope | Gain %

Motor | Timing

Battery ☐ Long ☐ Short

FRONT	REAR
Tire	Tire
Wheel	Wheel
Offset	Offset

Front Weight	Total Weight	Rear Weight
g	g	g
%		%

Notes

