



Zenoss Core Release Notes

Release 6.0.1

Zenoss, Inc.

www.zenoss.com

Zenoss Core Release Notes

Copyright © 2017 Zenoss, Inc. All rights reserved.

Zenoss, Own IT, and the Zenoss logo are trademarks or registered trademarks of Zenoss, Inc., in the United States and other countries. All other trademarks, logos, and service marks are the property of Zenoss or other third parties. Use of these marks is prohibited without the express written consent of Zenoss, Inc., or the third-party owner.

Amazon Web Services, AWS, and EC2 are trademarks of Amazon.com, Inc. or its affiliates in the United States and/or other countries.

Flash is a registered trademark of Adobe Systems Incorporated.

Oracle, the Oracle logo, Java, and MySQL are registered trademarks of the Oracle Corporation and/or its affiliates.

Linux is a registered trademark of Linus Torvalds.

RabbitMQ is a trademark of Pivotal Software, Inc.

SNMP Informant is a trademark of Garth K. Williams (Informant Systems, Inc.).

Sybase is a registered trademark of Sybase, Inc.

Tomcat is a trademark of the Apache Software Foundation.

VMware is a registered trademark or trademark of VMware, Inc. in the United States and/or other jurisdictions.

Windows is a registered trademark of Microsoft Corporation in the United States and other countries.

All other companies and products mentioned are trademarks and property of their respective owners.

Part Number: 1601.17.352

Zenoss, Inc.
11305 Four Points Drive
Bldg 1 - Suite 300
Austin, Texas 78726

About this document

Zenoss Core Release Notes contains important information about minor and micro releases of Zenoss Core.

For information about Control Center, refer to the *Control Center Release Notes*.

This document provides information about the following releases of Zenoss Core:

Date	Release
18 December 2017	6.0.1
controlled availability	6.0.0
25 September 2017	5.3.2
31 August 2017	5.3.1
17 August 2017	5.3.0

Tested operating environments

Zenoss Core, Control Center, and operating systems

The following table identifies the tested combinations of Zenoss Core, Control Center, and operating system releases.

Zenoss Core release	Control Center	
	Minimum release	Host OS
6.0.1**	1.5.0	RHEL/CentOS 7.2, 7.3, or 7.4 (64-bit)
5.3.0, 5.3.1, 5.3.2, 5.3.3	1.3.0, 1.3.1, 1.3.2, 1.3.3, 1.3.4, 1.4.0, 1.4.1	RHEL/CentOS 7.1, 7.2, or 7.3 (64-bit)
5.2.0, 5.2.1, 5.2.2, 5.2.3, 5.2.4, 5.2.6*	1.2.0, 1.2.1, 1.2.2, 1.2.3, 1.3.0, 1.3.1, 1.3.2, 1.3.3, 1.3.4, 1.4.0, 1.4.1	RHEL/CentOS 7.1, 7.2, or 7.3 (64-bit)
5.1.9, 5.1.10	1.1.9, 1.2.0	RHEL/CentOS 7.1 or 7.2 (64-bit)
5.1.8	1.1.5, 1.1.6, 1.1.7, 1.1.8, 1.1.9	RHEL/CentOS 7.1 or 7.2 (64-bit)
5.1.7	1.1.5, 1.1.6, 1.1.7, 1.1.8	RHEL/CentOS 7.1 or 7.2 (64-bit)
5.1.6 (internal release only)	(none)	(none)
5.1.4, 5.1.5	1.1.5, 1.1.6, 1.1.7	RHEL/CentOS 7.1 or 7.2 (64-bit)
5.1.3	1.1.2, 1.1.3, 1.1.5	RHEL/CentOS 7.1 or 7.2 (64-bit)
5.1.2	1.1.2, 1.1.3	RHEL/CentOS 7.1 or 7.2 (64-bit)
5.1.1	1.1.1, 1.1.2	RHEL/CentOS 7.1 or 7.2 (64-bit)

** Version 6.0.0 - controlled availability.

* Version 5.2.5 - withdrawn.

Supported clients and browsers

The following table identifies the supported combinations of client operating systems and web browsers.

Client OS	Supported browsers
Windows 7, 10	Internet Explorer 11 [*]
	Firefox 56 and later
	Chrome 61 and later
macOS 10.12.3, 10.13	Firefox 56 and later
	Chrome 61 and later
Ubuntu 14.04 LTS	Firefox 56 and later
	Chrome 61 and later

^{*} Enterprise mode only; compatibility mode is not tested.

1

Zenoss Core 6.0.1

New features

There are no new features in this release of Zenoss Core. For new features in the controlled availability version 6.0.0, see [New features](#) on page 8.

Fixed issues

Table 1: Release 6.0.1 fixed issues

ID	Description
ZEN-29052	Some needed migrate scripts do not run during a 5.3 to 6.0.0 upgrade.
ZEN-29056	Exception blocking some 5.x to 6.0.0 upgrades.
ZEN-29070	Under certain scenarios writing metrics can print tracebacks.

Known issues

Table 2: Release 6.0.1 known issues

ID	Description	Status
ZEN-26802	OS model link in Device Detail page points to wrong manufacturer entry	Open
ZEN-27499	Error message regarding dropped Events displayed during Zenoss Core upgrade.	Open
ZEN-28138	objectGUID is not available to be selected in Login Name Attribute combo box in LDAP configuration options.	Open
ZEN-28519	Error is displayed when a correct date/time is entered in the Date Range field.	Open
ZEN-28716	On Events page, the Show only actionable events check box is not displayed for the ZenOperator role.	Open
ZEN-28725	On the Dashboard page, a ZenManager can see a dashboard even though that user is part of a group with a restriction.	Open

ID	Description	Status
ZEN-28900	When adding a device that is already modeled, the job log shows a failure even though the device seemed to model correctly.	Open
ZEN-28965	Control Center device and Thinpool Metadata Usage graph values do not match.	Open
ZEN-28969	Custom variables creation should not require a value.	Open
ZEN-28979	Production State portlet not showing custom state name.	Open
ZEN-29120	Error flare messages appear intermittently on the Advanced > Control Center subtab.	Open

ZenPacks

This section lists ZenPacks that are automatically installed and those that are packaged but not installed. For more information about ZenPacks, see the <http://www.zenoss.com/product/zenpacks>.

Note Using an unreleased (dev) version of a ZenPack might cause installation or upgrade issues. Uninstall ZenPacks that were not packaged in a generally available release.

Installed ZenPacks

This release of Zenoss Core installs the following ZenPacks at the current version listed in the table.

Table 3: Release 6.0.1 installed ZenPacks

ZenPack	Current version	Previous version
ZenPacks.zenoss.ApacheMonitor	2.1.4	Same
ZenPacks.zenoss.Dashboard	1.2.7	Same
ZenPacks.zenoss.DeviceSearch	1.2.2	Same
ZenPacks.zenoss.HttpMonitor	2.1.0	Same
ZenPacks.zenoss.LinuxMonitor	2.2.6	Same
ZenPacks.zenoss.Microsoft.Windows	2.8.1	Same
ZenPacks.zenoss.MySqlMonitor	3.0.9	Same
ZenPacks.zenoss.NtpMonitor	2.2.2	Same
ZenPacks.zenoss.PythonCollector	1.10.1	Same
ZenPacks.zenoss.WBEM	1.0.3	Same
ZenPacks.zenoss.ZenJMX	3.12.1	Same
ZenPacks.zenoss.ZenMail	5.1.0	Same
ZenPacks.zenoss.ZenPackLib	2.0.7	Same

Packaged ZenPacks

The following ZenPacks are packaged with Zenoss Core, but not automatically installed:

- ZenPacks.zenoss.DigMonitor
- ZenPacks.zenoss.DnsMonitor
- ZenPacks.zenoss.FtpMonitor
- ZenPacks.zenoss.LDAPMonitor

Zenoss Core 6.0.0

New features

This release of Zenoss Core provides the following new features.

Solr model catalog

Currently several catalogs are used to perform efficient searches across the zodb object graph. Unfortunately, information in these catalogs is not stored efficiently and in some cases is duplicated. The new Model Catalog is a central catalog for model data that uses Apache Solr as an indexing backend and which will reduce zodb load and mitigate the duplication of indexed data. The following catalogs are being moved to Solr:

- global_catalog
- componentSearch
- ipSearch
- deviceSearch
- layer2_catalog
- layer3_catalog

The deprecated catalogs have been replaced by adapters that mimic the legacy catalogs' interfaces and use Model Catalog under the hood, so that current ZenPacks should function without any changes. However, there could be cases where ZenPacks use the legacy catalogs in a way the adapters do not support. In such cases, either the adapter or the ZenPack would need to be modified.

Graph enhancements

There have been many improvements to the graphing functionality including the ability to configure a default time range and number of columns, and clicking within a graph to zoom in and re-center the graph. For more information, see the *Zenoss Core Administration Guide*.

Upgrade considerations

Solr: With the implementation of Solr indexing, you should note that during an upgrade two migrations will automatically run: The Solr index will be built and the production state will migrate to Solr. This process could take several hours depending on the size of your system.

Fixed issues

Table 4: Release 6.0.0

ID	Description
ZEN-486	When adding datapoints, the log message is not displaying the name.
ZEN-10840	Event mapping creation is not audited.
ZEN-20597	Standalone graph controls do not function properly.
ZEN-20986	HTML Email notifications have random spaces in the formatted output.
ZEN-21465	The Stacked check box on the Graph Point Definition screen has no effect on the graph.
ZEN-21657	Cannot add Manufacturer to ZenPack.
ZEN-23067	Timestamps are not saved on Event View links.
ZEN-23675	Control Center ZenPack should show Control Center version information.
ZEN-23874	zenmodeler collage setting not working.
ZEN-24221	Invalid time on performance data.
ZEN-24306	Error when evaluating min/max threshold.
ZEN-24700	Unable to access Role Manager.
ZEN-25946	Control Center does not warn when attempting to run <code>multiplezeneventserver</code> .
ZEN-26529	Event Details sections are expanded by default.
ZEN-26493	Notifications are not sent to manual email subscribers.
ZEN-26519	Thin pool metadata usage component graph is empty.
ZEN-26600	Large multi-graph reports cannot open in new tab due to long URLs.
ZEN-26668	Results are not shown on search page.
ZEN-26675	Appliances do not allow the root user to login.
ZEN-26742	ZenPack export and download results in error.
ZEN-26776	Central Query should send a more informative error message when encountering an error during RPN parsing.
ZEN-26850	zenping not resetting its missed runs on config refresh.
ZEN-26891	Special characters in Infrastructure > Devices view can cause flares.
ZEN-26925	Graph auto scaling does not accept small and non-integer values (1 and -1 are the minimum boundary).
ZEN-26926	Event class mapping navigation issues.
ZEN-26943	Event bookmarks should specify the columns as well as the filters.
ZEN-26944	zenmodeler logging 'Scan time' of modeling immediately after modeling starts.
ZEN-26953	audit.log does not log changes to the Infrastructure > Manufacturers page.

ID	Description
ZEN-26981	Event View dashboard portlet does not retain specified columns and/or filters.
ZEN-26996	Modifications to <code>/etc/hosts</code> on appliances are overwritten upon reboot.
ZEN-27104	<code>IPv6ServiceMap</code> plugin models services that are localhost only.
ZEN-27174	Cannot create two Custom properties.
ZEN-27213	Metrics property of <code>zenmodeler</code> not consistent between fresh and upgraded systems.
ZEN-27299	HBase/Regionserver <code>StartLevel</code> values need adjustment.
ZEN-27510	Time format setting should be applied consistently.
ZEN-27542	Device config caching in redis does not work properly for multi-host collector pools.
ZEN-27565	Manual runs of collector daemons against a device fail to find configs.
ZEN-27736	Ping status does not included suppressed events.
ZEN-27743	Advanced Search cannot find devices in solr.
ZEN-27767	<code>stateChange</code> field in .csv export is in epoch time, which is inconsistent with other fields.
ZEN-27777	Invalid TALES expressions cause notifications to fail.
ZEN-27833	Unexpected data in output from <code>ping</code> user command.
ZEN-27883	Duplicate task exceptions cause <code>_updateDeviceConfigs</code> to silently fail.
ZEN-27924	Solr max heap size should be configurable.
ZEN-27990	<code>ThresholdNotifier</code> does not work in zenhub.
ZEN-28199	Control Center self monitoring uses wrong initial URL.
ZEN-28219	Flare message displayed when removing a hub.
ZEN-28274	Datastore sort by allocation is random.
ZEN-28478	OpenTSDB fails after upgrade from pre-5.1.1 systems.
ZEN-28540	Several fields incorrectly accept autofill.
ZEN-28629	Memory leak in daemons due to logging in twisted 15.2.0+.
ZEN-28636	Attribute error when open graph containing <code>ValueChanged</code> threshold type.
ZEN-28664	Zenhub can get in a state where some workers die and never get restarted.
ZEN-28693	<code>zenmail</code> fails to parse hostname from an email address.
ZEN-28709	Upgrade OpenSSL in our containers.

Known issues

Table 5: Release 6.0.0

ID	Description	Status
ZEN-26802	OS model link in Device Detail page points to wrong manufacturer entry	Open
ZEN-27499	Error message regarding dropped Events displayed during Zenoss Core upgrade.	Open
ZEN-28138	objectGUID is not available to be selected in Login Name Attribute combo box in LDAP configuration options.	Open
ZEN-28519	Error is displayed when a correct date/time is entered in the Date Range field.	Open
ZEN-28716	On Events page, the Show only actionable events check box is not displayed for the ZenOperator role.	Open
ZEN-28725	On the Dashboard page, a ZenManager can see a dashboard even though that user is part of a group with a restriction.	Open
ZEN-28900	When adding a device that is already modeled, the job log shows a failure even though the device seemed to model correctly.	Open
ZEN-28969	Custom variables creation should not require a value.	Open
ZEN-28979	Production State portlet not showing custom state name.	Open

ZenPacks

This release of Zenoss Core installs the following ZenPacks at the current version listed in the following table. For more information about ZenPacks, see the <http://www.zenoss.com/product/zenpacks>.

Table 6: Release 6.0.0

ZenPack	Current version	Previous version
ZenPacks.zenoss.ApacheMonitor	2.1.4	Same
ZenPacks.zenoss.Dashboard	1.2.7	Same
ZenPacks.zenoss.DeviceSearch	1.2.2	Same
ZenPacks.zenoss.HttpMonitor	2.1.0	Same
ZenPacks.zenoss.LinuxMonitor	2.2.6	Same
ZenPacks.zenoss.Microsoft.Windows	2.8.1	New in 6.0.0
ZenPacks.zenoss.MySqlMonitor	3.0.9	Same
ZenPacks.zenoss.NtpMonitor	2.2.2	Same
ZenPacks.zenoss.PythonCollector	1.10.1	Same
ZenPacks.zenoss.WBEM	1.0.3	New in 6.0.0
ZenPacks.zenoss.ZenJMX	3.12.1	New in 6.0.0
ZenPacks.zenoss.ZenMail	5.1.0	Same

ZenPack	Current version	Previous version
ZenPacks.zenoss.ZenPackLib	2.0.7	2.0.6

In addition, the following ZenPacks are packaged with Zenoss Core, but not automatically installed:

- ZenPacks.zenoss.DigMonitor
- ZenPacks.zenoss.DnsMonitor
- ZenPacks.zenoss.FtpMonitor
- ZenPacks.zenoss.LDAPMonitor

Notes and workarounds

ZEN-28886: Maintenance windows now process devices in batches of 200

The `zenactiond.conf` file will now have a setting for batches to process devices for maintenance windows in groups of 200. Previously, batching was not enabled. If you want to change the default batching, edit the following line in the `zenactiond.conf` file in Control Center:

```
maintenance-window-batch-size 200
```

ZEN-28883: All timestamps now use local time zone

There used to be a mixture of timestamps used throughout Zenoss Core (UTC and local time zone), but now all timestamps use the local time zone for ease and consistency.

ZEN-27386: Removing support for Internet Explorer 10

Starting with Zenoss Core 6.0.0, Internet Explorer 10 is no longer a supported browser.

A

Limitations, errata, and documentation

This section includes the following information:

- Known limitations of Zenoss Core
- Release-specific documentation errata, if any
- Descriptions of additional documentation

Limitations

The size of the CentralQuery maximum memory allocation pool is set by the *RAMCommitment* variable in the CentralQuery service definition. The default value is 1024MB. Do not change the value to anything less than 1024MB. (ZEN-15907).

Additional information

The Zenoss Core distribution includes PDF versions of the following documents:

- *Zenoss Core Planning Guide*
- *Zenoss Core Configuration Guide*
- *Zenoss Core Administration Guide*

The Control Center release includes an HTML version of its documentation.

The documentation included in a release is synchronized with the release. That is, instead of inserting errata into release notes, document errors are corrected, and the corrected documents are included in the upgrade or patch release. Similarly, when a feature change or addition is included in an upgrade or patch release, the documentation is also updated.

Documentation feedback

Zenoss welcomes your comments and suggestions regarding our documentation. To share your comments, please send an email to docs@zenoss.com. In the email, include the document title and part number. The part number appears at the end of the list of trademarks, at the front of PDF versions of a document.