


# INTEGRATED ELECTRONICS

*Analog and Digital Circuits and Systems*

Jacob Millman • Christos C. Halkias



**TATA McGRAW-HILL EDITION**  
**FOR SALE IN INDIA ONLY**



# CONTENTS

Preface xvii

chapter

**1**

Energy Bands in Solids 1

- 1-1 Charged Particles 1
- 1-2 Field Intensity, Potential, Energy 2
- 1-3 The eV Unit of Energy 4
- 1-4 The Nature of the Atom 5
- 1-5 Atomic Energy Levels 7
- 1-6 Electronic Structure of the Elements 11
- 1-7 The Energy-Band Theory of Crystals 14
- 1-8 Insulators, Semiconductors, and Metals 16
- References 17
- Review Questions 18

**2**

Transport Phenomena in Semiconductors 19

- 2-1 Mobility and Conductivity 19
- 2-2 Electrons and Holes in an Intrinsic Semiconductor
- 2-3 Donor and Acceptor Impurities 24
- 2-4 Charge Densities in a Semiconductor 27
- 2-5 Electrical Properties of Ge and Si 28
- 2-6 The Hall Effect 31
- 2-7 Conductivity Modulation 32
- 2-8 Generation and Recombination of Charges 35
- 2-9 Diffusion 38
- 2-10 The Continuity Equation 39
- 2-11 Injected Minority-Carrier Charge 41
- 2-12 The Potential Variation within a Graded Semiconductor 43
- 2-13 Recapitulation 45
- References 46
- Review Questions 47

**3**

Junction-Diode Characteristics 49

- 3-1 The Open-Circuited  $p$ - $n$  Junction 49
- 3-2 The  $p$ - $n$  Junction as a Rectifier 52
- 3-3 The Current Components in a  $p$ - $n$  Diode 55

v

|      |  |    |
|------|--|----|
| 3-4  | The Volt-Ampere Characteristic                         | 58 |
| 3-5  | The Temperature Dependence of the $V/I$ Characteristic | 61 |
| 3-6  | Diode Resistance                                       | 61 |
| 3-7  | Space-Charge, or Transition, Capacitance $C_T$         | 63 |
| 3-8  | Charge-Control Description of a Diode                  | 67 |
| 3-9  | Diffusion Capacitance                                  | 69 |
| 3-10 | Junction-Diode Switching Times                         | 71 |
| 3-11 | Breakdown Diodes                                       | 73 |
| 3-12 | The Tunnel Diode                                       | 77 |
| 3-13 | The Semiconductor Photodiode                           | 79 |
| 3-14 | The Photovoltaic Effect                                | 81 |
| 3-15 | Light-Emitting Diodes                                  | 83 |
|      | References   | 84 |
|      | Review Questions                                       | 85 |

chapter **4** Diode Circuits 87

|      |                                    |     |
|------|------------------------------------|-----|
| 4-1  | The Diode as a Circuit Element     | 87  |
| 4-2  | The Load-Line Concept              | 90  |
| 4-3  | The Piecewise Linear Diode Model   | 90  |
| 4-4  | Clipping (Limiting) Circuits       | 93  |
| 4-5  | Clipping at Two Independent Levels | 97  |
| 4-6  | Comparators                        | 99  |
| 4-7  | Sampling Gate                      | 100 |
| 4-8  | Rectifiers                         | 103 |
| 4-9  | Other Full-Wave Circuits           | 107 |
| 4-10 | Capacitor Filters                  | 109 |
| 4-11 | Additional Diode Circuits          | 114 |
|      | References                         | 115 |
|      | Review Questions                   | 116 |

**5** Transistor Characteristics 118

|      |   |     |
|------|---|-----|
| 5-1  | The Junction Transistor                               | 118 |
| 5-2  | Transistor Current Components                         | 121 |
| 5-3  | The Transistor as an Amplifier                        | 124 |
| 5-4  | Transistor Construction                               | 125 |
| 5-5  | The Common-Base Configuration                         | 126 |
| 5-6  | The Common-Emitter Configuration                      | 130 |
| 5-7  | The CE Cutoff Region                                  | 134 |
| 5-8  | The CE Saturation Region                              | 136 |
| 5-9  | Typical Transistor—Junction Voltage Values            | 139 |
| 5-10 | Common-Emitter Current Gain                           | 143 |
| 5-11 | The Common-Collector Configuration                    | 145 |
| 5-12 | Analytical Expressions for Transistor Characteristics | 145 |
| 5-13 | Maximum Voltage Rating                                | 149 |
| 5-14 | The Phototransistor                                   | 152 |
|      | References  | 153 |
|      | Review Questions                                      | 153 |

|         |          |   |            |
|---------|----------|---|------------|
| chapter | <b>6</b> | <b>Digital Circuits</b>   | <b>156</b> |
|         | 6-1      | Digital (Binary) Operation of a System  | 156        |
|         | 6-2      | The OR Gate   | 159        |
|         | 6-3      | The AND Gate  | 161        |
|         | 6-4      | The NOT, or Inverter, Circuit   | 163        |
|         | 6-5      | Transistor Switching Times  | 167        |
|         | 6-6      | The INHIBIT (ENABLE) Operation  | 169        |
|         | 6-7      | The EXCLUSIVE OR Circuit  | 171        |
|         | 6-8      | De Morgan's Laws  | 173        |
|         | 6-9      | The NAND and NOR Diode-Transistor Logic (DTL) Gates                           | 175        |
|         | 6-10     | Modified (Integrated-Circuit) DTL Gates                                       | 179        |
|         | 6-11     | High-Threshold-Logic (HTL) Gate   | 184        |
|         | 6-12     | Transistor-Transistor-Logic (TTL) Gate  | 185        |
|         | 6-13     | Output Stages   | 186        |
|         | 6-14     | Resistor-Transistor Logic (RTL) and Direct-coupled Transistor Logic (DCTL)    | 189        |
|         | 6-15     | Comparison of Logic Families  | 192        |
|         |          | References  | 194        |
|         |          | Review Questions  | 194        |
|         | <b>7</b> | <b>Integrated Circuits: Fabrication and Characteristics</b>                   | <b>196</b> |
|         | 7-1      | Integrated-Circuit Technology   | 196        |
|         | 7-2      | Basic Monolithic Integrated Circuits  | 198        |
|         | 7-3      | Epitaxial Growth  | 202        |
|         | 7-4      | Masking and Etching   | 203        |
|         | 7-5      | Diffusion of Impurities   | 204        |
|         | 7-6      | Transistors for Monolithic Circuits   | 209        |
|         | 7-7      | Monolithic Diodes   | 214        |
|         | 7-8      | Integrated Resistors  | 216        |
|         | 7-9      | Integrated Capacitors and Inductors   | 219        |
|         | 7-10     | Monolithic-Circuit Layout   | 221        |
|         | 7-11     | Additional Isolation Methods  | 224        |
|         | 7-12     | Large-Scale and Medium Scale Integration (LSI and MSI)                        | 227        |
|         | 7-13     | The Metal-Semiconductor Contact   | 228        |
|         |          | References  | 230        |
|         |          | Review Questions  | 231        |
|         | <b>8</b> | <b>The Transistor at Low Frequencies</b>                                      | <b>233</b> |
|         | 8-1      | Graphical Analysis of the CE Configuration                                    | 233        |
|         | 8-2      | Two-Port Devices and the Hybrid Model   | 237        |
|         | 8-3      | Transistor Hybrid Model   | 239        |
|         | 8-4      | The $h$ Parameters  | 241        |
|         | 8-5      | Conversion Formulas for the Parameters of the Three Transistor Configurations | 244        |
|         | 8-6      | Analysis of a Transistor Amplifier Circuit Using $h$ Parameters               | 245        |

|      |  |     |
|------|--|-----|
| 8-7  | Thévenin's and Norton's Theorems and Corollaries               | 250 |
| 8-8  | The Emitter Follower   | 251 |
| 8-9  | Comparison of Transistor Amplifier Configurations              | 253 |
| 8-10 | Linear Analysis of a Transistor Circuit                        | 255 |
| 8-11 | Miller's Theorem and its Dual                                  | 255 |
| 8-12 | Cascading Transistor Amplifiers                                | 258 |
| 8-13 | Simplified Common-Emitter Hybrid Model                         | 263 |
| 8-14 | Simplified Calculations for the Common-Collector Configuration | 265 |
| 8-15 | The Common-Emitter Amplifier with an Emitter Resistance        | 269 |
| 8-16 | High-Input-Resistance Transistor Circuits                      | 274 |
|      | References   | 279 |
|      | Review Questions   | 280 |

chapter

**9****Transistor Biasing and Thermal Stabilization 282**

|      |   |     |
|------|---|-----|
| 9-1  | The Operating Point   | 282 |
| 9-2  | Bias Stability  | 285 |
| 9-3  | Self-Bias, or Emitter Bias  | 287 |
| 9-4  | Stabilization against Variations in $I_{CO}$ , $V_{BE}$ , and $\beta$ | 290 |
| 9-5  | General Remarks on Collector-Current Stability                        | 295 |
| 9-6  | Bias Compensation   | 299 |
| 9-7  | Biasing Techniques for Linear Integrated Circuits                     | 301 |
| 9-8  | Thermistor and Sensistor Compensation                                 | 302 |
| 9-9  | Thermal Runaway   | 303 |
| 9-10 | Thermal Stability   | 306 |
|      | References  | 308 |
|      | Review Questions  | 309 |

**10****Field-effect Transistors 310**

|       |   |     |
|-------|---|-----|
| 10-1  | The Junction Field-effect Transistor                        | 311 |
| 10-2  | The Pinch-Off Voltage $V_P$                                 | 314 |
| 10-3  | The JFET Volt-Ampere Characteristics                        | 315 |
| 10-4  | The FET Small-Signal Model                                  | 318 |
| 10-5  | The Metal-Oxide-Semiconductor FET (MOSFET)                  | 322 |
| 10-6  | Digital MOSFET Circuits                                     | 328 |
| 10-7  | The Low-Frequency Common-Source and Common-Drain Amplifiers | 332 |
| 10-8  | Biasing the FET   | 335 |
| 10-9  | The FET as a Voltage-Variable Resistor (VVR)                | 339 |
| 10-10 | The Common-Source Amplifier at High Frequencies             | 341 |
| 10-11 | The Common-Drain Amplifier at High Frequencies              | 344 |
|       | References  | 346 |
|       | Review Questions  | 346 |

**11****The Transistor at High Frequencies 348**

|      |  |     |
|------|--|-----|
| 11-1 | The Hybrid- $\pi$ (II) Common-Emitter Transistor Model | 348 |
| 11-2 | Hybrid-II Conductances                                 | 350 |
| 11-3 | The Hybrid-II Capacitances                             | 353 |

|       |   |     |
|-------|---|-----|
| 11-4  | Validity of Hybrid-II Model                   | 355 |
| 11-5  | Variation of Hybrid-II Parameters             | 355 |
| 11-6  | The CE Short-Circuit Current Gain             | 356 |
| 11-7  | Current Gain with Resistive Load              | 359 |
| 11-8  | Single-Stage CE Transistor Amplifier Response | 361 |
| 11-9  | The Gain-Bandwidth Product                    | 365 |
| 11-10 | Emitter Follower at High Frequencies          | 367 |
|       | References                                    | 370 |
|       | Review Questions                              | 370 |

## chapter 12

### Multistage Amplifiers 372

|       |   |     |
|-------|---|-----|
| 12-1  | Classification of Amplifiers                                    | 372 |
| 12-2  | Distortion in Amplifiers  | 373 |
| 12-3  | Frequency Response of an Amplifier                              | 374 |
| 12-4  | Bode Plots  | 378 |
| 12-5  | Step Response of an Amplifier                                   | 382 |
| 12-6  | Bandpass of Cascaded Stages                                     | 386 |
| 12-7  | The RC-Coupled Amplifier  | 388 |
| 12-8  | Low-Frequency Response of an RC-Coupled Stage                   | 389 |
| 12-9  | Effect of an Emitter Bypass Capacitor on Low-Frequency Response | 391 |
| 12-10 | High-Frequency Response of Two Cascaded CE Transistor Stages    | 395 |
| 12-11 | Multistage CE Amplifier Cascade at High Frequencies             | 398 |
| 12-12 | Noise   | 401 |
|       | References  | 405 |
|       | Review Questions  | 406 |

## 13

### Feedback Amplifiers 408

|       |   |     |
|-------|---|-----|
| 13-1  | Classification of Amplifiers                            | 408 |
| 13-2  | The Feedback Concept                                    | 410 |
| 13-3  | The Transfer Gain with Feedback                         | 413 |
| 13-4  | General Characteristics of Negative-Feedback Amplifiers | 416 |
| 13-5  | Input Resistance  | 419 |
| 13-6  | Output Resistance                                       | 422 |
| 13-7  | Method of Analysis of a Feedback Amplifier              | 425 |
| 13-8  | Voltage-Series Feedback                                 | 426 |
| 13-9  | A Voltage-Series Feedback Pair                          | 430 |
| 13-10 | Current-Series Feedback                                 | 432 |
| 13-11 | Current-Shunt Feedback                                  | 437 |
| 13-12 | Voltage-Shunt Feedback                                  | 441 |
|       | References  | 445 |
|       | Review Questions  | 446 |

## 14

### Stability and Oscillators 447

|      |   |     |
|------|---|-----|
| 14-1 | Effect of Feedback on Amplifier Bandwidth   | 447 |
| 14-2 | Double-Pole Transfer Function with Feedback | 451 |

/ CONTENTS

|       |  |     |
|-------|--|-----|
| 14-3  | Three-Pole Transfer Function with Feedback             | 457 |
| 14-4  | Approximate Analysis of a Multipole Feedback Amplifier | 458 |
| 14-5  | Voltage-Shunt Feedback Amplifier—Frequency Response    | 459 |
| 14-6  | Current-Series Feedback Amplifier—Frequency Response   | 463 |
| 14-7  | Current-Shunt Feedback Pair—Frequency Response         | 465 |
| 14-8  | Voltage-Series Feedback Pair—Frequency Response        | 469 |
| 14-9  | Stability  | 471 |
| 14-10 | Gain and Phase Margins                                 | 474 |
| 14-11 | Compensation   | 475 |
| 14-12 | Dominant-Pole Compensation                             | 477 |
| 14-13 | Pole-Zero (Lag-Lead) Compensation                      | 478 |
| 14-14 | Compensation by Modification of the $\beta$ Network    | 480 |
| 14-15 | Sinusoidal Oscillators                                 | 483 |
| 14-16 | The Phase-Shift Oscillator                             | 485 |
| 14-17 | Resonant-Circuit Oscillators                           | 488 |
| 14-18 | A General Form of Oscillator Circuit                   | 490 |
| 14-19 | The Wien Bridge Oscillator                             | 492 |
| 14-20 | Crystal Oscillators                                    | 495 |
| 14-21 | Frequency Stability                                    | 496 |
|       | References   | 498 |
|       | Review Questions                                       | 499 |

chapter **15**

**Operational Amplifiers 501**

|       |   |     |
|-------|---|-----|
| 15-1  | The Basic Operational Amplifier                       | 501 |
| 15-2  | The Differential Amplifier                            | 505 |
| 15-3  | The Emitter-Coupled Differential Amplifier            | 507 |
| 15-4  | Transfer Characteristics of a Differential Amplifier  | 510 |
| 15-5  | An Example of an IC Operational Amplifier             | 512 |
| 15-6  | Offset Error Voltages and Currents                    | 517 |
| 15-7  | Temperature Drift of Input Offset Voltage and Current | 520 |
| 15-8  | Measurement of Operational Amplifier Parameters       | 521 |
| 15-9  | Frequency Response of Operational Amplifiers          | 521 |
| 15-10 | Dominant-Pole Compensation                            | 527 |
| 15-11 | Pole-Zero Compensation                                | 528 |
| 15-12 | Lead Compensation                                     | 531 |
| 15-13 | Step Response of Operational Amplifiers               | 534 |
|       | References  | 534 |
|       | Review Questions                                      | 535 |

**16**

**Integrated Circuits as Analog System Building Blocks 537**

|      |  |     |
|------|--|-----|
| I    | LINEAR ANALOG SYSTEMS                    | 537 |
| 16-1 | Basic Operational Amplifier Applications | 537 |
| 16-2 | Differential DC Amplifier                | 540 |
| 16-3 | Stable AC-Coupled Amplifier              | 542 |
| 16-4 | Analog Integration and Differentiation   | 543 |

|                             |   |     |
|-----------------------------|---|-----|
| 16-5                        | Electronic Analog Computation             | 548 |
| 16-6                        | Active Filters                            | 548 |
| 16-7                        | Active Resonant Bandpass Filters          | 554 |
| 16-8                        | Delay Equalizer                           | 557 |
| 16-9                        | Integrated Circuit Tuned Amplifier        | 558 |
| 16-10                       | A Cascode Video Amplifier                 | 565 |
| II NONLINEAR ANALOG SYSTEMS |   | 568 |
| 16-11                       | Comparators                               | 568 |
| 16-12                       | Sample-and-Hold Circuits                  | 570 |
| 16-13                       | Precision AC/DC Converters                | 571 |
| 16-14                       | Logarithmic Amplifiers                    | 574 |
| 16-15                       | Waveform Generators                       | 579 |
| 16-16                       | Regenerative Comparator (Schmitt Trigger) | 583 |
| 16-17                       | Emitter-Coupled Logic (ECL)               | 586 |
|                             | References                                | 590 |
|                             | Review Questions                          | 591 |

chapter **17**

Integrated Circuits as Digital System Building Blocks 593

I COMBINATIONAL DIGITAL SYSTEMS 594

|      |                           |     |
|------|---------------------------|-----|
| 17-1 | Standard Gate Assemblies  | 594 |
| 17-2 | Binary Adders             | 596 |
| 17-3 | Arithmetic Functions      | 603 |
| 17-4 | Decoder/Demultiplexer     | 609 |
| 17-5 | Data Selector/Multiplexer | 612 |
| 17-6 | Encoder                   | 614 |
| 17-7 | Read-Only Memory (ROM)    | 617 |
| 17-8 | ROM Applications          | 620 |

II SEQUENTIAL DIGITAL SYSTEMS 624

|       |                                |     |
|-------|--------------------------------|-----|
| 17-9  | A 1-Bit Memory                 | 624 |
| 17-10 | Flip-Flops                     | 627 |
| 17-11 | Shift Registers                | 632 |
| 17-12 | Ripple (Asynchronous) Counters | 636 |
| 17-13 | Synchronous Counters           | 641 |
| 17-14 | Applications of Counters       | 645 |

III MOS/LSI DIGITAL SYSTEMS 647

|       |                            |     |
|-------|----------------------------|-----|
| 17-15 | Dynamic MOS Circuits       | 647 |
| 17-16 | MOS Shift Registers        | 650 |
| 17-17 | MOS Read-Only Memory       | 653 |
| 17-18 | Random-Access Memory (RAM) | 655 |

IV D/A AND A/D SYSTEMS 661

|       |                              |     |
|-------|------------------------------|-----|
| 17-19 | Digital-to-Analog Converters | 661 |
| 17-20 | Analog-to-Digital Converter  | 665 |
| 17-21 | Character Generators         | 667 |
|       | References                   | 671 |
|       | Review Questions             | 673 |

**18**

Power Circuits and Systems 677

|      |                                 |     |
|------|---------------------------------|-----|
| 18-1 | Class A Large-Signal Amplifiers | 677 |
| 18-2 | Second-Harmonic Distortion      | 679 |



|       |   |     |
|-------|---|-----|
| 18-3  | Higher-Order Harmonic Generation              | 681 |
| 18-4  | The Transformer-Coupled Audio Power Amplifier | 684 |
| 18-5  | Efficiency                                    | 687 |
| 18-6  | Push-Pull Amplifiers                          | 690 |
| 18-7  | Class B Amplifiers                            | 692 |
| 18-8  | Class AB Operation                            | 695 |
| 18-9  | Regulated Power Supplies                      | 698 |
| 18-10 | Series Voltage Regulator                      | 700 |
| 18-11 | Monolithic Regulators                         | 706 |
| 18-12 | The Four-Layer Diode                          | 708 |
| 18-13 | <i>p-n-p-n</i> Characteristics                | 710 |
| 18-14 | The Silicon Controlled Rectifier              | 712 |
| 18-15 | Power Control                                 | 716 |
|       | References                                    | 723 |
|       | Review Questions                              | 724 |

chapter **19**

Semiconductor-device Physics 726

|       |  |     |
|-------|--|-----|
| 19-1  | Energy Distribution of Electrons in a Metal              | 726 |
| 19-2  | The Fermi-Dirac Function                                 | 728 |
| 19-3  | The Density of States                                    | 730 |
| 19-4  | Electron Emission from a Metal                           | 733 |
| 19-5  | Carrier Concentrations in an Intrinsic Semiconductor     | 735 |
| 19-6  | Fermi Level in a Semiconductor Having Impurities         | 739 |
| 19-7  | Band Structure of an Open-Circuit <i>p-n</i> Junction    | 740 |
| 19-8  | The Tunnel Diode   | 743 |
| 19-9  | Basic Semiconductor Equations                            | 746 |
| 19-10 | The <i>p-n</i> Diode Volt-Ampere Equation                | 749 |
| 19-11 | The Temperature Dependence of <i>p-n</i> Characteristics | 752 |
| 19-12 | The Dynamic Diffusion Capacitance                        | 753 |
| 19-13 | The Currents in a Transistor                             | 755 |
| 19-14 | The Transistor Alpha                                     | 757 |
| 19-15 | Analysis of Transistor Cutoff and Saturation Regions     | 758 |
|       | References   | 760 |
|       | Review Questions   | 761 |

Appendices

|   |   |     |
|---|---|-----|
| A | Probable Values of General Physical Constants | 763 |
| B | Conversion Factors and Prefixes               | 764 |
| C | Problems                                      | 765 |

|       |     |
|-------|-----|
| Index | 899 |
|-------|-----|