


Viva Student Edition

Quantum Chemistry

Donald A McQuarrie



Contents

1	<i>Historical Background</i>	3
1-1	J. J. Thomson Was the Discoverer of the Electron	4
1-2	Blackbody Radiation Could Not Be Explained by Classical Physics	5
1-3	Planck Used a Quantum Hypothesis to Derive the Blackbody Radiation Law	7
1-4	Einstein Explained the Photoelectric Effect with a Quantum Hypothesis	12
1-5	The Vibrations of Atoms in Crystals Are Quantized	15
1-6	The Hydrogen Atomic Spectrum Consists of Several Series of Lines	16
1-7	The Rydberg Formula Accounts for All the Lines in the Hydrogen Atomic Spectrum	19
1-8	Angular Momentum Is a Fundamental Quantity of Rotating Systems	21
1-9	Bohr Assumed That the Angular Momentum of the Electron in a Hydrogen Atom Is Quantized	22
1-10	The Electronic Mass Should Be Replaced by a Reduced Mass in the Bohr Theory	27
1-11	de Broglie Postulated That Matter Has Wavelike Properties	30
1-12	de Broglie Waves Are Observed Experimentally	33
1-13	The de Broglie Formula Gives an Alternative Interpretation of Bohr's First Postulate	34
1-14	The Heisenberg Uncertainty Principle States That It Is Not Possible to Specify Both the Position and the Momentum of a Particle Simultaneously with Infinite Precision	36
		47
2	<i>The Wave Equation</i>	
2-1	The One-Dimensional Wave Equation Describes the Motion of a Vibrating String	48
2-2	The Wave Equation Can Be Solved by the Method of Separation of Variables	49
2-3	Some Differential Equations Have Oscillatory Solutions	52
2-4	The General Solution to the Wave Equation Is a Superposition of Normal Modes	54
2-5	A Vibrating Membrane Is Described by a Two-Dimensional Wave Equation	58

3	<i>The Schrödinger Equation and Some Simple Applications</i>	77
3-1	The Schrödinger Equation Is the Equation for the Wave Function of a Particle	77
3-2	The Schrödinger Equation Can Be Formulated as an Eigenvalue Problem	78
3-3	Classical-Mechanical Quantities Are Represented by Linear Operators in Quantum Mechanics	79
3-4	Wave Functions Have a Probabilistic Interpretation	82
3-5	The Energy of a Particle in a Box Is Quantized	83
3-6	Wave Functions Are Normalized	85
3-7	The Variance Is a Measure of the Spread of a Distribution About Its Mean	88
3-8	A Continuous Probability Distribution May Be Pictured as a Unit Mass Distributed Continuously Along an Axis	89
3-9	The Average Momentum of a Particle in a Box Is Zero	92
3-10	A Particle in a One-Dimensional Box Is Equally Likely to Be Moving in Either Direction	95
3-11	The Uncertainty Principle Says That $\sigma_p\sigma_x > \hbar/2$	97
		98
4	<i>The Postulates and General Principles of Quantum Mechanics</i>	113
4-1	The State of a System Is Completely Specified by Its Wave Function	113
4-2	Quantum-Mechanical Operators Represent Classical-Mechanical Variables	116
4-3	The Time Dependence of Wave Functions Is Governed by the Time-Dependent Schrödinger Equation	120
4-4	Quantum-Mechanical Operators Must Be Hermitian Operators	123
4-5	The Eigenfunctions of Hermitian Operators Are Orthogonal	126
4-6	A Fourier Series Is an Expansion in Terms of an Orthonormal Set	129
4-7	The Probability of Obtaining a Certain Value of an Observable in a Measurement Is Given by a Fourier Coefficient	133
4-8	Many Operators Do Not Commute	135
4-9	The Commutator of Two Operators Plays a Central Role in the Uncertainty Principle	138
5	<i>The Harmonic Oscillator</i>	153
5-1	A Harmonic Oscillator Obeys Hooke's Law	153
5-2	The Energy of a Harmonic Oscillator Is Conserved	155
5-3	The Equation for a Harmonic-Oscillator Model of a Diatomic Molecule Contains the Reduced Mass of the Molecule	158
5-4	The Harmonic-Oscillator Approximation Results from the Expansion of an Internuclear Potential Around Its Minimum	160
5-5	The Energy Levels of a Quantum-Mechanical Harmonic Oscillator Are $E_n = \hbar\omega(n + \frac{1}{2})$ with $n = 0, 1, 2, \dots$	162

5-6	The Harmonic Oscillator Accounts for the Infrared Spectrum of a Diatomic Molecule	163
5-7	The Harmonic-Oscillator Wave Functions Involve Hermite Polynomials	165
5-8	Hermite Polynomials Are Either Even or Odd Functions	168
5-9	The Average Kinetic Energy Is Equal to the Average Potential Energy of a Harmonic Oscillator	170
5-10	The Amplitude of a Quantum-Mechanical Harmonic Oscillator Can Exceed Its Classical Value	173
5-11	The Asymptotic Solution of the Harmonic-Oscillator Schrödinger Equation Is $\exp(-\alpha x^2/2)$	175
5-12	Hermite's Differential Equation Can Be Solved by the Series Method	177
5-13	There Are Many Relations Among Hermite Polynomials	181
6	<i>Three-Dimensional Systems</i>	195
6-1	The Problem of a Particle in a Three-Dimensional Box Is a Simple Extension of the One-Dimensional Case	195
6-2	If a Hamiltonian Is Separable, Then Its Eigenfunctions Are Products of Simpler Eigenfunctions	199
6-3	The Laplacian Operator Can Be Expressed in a Variety of Coordinate Systems	203
6-4	The Energy Levels of a Rigid Rotator Are $E = \hbar^2 l(l+1)/2I$	206
6-5	The Rigid Rotator Is a Model for a Rotating Diatomic Molecule	210
6-6	The Wave Functions of a Rigid Rotator Are Called Spherical Harmonics	212
6-7	The Operators Corresponding to the Three Components of Angular Momentum Do Not Commute with Each Other	217
6-8	The Schrödinger Equation for the Hydrogen Atom Can Be Solved Exactly	221
6-9	<i>s</i> Orbitals Are Spherically Symmetric	225
6-10	There Are Three <i>p</i> Orbitals for Each Value of the Principal Quantum Number	230
6-11	The Energy Levels of a Hydrogen Atom Are Split by a Magnetic Field	237
6-12	The Schrödinger Equation for the Helium Atom Cannot Be Solved Exactly	242
7	<i>Approximate Methods</i>	255
7-1	Perturbation Theory Expresses the Solution to One Problem in Terms of Another Problem That Has Been Solved Previously	255
7-2	Perturbation Theory Consists of a Set of Successive Corrections to an Unperturbed Problem	257
7-3	The Variational Method Provides an Upper Bound to the Ground-State Energy of a System	262
7-4	A Trial Function That Depends Linearly on the Variational Parameters Leads to a Secular Determinant	266

- 7-5 The Secular Determinant Simplifies If the Trial Function Is a Linear Combination of Orthonormal Functions 269
- 7-6 Terms in a Trial Function That Correspond to Progressively Higher Energies Contribute Progressively Less to the Ground-State Energy 274
- 7-7 Trial Functions Can Be Linear Combinations of Functions That Also Contain Variational Parameters 275

8 Atoms 287

- 8-1 Atomic and Molecular Calculations Are Expressed in Atomic Units 287
- 8-2 Both Perturbation Theory and the Variational Method Can Yield Excellent Results for Helium 290
- 8-3 Hartree-Fock Equations Are Solved by the Self-Consistent Field Method 294
- 8-4 An Electron Has An Intrinsic Spin Angular Momentum 298
- 8-5 Wave Functions Must Be Antisymmetric in the Interchange of Any Two Electrons 301
- 8-6 Antisymmetric Wave Functions Can Be Represented by Slater Determinants 303
- 8-7 The Hartree-Fock Method Uses Antisymmetric Wave Functions 307
- 8-8 Hartree-Fock Calculations Give Good Agreement with Experimental Data 309
- 8-9 A Term Symbol Gives a Detailed Description of an Electron Configuration 313
- 8-10 Hund's Rules Are Used to Determine the Term Symbol of the Ground Electronic State 319
- 8-11 Atomic Term Symbols Are Used to Describe Atomic Spectra 320
- 8-12 Russell-Saunders Coupling Is Most Useful for Light Atoms 327

9 Molecules 343

- 9-1 The Born-Oppenheimer Approximation Simplifies Molecular Hamiltonian Operators 343
- 9-2 The Valence-Bond Treatment of a Hydrogen Molecule Was the First Successful Description of a Chemical Bond 345
- 9-3 The Valence-Bond Energy of H_2 Is Given in Terms of a Coulomb Integral, an Exchange Integral, and an Overlap Integral 347
- 9-4 The Exchange Integral Accounts for the Stability of the Chemical Bond in H_2 350
- 9-5 The Two States of H_2 Given by the Heitler-London Theory Are a Singlet State and a Triplet State 354
- 9-6 The Simple Molecular-Orbital Treatment of H_2^+ Yields a Bonding Orbital and an Antibonding Orbital 358
- 9-7 The Simple Valence-Bond Theory Ignores Ionic Terms and the Simple Molecular-Orbital Theory Overemphasizes Ionic Terms 363
- 9-8 Valence-Bond Theory plus Ionic Terms Are Formally Identical with Molecular-Orbital Theory with Configuration Interaction 366
- 9-9 Molecular Orbitals Can Be Ordered According to Their Energies 369

9-10	Molecular-Orbital Theory Predicts That Diatomic Helium Does Not Exist	373
9-11	Molecular Electron Configurations Are Obtained by Placing Electrons into Molecular Orbitals in Accord with the Pauli Exclusion Principle	374
9-12	Photoelectron Spectra Demonstrate the Existence of Molecular Orbitals	377
9-13	Molecular-Orbital Theory Correctly Predicts That Oxygen Molecules Are Paramagnetic and That Diatomic Neon Does Not Exist	379
9-14	An SCF-LCAO-MO Wave Function Is a Molecular Orbital That Is Formed from a Linear Combination of Atomic Orbitals Where the Coefficients Are Determined by a Self-Consistent Field Method	381
9-15	The Electronic States of Diatomic Molecules Are Designated by Molecular Term Symbols	387
9-16	It Is Possible to Calculate Molecular Properties to a High Degree of Accuracy	390
9-17	The Valence-Bond Theory Has a Nice Relation to Lewis Formulas	394
9-18	sp Hybrid Orbitals Are Equivalent and Are Directed 180° from Each Other	398
9-19	sp^2 Hybrid Orbitals Are Equivalent, Lie in a Plane, and Are Directed 120° from Each Other	401
9-20	sp^3 Hybrid Orbitals Are Directed Toward the Vertices of a Regular Tetrahedron	405
9-21	Conjugated Hydrocarbons and Aromatic Hydrocarbons Can Be Treated by a π -Electron Approximation	409
9-22	The Energies in Hückel Molecular-Orbital Theory Are Expressed in Terms of an Empirical Parameter β	411
9-23	Butadiene Is Stabilized by a Delocalization Energy	415
9-24	The Coefficients in Hückel Molecular Orbitals Can Be Used to Calculate Charge Distributions and Bond Orders	419
10	Molecular Spectroscopy	437
10-1	Different Regions of the Electromagnetic Spectrum Are Used to Investigate Different Molecular Processes	439
10-2	A Rigid Rotator Is the Simplest Model of Molecular Rotation	439
10-3	The Harmonic Oscillator Is the Simplest Model of Molecular Vibrations	442
10-4	Most Diatomic Molecules Are in the $n = 0$ Vibrational State at Room Temperature	443
10-5	Rotational Transitions Accompany Vibrational Transitions	445
10-6	The Intensities of the Lines in the P and R Branches in a Vibration-Rotation Spectrum Are Explained by a Rotational Boltzmann Distribution	448
10-7	The Lines in a Rotational Spectrum Are Not Equally Spaced	449
10-8	Overtone Are Observed in Vibrational Spectra	452
10-9	Vibration-Rotation Interaction Accounts for the Unequal Spacing of the Lines in the P Branch and R Branch of a Vibration-Rotation Spectrum	455

10-10	The Vibrations of Polyatomic Molecules Are Represented by Normal Coordinates	45
10-11	Electronic Spectra Contain Both Vibrational and Rotational Information	46
10-12	The Born-Oppenheimer Approximation Factors a Molecular Wave Function into an Electronic Part and a Nuclear Part	46
10-13	The Schrödinger Equation for Nuclear Motion Can Be Factored Approximately into a Rotational Part and a Vibrational Part	47
10-14	Selection Rules Are Derived from Time-Dependent Perturbation Theory	47
10-15	The Selection Rule in the Rigid Rotator Approximation Is $\Delta J = \pm 1$	47 47
10-16	The Harmonic-Oscillator Selection Rule Is $\Delta n = \pm 1$	47
10-17	The Selection Rule in Electronic Spectroscopy Is Less Restrictive Than for Pure Rotational or Vibrational Spectroscopy	47
10-18	The Franck-Condon Principle Predicts the Relative Intensities of Vibronic Transitions	47
A	<i>Derivation of the Classical Wave Equation</i>	49
B	<i>Complex Numbers</i>	49
	<i>Solutions to Problems</i>	50
	<i>Index</i>	51