



Corepro Glass High Lumen bulbs



CorePro LEDBulbND 150W E27 A67 865 FR G

Featuring a classic heritage design, these filament CorePro LED bulbs combine the familiar shapes of classic incandescent bulbs with the benefits of the long-lasting LED technology. A very easy choice for people who are looking for a retrofit LED replacement, these high lumen LED bulbs provide 90% energy savings compared with conventional light bulbs. CorePro LED High Lumen bulbs provide excellent quality of light. Energy-saving LED lighting that offers a lifetime of 15,000 hours to reduce maintenance costs.

Product data


General Information	
Cap-Base	E27
Nominal lifetime	15,000 hour(s)
Switching Cycle	20,000
Lighting Technology	LED
Flux measurement reference	Sphere
Light Technical	
Color Code	865 [CCT of 6500K]
Luminous Flux	2,452 lm
Color Designation	Cool Daylight
Correlated Color Temperature (Nom)	6500 K
Luminous Efficacy (rated) (Nom)	140.00 lm/W
Color Consistency	<6
Color rendering index (CRI)	80
LLMF At End Of Nominal Lifetime (Nom)	70 %
Photobiological safety according to EN 62471	RG1

Operating and Electrical	
Line Frequency	50 to 60 Hz
Input Frequency	50 to 60 Hz
Power Consumption	17.5 W
Lamp Current (Nom)	150 mA
Wattage Equivalent	150 W
Starting Time (Nom)	0.5 s
Warm-up time to 60% light	0.5 s
Power Factor (Fraction)	0.51
Voltage (Nom)	220-240 V
Temperature	
T-Case Maximum (Nom)	60 °C
Controls and Dimming	
Dimmable	No


Corepro Glass High Lumen bulbs

Mechanical and Housing	
Bulb Finish	Frosted
Bulb Shape	A67
Net Weight (Piece)	0.040 kg
Approval and Application	
Energy Efficiency Class	D
Energy Consumption kWh/1000 h	18 kWh
EPREL Registration Number	374907
CE mark	Yes
EU RoHS compliant	Yes
EyeComfort	Yes
Flickering value (PstLM) - Flickering value as per EN 61000-3-3	1
Stroboscopic effect visibility measure (SVM)	0.4
Application Conditions	
can it be used in closed luminaires	No

Dimensional drawing




Photometric data



Spectral Power Distribution Colour - CorePro LEDBulbND 150W E27 A67 865 FR G

Product Data	
Order product name	CorePro LEDBulbND 150W E27 A67 865 FR G
Full product name	CorePro LEDBulbND 150W E27 A67 865 FR G
Full product code	871951434665900
Order code	929002372802
Material Nr. (12NC)	929002372802
Numerator - Quantity Per Pack	1
EAN/UPC - Product/Case	8719514346659
Numerator - Packs per outer box	10
EAN/UPC - Case	8719514346666


Product	D	C
CorePro LEDBulbND 150W E27 A67 865 FR G	70 mm	121 mm



General uniform lighting - CorePro LEDBulbND 150W E27 A67 865 FR G

Corepro Glass High Lumen bulbs

Photometric data




Light Distribution Diagram - CorePro LEDBulbND 150W E27 A67 865 FR G

Lifetime



Life Expectancy Diagram



Lumen Maintenance Diagram - CorePro LEDBulbND 150W E27 A67 865 FR G

