

ElectricFlow 9.0.1 Release Notes

Electric Cloud, Inc.
125 South Market Street, Suite 400
San Jose, CA 95113
www.electric-cloud.com



ElectricFlow version 9.0.1

Copyright © 2002–2019 Electric Cloud, Inc. All rights reserved.

Published 3/18/2019 2:55:13 PM

Electric Cloud® believes the information in this publication is accurate as of its publication date. The information is subject to change without notice and does not represent a commitment from the vendor.

THE INFORMATION IN THIS PUBLICATION IS PROVIDED "AS IS." ELECTRIC CLOUD, INCORPORATED MAKES NO REPRESENTATIONS OR WARRANTIES OF ANY KIND WITH RESPECT TO THE INFORMATION IN THIS PUBLICATION AND SPECIFICALLY DISCLAIMS IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

Use, copying, and distribution of any ELECTRIC CLOUD software described in this publication requires an applicable software license.

Copyright protection includes all forms and matters of copyrightable material and information now allowed by statutory or judicial law or hereinafter granted, including without limitation, material generated from software programs displayed on the screen such as icons and screen display appearance.

The software and/or databases described in this document are furnished under a license agreement or nondisclosure agreement. The software and/or databases may be used or copied only in accordance with terms of the agreement. It is against the law to copy the software on any medium except as specifically allowed in the license or nondisclosure agreement.

Trademarks

Electric Cloud, ElectricAccelerator, ElectricAccelerator Huddle, ElectricCommander, ElectricFlow, ElectricFlow Deploy, ElectricFlow DevOps Foresight, ElectricFlow DevOps Insight, ElectricFlow Release, ElectricInsight, and Electric Make are registered trademarks or trademarks of Electric Cloud, Incorporated.

Most Electric Cloud products—ElectricAccelerator, ElectricAccelerator Huddle, ElectricCommander, ElectricFlow, ElectricFlow Deploy, ElectricFlow DevOps Foresight, ElectricFlow Release, ElectricInsight, and Electric Make—are commonly referred to by their "short names"—Accelerator, Huddle, Commander, Flow, Deploy, Foresight, Release, Insight, and eMake—throughout various types of Electric Cloud product-specific documentation.

All other trademarks used herein are the property of their respective owners.

Contents

ElectricFlow 9.0.1 Release Notes	1
What's New or Modified	1
Resolved Issues	1
Updated Plugins	2
Installation and Upgrade Notes	3
Upgrading Your Existing ElectricFlow Environment	3
Upgrading the DevOps Insight Server	5
Configuration Notes	5
Performing a Full Import	5
DevOps Insight Server Configuration Notes	5
Updating Application Component Plugins	6
Limitations	6
Known Issues	6
Documentation and Online Help	8
Product Documentation	8
Automation Platform Online Help	8
Rollup of 8.x Features	8
Troubleshooting and Getting Help	9
Technical Support	9
Electric Cloud "Ask" Website	9
ElectricFlow Knowledge Base	9

ElectricFlow 9.0.1 Release Notes

ElectricFlow 9.0.1 is a maintenance release (MR). For details about the ElectricFlow release strategy, see the [ElectricFlow/ElectricCommander Release Strategy Update](#).

ElectricFlow® is an enterprise-grade DevOps Release Automation platform that simplifies provisioning, building, and releasing multi-tiered applications. Its model-driven approach to managing environments and applications lets teams coordinate multiple pipelines and releases across hybrid infrastructure in an efficient, predictable, and auditable way.

What's New or Modified

Resolved Issues

- When specifying a nested group of tasks in a pipeline DSL script, they now correctly inherit the group membership. (CEV-21597)
- Failed release tasks now automatically appear in viewable area without having to scroll. (CEV-20659)
- Fixed regression issue with `OutOfMemoryError: Requested array size exceeds VM limit`. (NMB-27135)
- In ElectricFlow 9.0 and prior versions, a user was able to restart a pipeline run as long as they had execute privilege on pipeline or release. From 9.0.1, when restarting a pipeline run from a specific stage or task, the system checks for execute privilege on all stages/tasks that will run. (CEV-21814)
- Email notifications now include the correct event in the name. (NMB-27148)
- Resolved a single sign-on issue with Kerberos authentication. (NMB-27850)
- Where API arguments can take a list of multiple resources or objects, such as `resourcePoolNames`, the `ec-groovy` client now correctly processes the request for all the items submitted in the list. (NMB-27134, NMB-27151)
- Option lists for services, specified with options DSL in formal parameters of type `select`, no longer return an unknown exception. (CEV-21827)
- Upgrade issue, when upgrading from ElectricFlow 8.0 or older versions to 9.0, due to existence of releases with no associated pipelines has now been fixed. (CEV-21916)
- Added read and connect timeout configurations for connection to LDAP servers. This fixes an issue where the server could wait indefinitely to process certain messages, resulting in jobs waiting to complete. (NMB-27814)
- A new API command, `runCatalogItem`, is now available to execute a catalog item. Refer to the *ElectricFlow 9.0 API Guide*, found [here](#), for complete details. (CEV-21636)

- Documentation issues. Latest documentation can be found [here](#).
 - A new section, "Creating the First Trusted Agent in a New Zone," has been added to the "Automation Platform" chapter of the *ElectricFlow 9.0 User Guide*. (NMB-26454)
 - Added information about Stomp Client URI format to the *ElectricFlow 9.0 Installation Guide*. (NMB-27108)
 - A "Configuring Repository Servers" section is added to the "Creating a Server Cluster for ElectricFlow or DevOps Insight" chapter of the *ElectricFlow 9.0 Installation Guide*. (NMB-26183)
 - Instructions are updated for backing up subdirectories in `<DATA_DIR>` in your ElectricFlow installation before a cluster upgrade. See the "Upgrading Clusters" section in the "Upgrading from ElectricFlow 5.x, 6.x, 7.x, or 8.x to 9.x in a Clustered Environment" chapter of the *ElectricFlow 9.0 Installation Guide*. (NMB-27878)
 - Information about the recommended MySQL JDBC drivers is updated. See the "Installing the MySQL JDBC Driver" section in the "Installing ElectricFlow" chapter of the *ElectricFlow 9.0 Installation Guide*. (NMB-26787)
 - Instructions are added for restricting the ElectricFlow Apache server and the ElectricFlow repository server to use IPv4 addresses. See the "Configuring the Web and Repository Servers to Use IPv4" section in the "Configuring ElectricFlow" chapter of the *ElectricFlow 9.0 Installation Guide*. (NMB-26992)
 - The instructions for installing additional DevOps Insight cluster nodes in silent mode now reference the correct option. To view this update, go to the "Creating a DevOps Insight Server Cluster" section in the "Creating a Server Cluster for ElectricFlow or DevOps Insight" chapter of the *ElectricFlow 9.0 Installation Guide*. (CEV-21883)

Updated Plugins

This section lists plugins that have new functionality introduced in this release. The version numbers are provided for convenience: refer to the individual plugin documentation for more details.

Name	New Version
EC-WebLogic	3.4.1.0
EC-JBoss	2.6.2.0
EC-JIRA	1.6.0.0
EC-Jenkins	1.13.1.222
EC-Core	1.2.7.6
EC-HomePage	1.4.2.5

Name	New Version
EC-Artifact	1.1.6.3
EC-CIManager	1.4.2.7
EC-SendEmail	1.0.3.3

For a complete list of bundled plugins, see the "Plugins That are Bundled with ElectricFlow" appendix in the *ElectricFlow 9.0 User Guide* found [here](#).

Installation and Upgrade Notes

For complete installation and upgrade information, see the *ElectricFlow 9.0 Installation Guide* found [here](#).

Upgrading Your Existing ElectricFlow Environment

Important: *Before starting an upgrade, make sure to back up your existing ElectricFlow data.*

- Upgrades to ElectricFlow 9.x are supported only from ElectricCommander 5.0 or any version before 9.0. Upgrade to version 9.x from any ElectricCommander version that is 4.2 or earlier is not supported. For upgrade instructions, see the *ElectricFlow 9.0 Installation Guide* found [here](#).
- Upgrading from any version before ElectricFlow 8.5 to 9.0.1 requires upgrading your older version of DevOps Insight server to DevOps Insight server 9.0.1. Customers upgrading from 8.5 do not need to upgrade their DevOps Insight server instance which is expected to already be version 8.5 as ElectricFlow 8.5 required DevOps Insight server 8.5.
- You cannot upgrade from a previous version running the built-in database to an ElectricFlow 8.x database. If you want to continue using the built-in database in ElectricFlow 8.x, follow the database upgrade procedures described in the *ElectricFlow 9.0 Installation Guide* found [here](#).

- If your XML export file from ElectricFlow 8.0.1 or earlier versions has elements containing `applicationServiceMapping`, you must change all instances of that string in the file to `serviceClusterMapping` before importing the file into version 8.1. For example, change the following XML:

```
<applicationServiceMapping>
  <applicationServiceMappingId>9efcda31-a85f-11e7-8500-
0800279f198d</applicationServiceMappingId>
  <applicationServiceMappingName>9efcda31-a85f-11e7-8500-
0800279f198d</applicationServiceMappingName>
  ...
</applicationServiceMapping>
```

to

```
<serviceClusterMapping>
  <serviceClusterMappingId>9efcda31-a85f-11e7-8500-
0800279f198d</serviceClusterMappingId>
  <serviceClusterMappingName>9efcda31-a85f-11e7-8500-
0800279f198d</serviceClusterMappingName>
  ...
</serviceClusterMapping>
```

(CEV-16237 and CEV-16158)

- The DevOps Insight installer overwrites the `elasticsearch.yml` configuration file with a new file. As of DevOps Insight version 8.3, the file includes a `Custom Settings` section, which lets you add Elasticsearch settings not managed by the DevOps Insight server without being lost during an upgrade. If you added settings to this file in version 8.2 or earlier that you want to preserve, you must back up the file to a separate location *before* upgrading to version 9.0 or newer versions and then add the settings to the `Custom Settings` section after the upgrade. During future upgrades, the installer will preserve the settings in the `Custom Settings` section. (NMB-25850)

Ensuring the Correct Default MySQL Collation

- Since release 8.0.1, Electric Cloud has instructed customers using a MySQL database to use the following two lines in their MySQL configuration:

```
init_connect='SET collation_connection = utf8_unicode_ci, NAMES utf8'
skip-character-set-client-handshake
```

Before upgrading ElectricFlow, you must remove these lines or comment them out. Otherwise, jobs will not start. For further details about MySQL configuration recommendations, see Knowledge Base article [KBEC-00356](#). (NMB-27937)

- If the collation is not configured correctly, then entering non-ASCII text into ElectricFlow might cause errors. For example, setting a release name to a non-ASCII value and attempting a search causes an exception.
- If your MySQL database schema or any tables in it are set to a non-UTF-8 collation order, see Knowledge Base article [KBEC-00385](#) for detailed instructions about safely converting your schema to UTF-8. (NMB-26521)

Upgrading Agents that Run the `ec-groovy` Job Step in Multizone Deployments

In multizone ElectricFlow deployments, ElectricFlow agents that are in a different zone than the ElectricFlow server must be upgraded to version 9.0 or later for the `ec-groovy` job step to run successfully on those agents. You must also upgrade the gateway agents that lead back to the server's zone including those in any zones in between the agent's zone and the server's zone. (NMB-27490)

For details about multiple zones and gateway agents, see the "Gateways and Zones," "Zones," and "Gateways" sections in the "Automation Platform" chapter of the *ElectricFlow User Guide* found [here](#).

Removing the `SSL 2.0 Client Hello` or `SSLv2Hello` Protocol from Your Security Configurations

We recommend removing the `SSL 2.0 Client Hello` or `SSLv2Hello` protocol from your security configurations for all components. When you do this, you would also need to upgrade older agents to the latest version to avoid security risks. You would need to upgrade agents if you are using the following agent versions. (NMB-27934)

- Windows, Linux: 6.0.3 or older; 6.2 or older
- Sun Solaris, HP UX, Mac OS: 8.4 or older

Upgrading the DevOps Insight Server

This section provides information about upgrading the DevOps Insight server from Version 7.3 to Version 9.0.

Re-Specifying Configuration Settings Not Preserved During the Upgrade

The installers (GUI, interactive console, and silent mode) for the DevOps Insight server do not preserve the configuration setting for the DevOps Insight server host name (`--hostName`) or the setting for the Elasticsearch number of shards (`--elasticsearchNumberOfShards`) during the upgrade from 7.3 to 9.0.1. If you specified non default values during the 7.3 Reporting server installation, you must re-specify these settings during the upgrade. (All other settings are preserved.)

Configuration Notes

Performing a Full Import

During a full import, the import operation might hang in the following scenarios. To import successfully into ElectricFlow 8.0 and newer versions, perform the appropriate workarounds (CEV-15447 and (CEV-11873):

- A manual process step in a process has formal parameters. The workaround is to remove the entry related to the property sheet for the job step that is associated with the manual process step.
- In the exported XML file from the earlier release, two pipelines are in different projects, and both pipelines have no gate tasks. The flow associated with the pipeline is duplicated under both projects. The workaround is to remove the flow element under the projects.

DevOps Insight Server Configuration Notes

For a production environment, Electric Cloud recommends that you install the DevOps Insight server on a system other than systems running other ElectricFlow components (such as the ElectricFlow

server, web server, repository server, or agent). If you must install it on the same system (such as for testing or other non-production or trial-basis situations) see "Running the DevOps Insight Server on a System with Other ElectricFlow Components" in the *ElectricFlow Installation Guide* at http://docs.electric-cloud.com/eflow_doc/FlowIndex.html for details.

Updating Application Component Plugins

Application components are based on plugins (EC-Artifact, EC-Maven and EC-FileSysRepo) with plugin details (such as name, procedure, and parameters) stored in properties on the component. Before version 5.4, the value for the `pluginProjectName` property included the plugin name and version (for example, `EC-Artifact-1.0.3.4`), which closely tied components to specific versions.

When you export your project data before upgrading from ElectricCommander 5.0, 5.1, 5.2, or 5.3 to ElectricFlow 9.x, you must update the application component plugin versions in the export file to the versions on the target ElectricFlow server before importing the data to ElectricFlow 9.x.

For example, if the promoted EC-Artifact plugin version is 1.0.4.1, then in the snippet below, you would change `EC-Artifact-1.0.3.4` to `EC-Artifact-1.0.4.1`:

```
<property>
  <propertyId>3f509ffd-506b-11e6-9960-f01faf2c26a3</propertyId>
  <propertyName>pluginProjectName</propertyName>
  <counter>0</counter>
  <createTime>2016-07-23T00:20:20.829Z</createTime>
  <expandable>1</expandable>
  <lastModifiedBy>admin</lastModifiedBy>
  <modifyTime>2016-07-23T00:20:20.829Z</modifyTime>
  <owner>admin</owner>
  <tracked>1</tracked>
  <value>EC-Artifact-1.0.3.4</value>
</property>
</property>
```

Starting with release 5.4, ElectricFlow uses the plugin key (which does not include the version) when defining a component. (CEV-6679)

Limitations

- When an application is cloned from one project (the original project) to another (the destination project), the tier maps for the application will point to the environments with the same names in the destination project. To deploy the application to the environments in the original project, you must create tier maps connecting the application to those environments.
- When an assignee is added in a manual process step or stage task through the web interface, the Search field displays only the users who have actually logged into the system.

Known Issues

- If the Release Command Center is setup for JIRA for user-stories and defects, and the JIRA project name is mapped to the release project name using the following field mapping:
`projectName:releaseProjectName`
then, *before* upgrading to ElectricFlow 9.0.1 from version 8.5 or earlier, the field mapping must be updated to mention the actual release project name using the following field mapping format:
`"release-project-name-in-ElectricFlow":releaseProjectName`

(CEV-21426)

- (Windows platforms only) If the Elasticsearch cluster, which is used by DevOps Insight, is in the red state (in Elasticsearch, this means that it only partly functions and some data is unavailable), then upgrade, reconfigure, or uninstall operations will not work. Because the Elasticsearch service can not be stopped when a cluster is in red state, kill the Elasticsearch service process by the task manager before running the installer for these actions. (NMB-26962)
- The ability to search by assignee in a Deployment Report is not available in the DevOps Insight report editor. (CEV-19239 and CEV-19259)
- All subreleases of a release must appear before the release in the DSL for the release-to-subrelease link to be created. (CEV-18531)
- When you do a full import from version 8.0 to version 8.2 or newer and two or more releases have the same name (under different projects) and are associated to the same pipeline, then after import, the runs for all releases might become associated to the first imported release.

This is because ElectricFlow cannot differentiate runs between the releases since all runs are under the same pipeline project and have the same name. To work around this issue, rename releases in the export file so that all their occurrences (in `deploymentHistoryItem`, `flowRuntime`, and so on) are unique. (CEV-17164)

- Jobs might not appear upon drill-down into the “Clusters With Most Deployments” widget in the DevOps Insight Microservices Dashboard if the service does not contain a deploy step in the process. (CEV-16930)
- A project import might not include the path-to-production view. (CEV-16250)
- Multiple mapped environments with the same name from different projects are not supported in email notifications. (CEV-16245)
- The retry count for group tasks or rules using “automated retry on error” is missing from the Pipeline runtime page. (CEV-15829)
- If an application process step cannot expand to its child steps (because of an invalid run condition or an invalid formal parameter), then the step is not retried even if it uses “retry on error” error handling. The job eventually completes with an error. (CEV-15122)
- No error prompt appears for failed tasks and retry tasks during a pipeline runtime. (CEV-14689)
- The stage inclusion status in the Release Dashboard changes color after a stage is renamed. (CEV-12429)
- Error prompts for runtimes started by a schedule are not visible if the schedule was created with a missed configuration. (CEV-12363)
- When an application with snapshots created in ElectricFlow 6.1 or earlier is cloned, and a project containing this application is imported to ElectricFlow 6.3 or higher, the import operation fails. (CEV-11106)
- (Windows platforms only) When installing DevOps Insight, you cannot use parentheses (round brackets) in the installation directory or data directory paths. For example, the path `C:\Program Files (x86)\ElectricCommander` is not valid. (NMB-26406)
- Modifications of LDAP user data (such as email addresses) on an Active Directory server after registration in ElectricFlow do not appear properly in user details (in the Automation Platform UI or ectool) until the ElectricFlow server is restarted. (NMB-26021)

- When you use the Automation Platform UI to upload and publish artifact files with non-English characters in their file names, the operation fails with the following error: `Upload file: Exit code 1: ERROR: Publish failure: Unexpected retrieval exception for repository error.` (NMB-24949)
- You can revert changes only for high-level design objects such as applications, procedures, procedure steps, workflow definitions, and state definitions.

Note: Restarting the ElectricFlow server while new records are created for all tracked objects might take at least as long as an export or import of all projects (10 to 40 minutes for a large project).

- System performance might decrease if you disable change tracking at the server level and then re-enable it at that level. (Change tracking is enabled by default.) For details about using change tracking, see the “Change Tracking” chapter in the *ElectricFlow 9.0 User Guide* found [here](#).
- Enabling **Recursively Traverse Group Hierarchy** might impact system performance when the LDAP group hierarchy is traversed. The amount of impact varies with the configurations of the ElectricFlow and LDAP servers, the depth of group hierarchy in the LDAP server, and the network latency between the servers. Make sure that your directory provider can handle the additional load for supporting nested group hierarchy traversal.

Documentation and Online Help

Product Documentation

ElectricFlow product documentation is available [here](#) as follows:

- *ElectricFlow Installation Guide*
- *ElectricFlow User Guide*
- *ElectricFlow API Guide*
- *ElectricFlow Release Notes*
- *Groovy API Guide*
- *DevOps Foresight Installation and User Guide*

Documentation on the website is updated periodically.

Automation Platform Online Help

The Automation Platform web UI has a complete, robust, context-sensitive online help system. To use it, click the **Help** button in any page of the web UI.

Rollup of 8.x Features

Besides providing the many new improvements outlined above in these release notes, ElectricFlow v9.0 rolls up previous feature releases since v8.0. Please see the links below for information about each.

- [Release Notes v8.5](#)
- [Release Notes v8.4](#)

- [Release Notes v8.3](#)
- [Release Notes v8.2](#)
- [Release Notes v8.1](#)

Troubleshooting and Getting Help

Technical Support

Contact Electric Cloud technical support:

- +1 408.419.4300, option 2. Hours are 9 A.M.–5 P.M. PT Monday–Friday (except holidays)
- support@electric-cloud.com
- <https://helpcenter.electric-cloud.com/> and then click **Submit a request** to submit or see your support tickets

Be prepared to provide your:

- Name, title, company name, phone number, and email address
- Operating system and version number
- Product name and release version
- Problem description

Electric Cloud “Ask” Website

Go to <http://ask.electric-cloud.com>—a member-moderated community forum where you can:

- Ask and answer questions as well as comment on (and vote for) the questions of others and their answers
- Get help with installation and configuration
- Submit feedback

ElectricFlow Knowledge Base

Go to <https://helpcenter.electric-cloud.com/hc/en-us/sections/200516863-ElectricFlow-KB> to find in-depth explanations of specific topics and solutions for specific problems.