

FEATURES

- Connector size is M8
- Space efficient
- IP67

RS PRO M08 MALE REAR PANEL MOUNT (FLUSH TYPE) CONNECTOR 6 PIN WITH 500 mm PVC LITZ WIRE

RS Stock No.: 2305712



RS Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to

RS PRO M08 PANEL MOUNT CONNECTOR



the leading brands without paying a premium price.

Product Description ATTRIBUTE 1

M08 Panel Mount

This panel mount receptacle is available in M8 or M12 and features a threaded connector for secure mating attenuation with corresponding M8 or M12 plugs. When mated, this connection is sealed to IP67, providing excellent protection against dust and water and resulting in a connector that is well suited for industrial purposes.

Panel mount connector is available in contact configurations of 3, 4 & 6 pole and in male and female variants.

Features and Benefits:

- Connector size is M8
- Insulation Resistance >= 100 M Ω
- IP67

General Specifications

Rated Operational Voltage	30 V
Current Rating	1.5A
Insulation Resistance	>= 100 MΩ
Temperature Range	-25°C +75°C
Coding	A-Coded
Coupling	Thread Locking
Shield	No
Mounting	Rear (M8 x 1)

Material Specifications

Housing Material	Brass Ni Plated
Contact	Cu-Zn
Contact Plating	Gold Flash
Contact Carrier	Nylon 66
O-Ring	Neoprene
No. of Pole	6
Clamp Nut	M8 x 1

Cable Specifications

Cross Section of Wire	0.14 sq.mm
Termination	Partially Stripped

RS PRO M08 PANEL MOUNT CONNECTOR



Wire length 500 mm

Protection Category

Degree of Protection

IP67

Additional Information

Custom Tariff Number

85369090

Approvals


Standards Met

IEC 61076-2-104

Similar Products

Stock No.	Brand	Product Name	Attribute 1	Attribute 2
2017206	RS PRO	RS Pro M08 Male 4 Pin Rear Panel Mount Connector	Industrial Automation Cable Assemblies	Actuator/Sensor Cable

Connection Diagrams / Assembly Diagrams / Illustrations / Accessories



All Dimensions are in mm.

Panel Cutout

