



# **INFORMATION SHEET for PROCUREMENT of COMBINED JET SUCTION TRUCK**

**Reference No: FNK-I/IUL/2023/288**

Issued on: 02<sup>nd</sup> November 2023

Issued by:

Fenaka Corporation Limited

Male', Republic of Maldives

## Section I: Instruction to Bidders

A. General	
<b>1. Scope of Bid</b>	<p>1.1 Fenaka Corporation Limited requests quotations for combined jet suction truck in accordance with <i>Section III, Technical Specifications</i></p> <p>1.2 It is in Fenaka Corporation Limited's discretion to cancel this bid invitation at any time.</p>
<b>2. Eligible Participants</b>	<p>2.1 Local companies registered in Maldives are eligible to participate in the tender</p> <p>2.2 Foreign companies are eligible to participate in the tender only if the total bid value is above 2,500,000 Maldivian Rufiyaa.</p>
B. Preparation of the Bid	
<b>3. Bid Prices</b>	<p>3.1 The unit price of each item and the total price shall be clearly indicated in the quotation</p> <p>3.2 All items shall be quoted in the bid (please refer to <i>Section III, Technical Specifications</i> for the details of required items)</p> <p>3.3 Quotation shall separately indicate the additional charges such as freight charges, insurance, etc.</p> <p>3.4 The bidder shall submit quotation on CIF basis to Male' port</p>
<b>4. Currency</b>	4.1 The bidder shall quote entirely in Maldivian Rufiyaa
<b>5. Alternative Bids</b>	5.1 Bidders can submit a maximum of two (2) options
<b>6. Validity of Bids</b>	6.1 Quotation shall remain valid for minimum sixty (60) days from the date of bid opening
<b>7. Bid Security</b>	<p>7.1 All bids should be accompanied with a bid security of USD 2,000 (Two Thousand US Dollars) or its equivalent in Maldivian Rufiyaa</p> <p>7.2 The bid security should be:</p> <ul style="list-style-type: none"> <li>- Original bank guarantee letter (or)</li> <li>- Bank guaranteed and stamped check (or)</li> <li>- An insurance policy from Maldives Monetary Authority (MMA) registered insurance company</li> </ul>

	<p>7.3 Any bid not accompanied by a Bid Security shall be rejected during bid opening</p> <p>7.4 The bid security must be valid for a minimum of twenty (20) additional days beyond the validity of quotation</p>
<b>8. Technical Compliance</b>	<p>8.1 All relevant information including the brand shall be given to enable technical evaluation of quoted items</p> <p>8.2 If the manufacturer or assembler is not the same as the bidder, a document indicating that manufacturer or assembler is willing to sell the item to the bidder is required</p> <p>8.3 Technical compliance letter will be required to enable technical evaluation</p> <p>8.4 If the goods do not comply with the requirements mentioned in <i>Section III, Technical Specifications</i>, the bid will be rejected during evaluation.</p>
<b>9. Documents Comprising the Bid</b>	<p>9.1 Quotation (inclusive of the delivery period and payment terms)</p> <p>9.2 Specifications of the offered product</p> <p>9.3 Photos of the Truck (Color Photo)</p> <p>9.4 Details of the company</p> <ul style="list-style-type: none"> <li>- Company profile/background</li> <li>- Company registration certificate</li> <li>- GST registration certificate (for local bidders only)</li> <li>- TAX clearance report (6 months validity)</li> <li>- Contact details (name, designation, mobile number, and e-mail address)</li> </ul> <p>9.5 Experience letters, if available</p> <ul style="list-style-type: none"> <li>- Letters within past five (5) years</li> <li>- Relevant experience letters</li> <li>- Letters with project name and value</li> </ul> <p>9.6 One (1) compact disc with original bid document scanned and written</p> <p>9.7 Bids lacking the documents above are subjected to be rejected during the bid opening</p>

<p><b>10. Format of Bid</b></p>	<p>10.1 The Bidder shall submit two (2) sets of the bid document (1 original and 1 copy), enclosed separately in two envelopes, and sealed with company stamp</p> <p>10.2 All pages of the bid document shall be stamped and bound properly (excluding the bid security)</p>
<p><b>C. Bid Submission</b></p>	
<p><b>11. Sealing and Marking Bid Document</b></p>	<p>11.1 The bid document shall be sealed properly in an envelope clearly marked 'ORIGINAL' or 'COPY', with the name of the company and the tender reference number (FNK-I/IUL/2023/288)</p>
<p><b>12. Bid Opening</b></p>	<p>12.1 The bids will be opened on 13<sup>th</sup> November 2023, 1100hrs in the presence of bidders</p> <p>12.2 Bids will be opened at: Fenaka Corporation Limited Hilaalee Magu, K. Male', Republic of Maldives</p> <p>12.3 Bids received electronically will not be accepted</p>
<p><b>13. Bid Rejection</b></p>	<p>13.1 Fenaka Corporation Limited shall not consider any bidders that arrive after the deadline for submission</p> <p>13.2 Bidders that do not register for the tender are unable to participate in the bid opening</p> <p>13.3 Bids lacking the documents mentioned in 9. <i>Documents Comprising the Bid</i> (except 9.5 <i>Experience letters</i>) and that do not comply with 10. <i>Format of Bid</i> are subjected to be rejected</p>
<p><b>D. Awarding of Contract</b></p>	
<p><b>14. Payment Terms</b></p>	<p>14.1 An advance payment will not be released for this project</p> <p>14.2 Vehicle registration shall be completed prior to claiming final payment and Fenaka shall provide necessary documents to obtain the registration.</p> <p>14.3 Vehicle should be in alliance with Ministry of Transport and Civil Aviation vehicle registration regulations.</p>

## Section II: Evaluation Criteria

**Proposal Cost:** 70 points for the lowest price

- $(\text{Lowest price} / \text{proposed price}) \times 70$

**Delivery:** 20 points for the lowest delivery period

- $(\text{Lowest delivery period} / \text{proposed delivery period}) \times 20$
- If the delivery period indicates 'ex-stock', it shall be taken same as the party offering the longest delivery period.

**Credit Period:** 10 points for the maximum credit period

- $(\text{Proposed credit period} / \text{longest credit period}) \times 10$

**Note:** Any discrepancy in technical details specified in quotation with technical specification document, the specification shall prevail.

## Section III: Technical Specifications

Description	Quantity
Combined Jetting / Suction Truck	01

### Technical Specifications – Combined Jet Suction Truck

General	Vehicle Brand	Supplier's choice (should be durable and long lasting)
	Chassis Brand	Supplier's choice (should be durable and long lasting)
	Overall Dimension	(L x W x H) Mounting length (advised loading platform length): 3.45m Overall length max. 3.75m Width = 1.600mm Height= 1.650mm
	GVW/Kerb Weight	6,000 kg- 10,000 kg
Cab	Cab Capacity	3 persons seats (minimum)
Engine	Fuel Type	Diesel
	Drive	Electronic starting system
	Engine Brand	Supplier's choice (should be a well-known and regionally available brand)
	Power	33KW/44hp
	Displacement (L)	1.498
	Combustion system	IDI
	Max Speed (rpm)	3000
Emission Standard	Interim Tier A/ Stage III A	
Chassis	Drive Type	4X2 right hand drive

	Transmissi on	6-speed forward 1 reverse	
	Wheelbase	3815mm	
	Number of axle	2	
	Tyre Specificati on	235/75R17.5	
	Tyre Number	6 tyres and 1 spare tyre	
	Max Speed	105km/h	
	Paint	Metallic paint	
Superstruct ure	Water Tank	Tank capacity	1600/1400 liters (water/slu dge divisi
		Tank Material	Carbon Steel +Tank entirely hot dip galvanized both inside and out
		High Pressure Pump	3 plunger high pressure pump
		Flow Speed	125 l/min
		Cleaning Pressure	200 bar (max)
		Water filling hose	Optional, water filling hose reel 50 m 3/4" water hose (ND 20)
		Suction head	8m

	Sewer Tank	Tank capacity	1600/1400 liters (water/sludge division)
		Tank Material	Carbon Steel +Tank entirely hot dip galvanized both inside and out
		Vacuum system	Thrust jetter/ vacuum pump
		Free air displacement	8.33l/min (max)
		Flow Speed	Thrust jetter, 7500l/min Vacuum pump, 6150 l/min
		Vacuum pressure	0.85 bar
		High Pressure Hose	80m 1/2" (ND13)/ 80m 5/8" (ND16)
	HP Reel Drive	270 degree rotating hydraulically driven HP reel, mounted on swiveling frame (with extendable hose guiding system)	
Optional	Automatic opening and closing of rear cover with 4 actuated locks and 2 open/close actuator"		