

## VANCOUVER MINOR BASEBALL ASSOCIATION OUTBREAK PLAN

Early detection of symptoms will facilitate the immediate implementation of effective control measures. In addition, the early detection and immediate implementation of enhanced cleaning measures are two of the most important factors in limiting the size and length of an outbreak. An "outbreak" is two or more cases; a "case" is a single case of COVID-19.

1. Identify the roles and responsibilities of staff or volunteers if a case or outbreak is reported. Determine who within the organization has the authority to modify, restrict, postpone or cancel activities.
2. If staff (including volunteers) or a participant reports they are suspected or confirmed to have COVID-19 and have been at the workplace/activity place, implement enhanced cleaning measures to reduce risk of transmission. If you are not the facility operator, notify the facility right away.
3. Implement your illness policy and advise individuals to:
  - a.) self-isolate
  - b.) monitor their symptoms daily, report respiratory illness and not to return to activity for at least 10 days following the onset of fever, chills, cough, shortness of breath, sore throat and painful swallowing, stuffy or runny nose, loss of sense of smell, headache, muscle aches, fatigue and loss of appetite.
  - c.) use the COVID-19 self-assessment tool at BC COVID-19 Self-Assessment Tool to help determine if further assessment or testing for COVID-19 is needed. Individuals can contact 8-1-1 if further health advice is required and 9-1-1 if it is an emergency.